

Clinical Policy: Outpatient Cardiac Rehabilitation

Reference Number: CP.MP.176

Date of Last Revision: 05/22

[Coding Implications](#)

[Revision Log](#)

See [Important Reminder](#) at the end of this policy for important regulatory and legal information.

Description

The American Heart Association and American Association of Cardiovascular and Pulmonary Rehabilitation define cardiac rehabilitation for coronary heart disease as “coordinated, multifaceted interventions designed to optimize a cardiac patient’s physical, psychological, and social functioning, in addition to stabilizing, slowing, or even reversing the progression of the underlying atherosclerotic processes, thereby reducing morbidity and mortality.”¹³ This policy describes the medical necessity guidelines for conventional and intensive outpatient cardiac rehabilitation programs.

Policy/Criteria

- I. It is the policy of health plans affiliated with Centene Corporation[®] that initiation of medically supervised **phase II** outpatient cardiac rehabilitation is **medically necessary** when meeting all of the following:
 - A. Indications, one of the following:
 1. Stable angina pectoris within last 12 months;
 2. History of unstable angina pectoris within last 12 months;
 3. Percutaneous coronary intervention within last 12 months;
 4. Myocardial infarction within last 12 months;
 5. Coronary artery bypass graft (CABG) within last 12 months;
 6. Coronary artery disease (CAD) within last 6 months;
 7. Heart failure (HF) Class II, III, or IV and on a stable medication regimen;
 8. Heart or heart-lung transplantation within last 6 months, or within 6 months of newly gained ability to participate in rehabilitation regimen;
 9. Cardiac valve surgery within last 6 months;
 10. Peripheral artery disease within last 12 months;
 11. History of sustained ventricular tachycardia or fibrillation, or survivors of sudden cardiac death;
 12. Surgical septal myectomy via thoracotomy within last 12 months.
 - B. Therapy program, all of the following:
 1. Physician-prescribed exercise during each session;
 2. Electrocardiogram monitoring;
 - C. Request is for ≤ 36 visits over a period of ≤ 9 months;
 - D. If diabetic, documentation supports that it is adequately controlled;
 - E. None of the following contraindications:
 1. Unstable angina;
 2. Uncontrolled hypertension - resting systolic blood pressure (SBP) >180 mmHg and/or resting diastolic BP (DBP) >110 mmHg;
 3. Orthostatic BP drop of >20 mmHg with symptoms;
 4. Significant aortic stenosis (aortic valve area <1.0 cm²);
 5. Uncontrolled atrial or ventricular arrhythmias;
 6. Uncontrolled sinus tachycardia (>120 beats/min);

CLINICAL POLICY

Outpatient Cardiac Rehabilitation

7. Uncompensated heart failure;
8. Third degree atrioventricular (AV) block without pacemaker;
9. Active pericarditis or myocarditis;
10. Recent embolism;
11. Acute thrombophlebitis;
12. Acute systemic illness or fever;
13. Severe orthopedic conditions that would prohibit exercise;
14. Other metabolic conditions, such as acute thyroiditis, hypokalemia, hyperkalemia, or hypovolemia (until adequately treated).

II. It is the policy of health plans affiliated with Centene Corporation that continuation of medically supervised **phase II** outpatient cardiac rehabilitation is **medically necessary** when meeting all of the following:

- A. Progressive therapy program, all of the following:
 1. Physician-prescribed exercise during each session;
 2. Electrocardiogram monitoring;
- B. Partial progress made in meeting treatment goals, all of the following:
 1. Reduction in intensity and frequency of symptoms or findings;
 2. Improvement in function and reduction in limitations;
 3. Documented patient adherence to home exercise program;
- C. Request is for \leq a total of 36 visits, including those initially approved. Requests for additional visits will be reviewed by a medical director.

III. It is the policy of health plans affiliated with Centene Corporation that phase III or IV cardiac rehab programs are **not medically necessary**, as they are primarily educational or training programs.

IV. It is the policy of health plans affiliated with Centene Corporation that there is not sufficient evidence that intensive cardiac rehabilitation programs achieve superior outcomes when compared to conventional cardiac rehabilitation programs.

Background

Cardiac rehabilitation (CR) programs should include comprehensive long-term services involving medical evaluation/baseline patient assessment, exercise training and physical activity counseling, coronary risk factor reduction/secondary prevention, including nutritional counseling and weight management, psychosocial support, and education regarding diet, medications, and exercise tolerance.³

Cardiac rehabilitation is recommended for patients with stable New York Heart Association (NYHA) class II to III HF with benefits seen as early as three weeks following training.²⁶ The Centers for Medicare and Medicaid Services (CMS) further describes stable chronic heart failure as “left ventricular ejection fraction of 35% or less and New York Heart Association (NYHA) class II to IV symptoms despite being on optimal heart failure therapy for at least six weeks. Stable patients are defined as patients who have not had recent (\leq 6 weeks) or planned (\leq 6 months) major cardiovascular hospitalizations or procedures”.⁶

Phase II outpatient CR programs provide electrocardiogram-monitored, supervised exercise programs tailored to the needs of the patient, usually two to three times weekly for 8 to 12 weeks or longer. Goals of CR include reducing coronary risk factors, identifying and managing psychosocial problems that affect patients with cardiac disease, and teaching safe and effective exercise prescribed by a physician or other qualified practitioner.³

Intensive cardiac rehabilitation

According to the Centers for Medicare and Medicaid Services, “intensive cardiac rehabilitation (ICR) refers to a physician-supervised program that furnishes cardiac rehabilitation services more frequently and often in a more rigorous manner” than conventional programs. In order to qualify, ICR programs must demonstrate in peer-reviewed literature that they achieved at least one of the following outcomes: (1) positively affected the progression of coronary heart disease; (2) reduced the need for coronary bypass surgery; and, (3) reduced the need for percutaneous coronary interventions.⁵

Only one randomized controlled trial has compared ICR (the Ornish program) with conventional CR. The report did not demonstrate any significant differences in outcomes, such as incidence of angina, mean total cholesterol, mean body mass index (BMI), mean systolic blood pressure, mean diastolic blood pressure, or mean carotid intima-media thickness.^{1,12}

A Hayes comparative effectiveness review of ICR programs notes that the evidence comparing ICR to usual care and conventional CR, as well as individual ICR programs to each other, is of very low quality, given small sample sizes and few published studies.¹²

Coding Implications

This clinical policy references Current Procedural Terminology (CPT®). CPT® is a registered trademark of the American Medical Association. All CPT codes and descriptions are copyrighted 2020, American Medical Association. All rights reserved. CPT codes and CPT descriptions are from the current manuals and those included herein are not intended to be all-inclusive and are included for informational purposes only. Codes referenced in this clinical policy are for informational purposes only. Inclusion or exclusion of any codes does not guarantee coverage. Providers should reference the most up-to-date sources of professional coding guidance prior to the submission of claims for reimbursement of covered services.

Codes that support coverage criteria

CPT® Codes	Description
93798	Physician or other qualified health care professional services for outpatient cardiac rehabilitation; with continuous ECG monitoring (per session)

Codes that do not support coverage criteria

CPT® Codes	Description
93797	Physician or other qualified health care professional services for outpatient cardiac rehabilitation; without continuous ECG monitoring (per session)

Codes that do not support coverage criteria

HCPCS Codes	Description
G0422	Intensive cardiac rehabilitation; with or without continuous ECG monitoring with exercise, per session
G0423	Intensive cardiac rehabilitation; with or without continuous ECG monitoring; without exercise, per session
S9472	Cardiac rehabilitation program, non-physician provider, per diem

ICD-10-CM Diagnosis Codes that Support Coverage Criteria

+ Indicates a code requiring an additional character

ICD 10 CM Code	Description
I20.1	Angina pectoris with documented spasm
I20.8	Other forms of angina pectoris
I20.9	Angina pectoris, unspecified
I21.01	ST elevation (STEMI) myocardial infarction involving left main coronary artery
I21.02	STEMI myocardial infarction involving left anterior descending coronary artery
I21.09	STEMI myocardial infarction involving other coronary artery of anterior wall
I21.11	STEMI myocardial infarction involving right coronary artery
I21.19	STEMI myocardial infarction involving other coronary artery of inferior wall
I21.21	STEMI myocardial infarction involving left circumflex coronary artery
I21.29	STEMI myocardial infarction involving other sites
I21.3	STEMI myocardial infarction of unspecified site
I21.4	Non-ST elevation (NSTEMI) myocardial infarction
I21.9	Acute myocardial infarction, unspecified
I21.A1	Myocardial infarction type 2
I21.A9	Other myocardial infarction type
I22.0	Subsequent STEMI myocardial infarction of anterior wall
I22.1	Subsequent STEMI myocardial infarction of inferior wall
I22.2	Subsequent NSTEMI myocardial infarction
I22.8	Subsequent STEMI myocardial infarction of other sites
I22.9	Subsequent STEMI myocardial infarction of unspecified site
I25.10	Atherosclerotic heart disease of native coronary artery without angina pectoris
I25.111	Atherosclerotic heart disease of native coronary artery with angina pectoris with documented spasm
I25.118	Atherosclerotic heart disease of native coronary artery with other forms of angina pectoris
I25.119	Atherosclerotic heart disease of native coronary artery with unspecified angina pectoris
I25.2	Old myocardial infarction
I25.5	Ischemic cardiomyopathy
I25.6	Silent myocardial ischemia

CLINICAL POLICY
Outpatient Cardiac Rehabilitation

ICD 10 CM Code	Description
I25.701	Atherosclerosis of coronary artery bypass graft(s), unspecified, with angina pectoris with documented spasm
I25.708	Atherosclerosis of coronary artery bypass graft(s), unspecified, with other forms of angina pectoris
I25.709	Atherosclerosis of coronary artery bypass graft(s), unspecified, with unspecified angina pectoris
I25.711	Atherosclerosis of autologous vein coronary artery bypass graft(s) with angina pectoris with documented spasm
I25.718	Atherosclerosis of autologous vein coronary artery bypass graft(s) with other forms of angina pectoris
I25.719	Atherosclerosis of autologous vein coronary artery bypass graft(s) with unspecified angina pectoris
I25.721	Atherosclerosis of autologous artery coronary artery bypass graft(s) with angina pectoris with documented spasm
I25.728	Atherosclerosis of autologous artery coronary artery bypass graft(s) with other forms of angina pectoris
I25.729	Atherosclerosis of autologous artery coronary artery bypass graft(s) with unspecified angina pectoris
I25.731	Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with angina pectoris with documented spasm
I25.738	Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with other forms of angina pectoris
I25.739	Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with unspecified angina pectoris
I25.751	Atherosclerosis of native coronary artery of transplanted heart with angina pectoris with documented spasm
I25.758	Atherosclerosis of native coronary artery of transplanted heart with other forms of angina pectoris
I25.759	Atherosclerosis of native coronary artery of transplanted heart with unspecified angina pectoris
I25.761	Atherosclerosis of bypass graft of coronary artery of transplanted heart with angina pectoris with documented spasm
I25.768	Atherosclerosis of bypass graft of coronary artery of transplanted heart with other forms of angina pectoris
I25.769	Atherosclerosis of bypass graft of coronary artery of transplanted heart with unspecified angina pectoris
I25.791	Atherosclerosis of other coronary artery bypass graft(s) with angina pectoris with documented spasm
I25.798	Atherosclerosis of other coronary artery bypass graft(s) with other forms of angina pectoris
I25.799	Atherosclerosis of other coronary artery bypass graft(s) with unspecified angina pectoris
I25.810	Atherosclerosis of coronary artery bypass graft(s) without angina pectoris

CLINICAL POLICY
Outpatient Cardiac Rehabilitation

ICD 10 CM Code	Description
I25.811	Atherosclerosis of native coronary artery of transplanted heart without angina pectoris
I25.812	Atherosclerosis of bypass graft of coronary artery of transplanted heart without angina pectoris
I25.89	Other forms of chronic ischemic heart disease
I25.9	Chronic ischemic heart disease, unspecified
I49.01	Ventricular fibrillation
I49.02	Ventricular flutter
I50.22	Chronic systolic (congestive) heart failure
I50.32	Chronic diastolic (congestive) heart failure
I50.42	Chronic combined systolic (congestive) and diastolic (congestive) heart failure
I50.812	Chronic right heart failure
I50.814	Right heart failure due to left heart failure
I50.82	Biventricular heart failure
I50.83	High output heart failure
I50.84	End stage heart failure
I50.89	Other heart failure
I50.9	Heart failure, unspecified
I73.9	Peripheral vascular disease, unspecified
Z48.21	Encounter for aftercare following heart transplant
Z48.280	Encounter for aftercare following heart-lung transplant
Z86.74	Personal history of sudden cardiac arrest
Z94.1	Heart transplant status
Z94.3	Heart and lungs transplant status
Z95.1	Presence of aortocoronary bypass graft
Z95.2	Presence of prosthetic heart valve
Z95.3	Presence of xenogenic heart valve
Z95.4	Presence of other heart-valve replacement
Z95.5	Presence of coronary angioplasty implant and graft
Z98.61	Coronary angioplasty status

Reviews, Revisions, and Approvals	Revision Date	Approval Date
Policy developed. Reviewed by interventional cardiologist.	05/19	05/19
References reviewed and updated. Removed uncontrolled diabetes from the list of contraindications and added I.D., “If diabetic, documentation supports that it is adequately controlled.”	04/20	05/20
Removed the word “investigational” from the policy statement in IV regarding intensive cardiac rehab programs, and reordered the sentence. Codes and references reviewed and updated. Replaced all instances of “member” with “member/enrollee.”	04/21	05/21
Annual review completed. Added “Surgical septal myectomy via thoracotomy within last 12 months” to I.A. Minor rewording with no	05/22	05/22

Reviews, Revisions, and Approvals	Revision Date	Approval Date
clinical significance. Background updated with no impact to criteria. References reviewed and updated. Changed “Review Date” in the header to “Date of Last Revision” and “Date” in the revision log header to “Revision Date”. Specialist reviewed.		

References

1. Aldana SG, Greenlaw R, Salberg A, Merrill RM, Hager R, Jorgensen RB. The effects of an intensive lifestyle modification program on carotid artery intima-media thickness: a randomized trial. *Am J Health Promot.* 2007;21(6):510-516. doi:10.4278/0890-1171-21.6.510
2. Anderson L, Thompson DR, Oldridge N, et al. Exercise-based cardiac rehabilitation for coronary heart disease. *Cochrane Database Syst Rev.* 2016;2016(1):CD001800. Published 2016 Jan 5. doi:10.1002/14651858.CD001800.pub3
3. Braun LT, Wenger NK, Rosenson RS. Cardiac rehabilitation programs. UpToDate. www.uptodate.com. Updated July 13, 2021. Accessed March 28, 2022.
4. Centers for Medicare and Medicaid Services. CMS Manual System: Pub 100-04 Medicare Claims Processing Transmittal 3848. <https://www.cms.gov/files/document/r11179otn.pdf>. Published January 12, 2022. Accessed May 9, 2022.
5. National coverage determination: intensive cardiac rehabilitation (ICR) programs (20.31). Centers for Medicare and Medicaid Services Web site. www.cms.hhs.gov/mcd/search.asp. Published August 12, 2010. Accessed March 25, 2022.
6. National coverage determination (NCD) for Cardiac Rehabilitation Programs for Chronic Heart Failure (20.10.1). Centers for Medicare and Medicaid Services Web site www.cms.hhs.gov/mcd/search.asp. Published August 18, 2014. Accessed April 13, 2022.
7. Coven, DL. Acute Coronary Syndrome. Medscape. <https://emedicine.medscape.com/article/1910735-overview> Updated September 30, 2020. Accessed March 25, 2022.
8. Downing J, Balady GJ. The role of exercise training in heart failure. *J Am Coll Cardiol.* 2011;58(6):561-569. doi:10.1016/j.jacc.2011.04.020
9. Fletcher GF, Balady GJ, Amsterdam EA, et al. Exercise standards for testing and training: a statement for healthcare professionals from the American Heart Association. *Circulation.* 2001;104(14):1694-1740. doi:10.1161/hc3901.095960
10. Hansen D, Abreu A, Ambrosetti M, et al. Exercise intensity assessment and prescription in cardiovascular rehabilitation and beyond: why and how: a position statement from the Secondary Prevention and Rehabilitation Section of the European Association of Preventive Cardiology. *Eur J Prev Cardiol.* 2022;29(1):230-245. doi:10.1093/eurjpc/zwab007
11. Hillis LD, Smith PK, Anderson JL, et al. 2011 ACCF/AHA Guideline for Coronary Artery Bypass Graft Surgery. A report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines. Developed in collaboration with the American Association for Thoracic Surgery, Society of Cardiovascular Anesthesiologists, and Society of Thoracic Surgeons. *J Am Coll Cardiol.* 2011;58(24):e123-e210. doi:10.1016/j.jacc.2011.08.009

12. Medical Technology Directory. Comparative effectiveness review: intensive cardiac rehabilitation programs for coronary artery disease. Hayes. www.hayes.inc.com. Published February 22, 2018 (annual review May 2, 2021). Accessed March 28, 2022.
13. Jessup M, Abraham WT, Casey DE, et al. 2009 focused update: ACCF/AHA Guidelines for the Diagnosis and Management of Heart Failure in Adults: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines: developed in collaboration with the International Society for Heart and Lung Transplantation. *Circulation*. 2009;119(14):1977-2016.
doi:10.1161/CIRCULATIONAHA.109.192064
14. Karapolat H, Engin C, Eroglu M, et al. Efficacy of the cardiac rehabilitation program in patients with end-stage heart failure, heart transplant patients, and left ventricular assist device recipients. *Transplant Proc*. 2013;45(9):3381-3385.
doi:10.1016/j.transproceed.2013.06.009
15. Kwan G, Balady GJ. Cardiac rehabilitation 2012: advancing the field through emerging science. *Circulation*. 2012;125(7):e369-e373.
doi:10.1161/CIRCULATIONAHA.112.093310
16. Leon AS, Franklin BA, Costa F, et al. Cardiac rehabilitation and secondary prevention of coronary heart disease: an American Heart Association scientific statement from the Council on Clinical Cardiology (Subcommittee on Exercise, Cardiac Rehabilitation, and Prevention) and the Council on Nutrition, Physical Activity, and Metabolism (Subcommittee on Physical Activity), in collaboration with the American association of Cardiovascular and Pulmonary Rehabilitation [published correction appears in *Circulation*. 2005 Apr 5;111(13):1717]. *Circulation*. 2005;111(3):369-376.
doi:10.1161/01.CIR.0000151788.08740.5C
17. Local Coverage Article. Billing and Coding: Frequency and Duration for Cardiac Rehabilitation and Intensive Cardiac Rehabilitation (A53775). Centers for Medicare and Medicaid Services Web site: www.cms.gov/medicare-coverage-database/view/article.aspx?articleid=53775&ver=24&bc=0. Published October 1, 2015 (revised August 27, 2020). Accessed April 5, 2022.
18. Long L, Mordi IR, Bridges C, et al. Exercise-based cardiac rehabilitation for adults with heart failure. *Cochrane Database Syst Rev*. 2019;1(1):CD003331. Published 2019 Jan 29.
doi:10.1002/14651858.CD003331.pub5
19. Levine GN, Bates ER, Bittl JA, et al. 2016 ACC/AHA Guideline Focused Update on Duration of Dual Antiplatelet Therapy in Patients With Coronary Artery Disease: A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines: An Update of the 2011 ACCF/AHA/SCAI Guideline for Percutaneous Coronary Intervention, 2011 ACCF/AHA Guideline for Coronary Artery Bypass Graft Surgery, 2012 ACC/AHA/ACP/AATS/PCNA/SCAI/STS Guideline for the Diagnosis and Management of Patients With Stable Ischemic Heart Disease, 2013 ACCF/AHA Guideline for the Management of ST-Elevation Myocardial Infarction, 2014 AHA/ACC Guideline for the Management of Patients With Non-ST-Elevation Acute Coronary Syndromes, and 2014 ACC/AHA Guideline on Perioperative Cardiovascular Evaluation and Management of Patients Undergoing Noncardiac Surgery [published correction appears in *Circulation*. 2016 Sep 6;134(10):e192-4]. *Circulation*. 2016;134(10):e123-e155.
doi:10.1161/CIR.0000000000000404

20. Mezzani A, Hamm LF, Jones AM, et al. Aerobic exercise intensity assessment and prescription in cardiac rehabilitation: a joint position statement of the European Association for Cardiovascular Prevention and Rehabilitation, the American Association of Cardiovascular and Pulmonary Rehabilitation and the Canadian Association of Cardiac Rehabilitation. *Eur J Prev Cardiol.* 2013;20(3):442-467. doi:10.1177/2047487312460484
21. Morgan JP. Clinical manifestations, diagnosis, and management of the cardiovascular complications of cocaine abuse. UpToDate. www.uptodate.com. Updated March 22, 2022. Accessed March 25, 2022.
22. Nielsen KM, Zwisler AD, Taylor RS, et al. Exercise-based cardiac rehabilitation for adult patients with an implantable cardioverter defibrillator. *Cochrane Database Syst Rev.* 2019;2(2):CD011828. Published 2019 Feb 12. doi:10.1002/14651858.CD011828.pub2
23. O'Gara PT, Kushner FG, Ascheim DD, et al. 2013 ACCF/AHA guideline for the management of ST-elevation myocardial infarction: executive summary: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines: developed in collaboration with the American College of Emergency Physicians and Society for Cardiovascular Angiography and Interventions. *Catheter Cardiovasc Interv.* 2013;82(1):E1-E27. doi:10.1002/ccd.24776
24. Paulus M. Methamphetamine use disorder: Epidemiology, clinical manifestations, course, assessment, and diagnosis. UpToDate. www.uptodate.com. Updated January 13, 2022. Accessed March 25, 2022.
25. Palermo P, Corrà U. Exercise Prescriptions for Training and Rehabilitation in Patients with Heart and Lung Disease. *Ann Am Thorac Soc.* 2017;14(Supplement_1):S59-S66. doi:10.1513/AnnalsATS.201702-160FR
26. Piña IL. Cardiac rehabilitation in patients with heart failure. UpToDate. www.uptodate.com. Updated June 30, 2021. Accessed April 13, 2022.
27. Risom SS, Zwisler AD, Johansen PP, et al. Exercise-based cardiac rehabilitation for adults with atrial fibrillation. *Cochrane Database Syst Rev.* 2017;2(2):CD011197. Published 2017 Feb 9. doi:10.1002/14651858.CD011197.pub2
28. Squires RW, Kaminsky LA, Porcari JP, Ruff JE, Savage PD, Williams MA. Progression of Exercise Training in Early Outpatient Cardiac Rehabilitation: An official statement from the American Association of Cardiovascular and Pulmonary rehabilitation. *J Cardiopulm Rehabil Prev.* 2018;38(3):139-146. doi:10.1097/HCR.0000000000000337
29. Smith SC Jr, Benjamin EJ, Bonow RO, et al. AHA/ACCF Secondary Prevention and Risk Reduction Therapy for Patients with Coronary and other Atherosclerotic Vascular Disease: 2011 update: a guideline from the American Heart Association and American College of Cardiology Foundation [published correction appears in *Circulation*. 2015 Apr 14;131(15):e408]. *Circulation.* 2011;124(22):2458-2473. doi:10.1161/CIR.0b013e318235eb4d
30. Task Force Members, Montalescot G, Sechtem U, et al. 2013 ESC guidelines on the management of stable coronary artery disease: the Task Force on the management of stable coronary artery disease of the European Society of Cardiology [published correction appears in *Eur Heart J*. 2014 Sep 1;35(33):2260-1]. *Eur Heart J.* 2013;34(38):2949-3003. doi:10.1093/eurheartj/eh296
31. Wenger NK, Rosenson RS, Braun LT. Cardiac rehabilitation: Indications, efficacy, and safety in patients with coronary heart disease. UpToDate. www.uptodate.com. Updated February 15, 2022. Accessed March 25, 2022.

CLINICAL POLICY

Outpatient Cardiac Rehabilitation

32. Yamamoto S, Hotta K, Ota E, Matsunaga A, Mori R. Exercise-based cardiac rehabilitation for people with implantable ventricular assist devices. *Cochrane Database Syst Rev.* 2018;9(9):CD012222. Published 2018 Sep 30. doi:10.1002/14651858.CD012222.pub2
33. Smith JR, Layriss V, Medina-Inojosa JR, Berg JD, Ommen SR, Olson TP. Predictors of exercise capacity following septal myectomy in patients with hypertrophic cardiomyopathy. *European Journal of Preventive Cardiology.* 2020 Jul 1;27(10):1066-73

Important Reminder

This clinical policy has been developed by appropriately experienced and licensed health care professionals based on a review and consideration of currently available generally accepted standards of medical practice; peer-reviewed medical literature; government agency/program approval status; evidence-based guidelines and positions of leading national health professional organizations; views of physicians practicing in relevant clinical areas affected by this clinical policy; and other available clinical information. The Health Plan makes no representations and accepts no liability with respect to the content of any external information used or relied upon in developing this clinical policy. This clinical policy is consistent with standards of medical practice current at the time that this clinical policy was approved. "Health Plan" means a health plan that has adopted this clinical policy and that is operated or administered, in whole or in part, by Centene Management Company, LLC, or any of such health plan's affiliates, as applicable.

The purpose of this clinical policy is to provide a guide to medical necessity, which is a component of the guidelines used to assist in making coverage decisions and administering benefits. It does not constitute a contract or guarantee regarding payment or results. Coverage decisions and the administration of benefits are subject to all terms, conditions, exclusions and limitations of the coverage documents (e.g., evidence of coverage, certificate of coverage, policy, contract of insurance, etc.), as well as to state and federal requirements and applicable Health Plan-level administrative policies and procedures.

This clinical policy is effective as of the date determined by the Health Plan. The date of posting may not be the effective date of this clinical policy. This clinical policy may be subject to applicable legal and regulatory requirements relating to provider notification. If there is a discrepancy between the effective date of this clinical policy and any applicable legal or regulatory requirement, the requirements of law and regulation shall govern. The Health Plan retains the right to change, amend or withdraw this clinical policy, and additional clinical policies may be developed and adopted as needed, at any time.

This clinical policy does not constitute medical advice, medical treatment or medical care. It is not intended to dictate to providers how to practice medicine. Providers are expected to exercise professional medical judgment in providing the most appropriate care, and are solely responsible for the medical advice and treatment of members/enrollees. This clinical policy is not intended to recommend treatment for members/enrollees. Members/enrollees should consult with their treating physician in connection with diagnosis and treatment decisions.

Providers referred to in this clinical policy are independent contractors who exercise independent judgment and over whom the Health Plan has no control or right of control. Providers are not agents or employees of the Health Plan.

CLINICAL POLICY

Outpatient Cardiac Rehabilitation

This clinical policy is the property of the Health Plan. Unauthorized copying, use, and distribution of this clinical policy or any information contained herein are strictly prohibited. Providers, members/enrollees and their representatives are bound to the terms and conditions expressed herein through the terms of their contracts. Where no such contract exists, providers, members/enrollees and their representatives agree to be bound by such terms and conditions by providing services to members/enrollees and/or submitting claims for payment for such services.

Note: For Medicaid members/enrollees, when state Medicaid coverage provisions conflict with the coverage provisions in this clinical policy, state Medicaid coverage provisions take precedence. Please refer to the state Medicaid manual for any coverage provisions pertaining to this clinical policy.

Note: For Medicare members/enrollees, to ensure consistency with the Medicare National Coverage Determinations (NCD) and Local Coverage Determinations (LCD), all applicable NCDs, LCDs, and Medicare Coverage Articles should be reviewed prior to applying the criteria set forth in this clinical policy. Refer to the CMS website at <http://www.cms.gov> for additional information.

©2018 Centene Corporation. All rights reserved. All materials are exclusively owned by Centene Corporation and are protected by United States copyright law and international copyright law. No part of this publication may be reproduced, copied, modified, distributed, displayed, stored in a retrieval system, transmitted in any form or by any means, or otherwise published without the prior written permission of Centene Corporation. You may not alter or remove any trademark, copyright or other notice contained herein. Centene[®] and Centene Corporation[®] are registered trademarks exclusively owned by Centene Corporation.