

This Preferred Drug List is searchable. Here is how to search for a medicine:

1. Press Control F to open the search tool
2. Type the medicine name into the text box
3. Press enter

Planning for Healthy Babies®: Inter-Pregnancy Care (IPC) Pharmacy Program

Peach State Health Plan covers all forms of birth control for Planning for Healthy Babies®: Inter-Pregnancy Care (IPC) women. We also cover some medicines to help IPC women with their chronic diseases like diabetes and high blood pressure. The pharmacy team works with doctors and pharmacists to be sure the medicines to prevent pregnancies and the medicines to keep you healthy are covered on the Inter-Pregnancy Care Preferred Drug List (IPC-PDL). Your doctor must write a prescription for these all of these medicines.

Planning for Healthy Babies®: Inter-Pregnancy Care Preferred Drug List (IPC-PDL)

The Peach State Health Plan Inter-Pregnancy Care Preferred Drug List (IPC-PDL) is the list of covered drugs. The IPC-PDL tells you the drugs you can get at local pharmacies. The list is updated every three months by the Peach State Pharmacy and Therapeutics (P&T) Committee. The group is made up of the Peach State Health Plan Medical Director, Pharmacy Director, and several Georgia doctors, pharmacists, and specialists.

The Inter-Pregnancy Care Pharmacy Program does not pay for all medicines. Only these kinds of medicines are covered:

- Birth control
- Antibiotics used to treat Sexually Transmitted Infections (except HIV/AIDS and Hepatitis)
- Folic Acid and Multivitamins with Folic Acid
- Medicines for lower vaginal tract and vaginal skin infections
- Medicines to treat Urinary Tract Infections (UTIs)
- Medicines to treat chronic diseases

Some drugs have limits on age, dose, and maximum quantities. These medicines need a prior authorization (PA) if the doctor thinks you need more than the limit.

You can call Member Services to talk to someone about the list of drugs Peach State Health Plan covers. The Member Service phone number is 1-800-704-1484 (TTY/TTD 1-800-255-0056). You can also use the “Drug Lookup” Tool in the secure member webpage to see if your medicine is covered. You can get to the tool by using this link <https://members.envolverx.com/>.

Pharmacy Benefit Manager (PBM)

Peach State Health Plan works with Envolve Pharmacy Solutions to pay for pharmacy claims. Envolve Pharmacy Solutions is our Pharmacy Benefit Manager (PBM). Some drugs on the IPC-PDL need a prior authorization (PA). Envolve Pharmacy Solutions reviews those requests.

Specialty Drugs

Some drugs are only paid for when you get them from a Peach State Health Plan specialty pharmacy. Specialty pharmacies can be found using the Find A Provider tool on the Peach State Health Plan website at www.pshp.com.

The Peach State Health Plan Pharmacy Director and Medical Director review the PA requests for these drugs.

These drugs are not usually available at local pharmacies. Be sure to call the specialty pharmacy for a refill before you run out of medicine. Drugs that specialty pharmacies provided are marked in the PDL. This list is on the Peach State Health Plan website at www.pshp.com. Please call Member Services if you have any questions about the PDL.

Dispensing Limits

The pharmacy can give you up to 31 days' supply of each new prescription or refill. There may be some medicine, like Depo-Provera, that is given once and lasts 84 days. 80% of the days' supply or 25 days must have passed before the medicine can be refilled for IPC-PDL drugs that are not controlled. Controlled Substances must have 90% of the supply used before the medicine can be refilled. You will need a new prescription for some controlled medicines.

Appropriate Use and Safety Edits

Your safety is very important to Peach State Health Plan. One of the ways we look out for your safety is through point-of sale (POS) edits when the medicine claim is sent by the pharmacy. These edits are based on the Food and Drug Administration (FDA) approvals. One example would be only allowing one drug in the same therapy class each month.

More information about the drugs that are part of these edits can be found in the **Appropriate Use and Safety Edits** document on the Peach State Health Plan website at www.pshp.com.

Prior Authorizations (PA)

Some medicines on the IPC-PDL may require PA. You should talk to your doctor or pharmacist if your pharmacy tells you a PA is needed. A request should be sent by the doctor or pharmacy to Envolve Pharmacy Solutions on the **Medication Prior Authorization Form**. This form is on the Peach State Health Plan website at www.pshp.com. The completed form and doctor notes to show your history should be **faxed to Envolve Pharmacy Solutions at 1-866-399-0929**.

Peach State Health Plan will cover the medicine if:

- There is a medical reason you need that specific medication.
- Other medications on the PDL have not worked.

All reviews are done by a Georgia licensed clinical pharmacist and will be completed in 24 hours unless more information is needed. They use the standards set by the Peach State Health Plan P&T Committee. If the request is approved, Envolve Pharmacy Solutions sends your doctor a fax. If it is not approved, Peach State Health Plan and Envolve Pharmacy Solutions will send a letter to you and a fax to your doctor. The letter will have a list of other similar medicines. It will also tell you about the appeal process.

Step Therapy

Some drugs on the IPC-PDL may require another drug to be used first. This is called Step Therapy. If you filled that required drug with Peach State Health Plan already, the step therapy medicine will be covered. If you have not tried the IPC-PDL medicine, your doctor will need to send in a PA form with other medicine you have tried. If Envolve Pharmacy Solutions does not

approve the PA we will send you a letter and a fax to your doctor. The letter will tell you about the appeal process.

Quantity Limits

Peach State Health Plan may limit how much of a medicine you can get at one time. If the doctor feels you need a larger amount, a PA may be sent to Envolve Pharmacy Solutions. If Envolve Pharmacy Solutions does not approve the PA we will send you a letter and a fax to your doctor. The letter will tell you about the appeal process.

Medical Necessity Requests

Only medicines listed on the IPC-PDL are covered for Inter-Pregnancy Care women. If you need a medicine that is not on the IPC-PDL, your doctor can make a medical necessity (MN) PA request for the medicine. There are medicines on the IPC-PDL to treat most conditions covered by P4HB-IPC. For medicines not on the IPC-PDL, Peach State Health Plan requires:

- Doctor's notes to show you tried at least two IPC-PDL medicines in the same class and used for the same diagnosis; or
- Doctor's notes to show you are allergic or cannot take at least two IPC-PDL medicines in the same class; or
- Doctor's notes to show you cannot take any of the IPC-PDL agents for your diagnosis.

All reviews are done by a Georgia licensed clinical pharmacist and will be completed in 24 hours unless more information is needed. They use the standards set by the Peach State Health Plan P&T Committee. If the request is approved, Envolve Pharmacy Solutions sends your doctor a fax. If it is not approved, Peach State Health Plan and Envolve Pharmacy Solutions will send a letter to you and a fax to your doctor. The letter will have a list of other similar medicines. It will also tell you about the appeal process.

72 Hour Emergency Supply Policy

State and Federal law says a pharmacy can give you a 72 hour (3 day) supply of medicine if you are waiting on PA review. Pharmacies will be paid for the 3 day supply even if the PA is not approved. The pharmacist can use professional judgment to decide if the medicine is urgent. The 72 hour supply is not allowed for Controlled substances that need a PA. The pharmacy must **call Envolve Pharmacy Solutions at 1-866-399-0928** for assistance to send the 72 hour supply for payment.

Exclusions

Only drug categories listed on the Peach State Health Plan IPC-PDL are covered for Inter-Pregnancy Care women. All other drug categories are not covered.

Drugs Covered Under the Medical Benefit

Peach State Health Plan covers some vaccines and medicines under the medical benefit for Planning for Healthy Babies® Inter-Pregnancy Care women. These medicines cannot be filled at a local pharmacy. The doctor can bill Peach State Health Plan for them. For questions about which vaccines and injectable drugs are covered, call Peach State Health Plan's Member Services Department.

Some birth control must be given in the doctor's office. Intrauterine Devices (IUDs), like Mirena, Liletta, Skyla, and Paragard, can be placed during your family planning office visit. Implantable contraception, called Nexplanon, can be inserted during your family planning office visit, too. If you have questions about birth control, ask your doctor.

Over-the-Counter Medications

The Peach State Health Plan IPC-PDL covers some OTC medicines. These OTCs are covered when your doctor writes a prescription for one of them.

Tobacco Cessation Medications

Tobacco Cessation is when you quit smoking cigarettes. These are the medicines Peach State Health Plan covers: generic nicotine replacement products (gum, lozenges, and patches) and bupropion SR (Zyban). You will need a prescription from your doctor for these medicines.

Generic Drugs

Brand-name drugs will not be covered without PA when an acceptable generic is available. Generic drugs have the same active ingredient, work the same as brand-name medicines. If you or your doctor feels a brand-name is needed, your doctor can ask for PA. We will cover the brand-name drug if there is a medical reason you need the brand-name. If it is not approved, Peach State Health Plan and Envolve Pharmacy Solutions will send a letter to you and a fax to your doctor. The letter will have a list of other medicine. It will also tell you about the appeal process.

Filling a Prescription

You can have medicine filled at a Peach State Health Plan pharmacy. You can find a pharmacy by calling Peach State Health Plan Member Services. You can also look for a pharmacy close to you using the Provider-Lookup tool on the website. You will need to give the pharmacist your prescription and Peach State Health Plan ID card. Your pharmacy may ask for other forms of identification, like driver's license or state ID.

Ordering, Prescribing and Referring (OPR) Provider Requirements

Georgia Medicaid and the Center for Medicaid and Medicare Services (CMS) want your doctor to be listed with Georgia Medicaid. Peach State Health Plan and Envolve Pharmacy Solutions check pharmacy claims to be sure the pharmacy and doctor on your prescription are enrolled with Georgia Families®. If a non-enrolled doctor writes your prescription, the prescription will be rejected. Your pharmacy will not be able to fill prescriptions for you if it is not enrolled in Georgia Families®.

Copayments

Co-pays are not required for Planning for Healthy Babies® Inter-Pregnancy Care women.

Contact Information

Peach State Health Plan Member Services: 1-800-704-1484
 Fax: 1-800-659-7518

Peach State Health Plan Member Services TTY/TDD: 1-800-255-0056

Envolve Pharmacy Solutions Prior Authorizations: 1-866-399-0928
 Fax: **1-866-399-0929**

Envolve Pharmacy Solutions – CVS/Caremark Pharmacy Help Desk: 1-844-297-0513

AcariaHealth Shipping Questions: 1-855-535-1815

Language Assistance

Do you need this book translated? Do you need help understanding this book? If you do, call Peach State Health Plan’s Member Service line at 1-800-704-1484. If you are hearing impaired, call our TDD/TTY at 1-800-255-0056. To get this information in large font or audiotape, call Member Services. Interpreter services are provided free of charge to you. Peach State Health Plan has a telephone language line available 24 hours a day, 7 days a week.

Preferred Drug List ABBREVIATIONS

PREFERRED DRUG LIST TIER ABBREVIATIONS	
Tier	Tier Definitions
<i>P</i>	Preferred Drug
REQUIREMENT or LIMITS	
Requirement/Limits	Requirement/Limit Description
<i>AL</i>	Age Limit: Drug is limited to a specific age
<i>PA</i>	Prior Authorization: Review required before prescription can be filled
<i>QL</i>	Quantity Limit: There is a limit on the amount covered per prescription or within a set time frame.
<i>Rx/OTC</i>	Product has both prescription and over the counter coverage
<i>SP</i>	Specialty Drug: High-cost drugs used to treat complex conditions, such as multiple sclerosis, rheumatoid arthritis, hepatitis C, and hemophilia and may be limited to a specific pharmacy.
<i>ST</i>	Step Therapy: Requires trial and failure of one or more preferred products prior to coverage.

CLINICAL EDIT DESCRIPTIONS	
Edit Name	Edit Description
<i>Opioid</i>	<p>Short-acting opioid medicines can only be filled for 7-days at a time when no opioids are filled in the past 180 days (Treatment-Naïve). This limit is extended to 30-day fills when a member has a medical history of cancer, sickle cell, or palliative care in their records.</p> <p>Treatment-Naïve* Limits:</p> <ul style="list-style-type: none"> • Daily Dose Max = 50 MME** • Day Supply Max = 7 days • Must use Short-acting opioids before Long-acting opioids <p>*Treatment-Naïve means no opioid fill in last 180 days **MME = Morphine Milligram Equivalent</p>
<i>ADHD</i>	First fill of ADHD medicines are limited to max 20 day supply for members age 6 to 12, after 30 days can be filled. Edit resets if no fills in 4 months.
<i>Test Strips</i>	Insulin users are limited to 150 strips per 30 days; Non-insulin users are limited to 100 strips per 90 days

STANDARD ABBREVIATIONS

Dose Form	Dose Form Description
<i>AEPB</i>	Aerosol Powder Breath Activated
<i>AERB</i>	Aerosol, breath activated
<i>AERO</i>	Aerosol
<i>AJKT</i>	Auto-injector Kit
<i>AUIJ</i>	Auto-injector
<i>CAPS</i>	Capsule
<i>CHEW</i>	Tablet Chewable
<i>CONC</i>	Concentrate
<i>CP12</i>	Capsule ER 12 HR
<i>CP24</i>	Capsule ER 24 HR
<i>CPCR</i>	Capsule ER
<i>CPDR</i>	Capsule Delayed Release
<i>CPEP</i>	Capsule Enteric Coated Particles
<i>CPSP</i>	Capsule Sprinkle
<i>CREA</i>	Cream
<i>CSDR</i>	Capsule Delayed Release Sprinkle
<i>DEVI</i>	Device
<i>ELIX</i>	Elixir
<i>EMUL</i>	Emulsion
<i>ENEM</i>	Enema
<i>EX</i>	External
<i>GRAN</i>	Granules
<i>IJ</i>	Injection
<i>IMPL</i>	Implant
<i>INHA</i>	Inhaler
<i>INJ</i>	Injectable
<i>IUD</i>	Intrauterine Device
<i>IV</i>	Intravenous
<i>LIQD</i>	Liquid
<i>LOTN</i>	Lotion
<i>LOZG</i>	Lozenge

Dose Form	Dose Form Description
<i>LPOP</i>	Lollipop
<i>MISC</i>	Miscellaneous
<i>NA</i>	Nasal
<i>NEBU</i>	Nebulization solution
<i>OINT</i>	Ointment
<i>OP</i>	Ophthalmic
<i>OPHT</i>	Ophthalmic
<i>OR</i>	Oral
<i>PACK</i>	Packet
<i>PEN</i>	Pen-injector
<i>PNKT</i>	Pen-injector Kit
<i>POT</i>	Potassium
<i>POWD</i>	Powder
<i>PRSY</i>	Prefilled Syringe
<i>PSKT</i>	Prefilled Syringe Kit
<i>PSTE</i>	Paste
<i>PT24</i>	Patch 24 Hour
<i>PT72</i>	Patch 72 Hour
<i>PTCH</i>	Patch
<i>PTTW</i>	Patch Biweekly
<i>PTWK</i>	Patch Weekly
<i>RE</i>	Rectal
<i>S.O.P.</i>	Sterile Ophthalmic Preparation
<i>SHAM</i>	Shampoo
<i>SOAJ</i>	Solution Auto-injector
<i>SOCT</i>	Solution Cartridge
<i>SOLN</i>	Solution
<i>SOLR</i>	Solution Reconstituted
<i>SOPN</i>	Solution Pen-injector
<i>SOSY</i>	Solution Prefilled Syringe
<i>SRER</i>	Suspension Reconstituted ER

Peach State Health Plan: Planning for Healthy Babies®
Inter-Pregnancy Care (IPC) - Preferred Drug List (PDL)



Dose Form	Dose Form Description
<i>STRP</i>	Strip
<i>SUBL</i>	Tablet Sublingual
<i>SUER</i>	Suspension Extended Release
<i>SUPN</i>	Suspension Pen-injector
<i>SUPP</i>	Suppository
<i>SUSP</i>	Suspension
<i>SUSR</i>	Suspension Reconstituted
<i>SUSY</i>	Suspension Prefilled Syringe
<i>SYRP</i>	Syrup
<i>T12A</i>	Tablet ER 12 Hour Abuse-Deterrent
<i>TABS</i>	Tablets
<i>TB12</i>	Tablet ER 12 Hour
<i>TB24</i>	Tablet ER 24 Hour

Dose Form	Dose Form Description
<i>TBCR</i>	Tablet ER
<i>TBDP</i>	Tablet Dispersible
<i>TBEC</i>	Tablet Enteric Coated
<i>TBEF</i>	Tablet Effervescent
<i>TBPK</i>	Tablet Therapy Pack
<i>TBSO</i>	Tablet Soluble
<i>TEST</i>	Diagnostic Test
<i>TINC</i>	Tincture
<i>TROC</i>	Troche
<i>VA</i>	Vaginal
<i>VI</i>	Visual Indicator
<i>WAFR</i>	Wafer
<i>XR</i>	Extended Release

Drug Name	Drug Tier	Requirements/Limits
ADHD/ANTI-NARCOLEPSY/ANTI-OBESITY/ANOREXIANTS - Drugs to Treat ADHD, Sleep and Eating Disorders		
Amphetamines		
ADDERALL TABS (<i>Use amphetamine-dextroamphetamine</i>)	NP	Clinical Edit: ADHD;QL(2 ea daily); AL(At least 3 yrs old)
ADDERALL XR CP24 (<i>Use amphetamine-dextroamphetamine</i>)	NP	Clinical Edit: ADHD;QL(1 ea daily); AL(At least 6 yrs old)
<i>amphetamine-dextroamphetamine cp24 1.25 mg-1.25 mg-1.25 mg-1.25 mg, 2.5 mg-2.5 mg-2.5 mg-2.5 mg, 3.75 mg-3.75 mg-3.75 mg, 5 mg-5 mg-5 mg-5 mg, 6.25 mg-6.25 mg-6.25 mg-6.25 mg, 7.5 mg-7.5 mg-7.5 mg-7.5 mg</i>	P	Clinical Edit: ADHD;QL(1 ea daily); AL(At least 6 yrs old)
<i>amphetamine-dextroamphetamine tabs 1.875 mg-1.875 mg-1.875 mg-1.875 mg, 3.125 mg-3.125 mg-3.125 mg-3.125 mg, 3.75 mg-3.75 mg-3.75 mg-3.75 mg, 1.25 mg-1.25 mg-1.25 mg-1.25 mg, 2.5 mg-2.5 mg-2.5 mg-2.5 mg, 5 mg-5 mg-5 mg-5 mg, 7.5 mg-7.5 mg-7.5 mg-7.5 mg</i>	P	Clinical Edit: ADHD;QL(2 ea daily); AL(At least 3 yrs old)
DEXEDRINE CP24 (<i>Use dextroamphetamine sulfate</i>)	NP	Clinical Edit: ADHD;QL(2 ea daily); AL(At least 6 yrs old)
<i>dextroamphetamine sulfate cp24 10 mg, 15 mg, 5 mg</i>	P	Clinical Edit: ADHD;QL(2 ea daily); AL(At least 6 yrs old)
<i>dextroamphetamine sulfate tabs 10 mg, 5 mg</i>	P	Clinical Edit: ADHD;QL(2 ea daily); AL(At least 3 yrs old)

Drug Name	Drug Tier	Requirements/Limits
VYVANSE CAPS 10 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG, 70 MG	P	ST; try methylphenidate ER and Adderall XR; Clinical Edit: ADHD;;QL(1 ea daily)
Analeptics		
<i>caffeine citrate soln or 20 mg/ml, 60 mg/3ml</i>	P	QL(45 ml per fill retail)
CAFFEINE CITRATED POWD	P	QL(45 gm per fill retail)
Attention-Deficit/Hyperactivity Disorder (ADHD)		
<i>atomoxetine hcl caps</i>	P	ST; Clinical Edit: ADHD;QL(1 ea daily); AL(At least 6 yrs old)
<i>clonidine hcl (adhd) tb12</i>	P	
<i>guanfacine hcl (adhd) tb24</i>	P	QL(1 ea daily); AL(At least 6 yrs old)
INTUNIV TB24 (<i>Use guanfacine hcl (adhd)</i>)	NP	QL(1 ea daily); AL(At least 6 yrs old)
KAPVAY TB12 (<i>Use clonidine hcl (adhd)</i>)	NP	
STRATTERA CAPS (<i>Use atomoxetine hcl</i>)	NP	ST; Clinical Edit: ADHD;QL(1 ea daily); AL(At least 6 yrs old)
Stimulants - Misc.		
CONCERTA TBCR 18 MG, 27 MG, 54 MG (<i>Use methylphenidate hcl</i>)	NP	Clinical Edit: ADHD;QL(1 ea daily); AL(At least 6 yrs old)
CONCERTA TBCR 36 MG (<i>Use methylphenidate hcl</i>)	NP	Clinical Edit: ADHD;QL(2 ea daily); AL(At least 6 yrs old)
<i>dexmethylphenidate hcl tabs 10 mg, 2.5 mg, 5 mg</i>	P	Clinical Edit: ADHD;QL(2 ea daily); AL(At least 6 yrs old)

Drug Name	Drug Tier	Requirements/Limits
FOCALIN TABS (<i>Use dexamethylphenidate hcl</i>)	NP	Clinical Edit: ADHD; QL(2 ea daily); AL(At least 6 yrs old)
METHYLIN SOLN 10 MG/5ML (<i>Use methylphenidate hcl</i>)	NP	QL(900 ml per 30 days retail); AL(At least 3 yrs old)
METHYLIN SOLN 5 MG/5ML (<i>Use methylphenidate hcl</i>)	NP	QL(1800 ml per 30 days retail); AL(At least 3 yrs old)
<i>methylphenidate hcl cpcr or 40 mg, 10 mg, 20 mg, 30 mg, 50 mg, 60 mg</i>	P	Clinical Edit: ADHD; QL(1 ea daily); AL(At least 6 yrs old)
<i>methylphenidate hcl soln or 10 mg/5ml</i>	P	QL(900 ml per 30 days retail); AL(At least 3 yrs old)
<i>methylphenidate hcl soln or 5 mg/5ml</i>	P	QL(1800 ml per 30 days retail); AL(At least 3 yrs old)
<i>methylphenidate hcl tabs or 20 mg, 10 mg</i>	P	Clinical Edit: ADHD; QL(3 ea daily); AL(At least 3 yrs old)
<i>methylphenidate hcl tabs or 5 mg</i>	P	Clinical Edit: ADHD; QL(6 ea daily); AL(At least 3 yrs old)
<i>methylphenidate hcl tb24 or 18 mg, 27 mg, 54 mg</i>	P	Clinical Edit: ADHD; QL(1 ea daily); AL(At least 6 yrs old)
<i>methylphenidate hcl tb24 or 36 mg</i>	P	Clinical Edit: ADHD; QL(2 ea daily); AL(At least 6 yrs old)
<i>methylphenidate hcl tbcr or 10 mg, 36 mg, 20 mg</i>	P	Clinical Edit: ADHD; QL(2 ea daily); AL(At least 6 yrs old)
<i>methylphenidate hcl tbcr or 18 mg, 27 mg, 54 mg</i>	P	Clinical Edit: ADHD; QL(1 ea daily); AL(At least 6 yrs old)

Drug Name	Drug Tier	Requirements/Limits
RITALIN TABS 20 MG, 10 MG (<i>Use methylphenidate hcl</i>)	NP	Clinical Edit: ADHD; QL(3 ea daily); AL(At least 3 yrs old)
RITALIN TABS 5 MG (<i>Use methylphenidate hcl</i>)	NP	Clinical Edit: ADHD; QL(6 ea daily); AL(At least 3 yrs old)
ALTERNATIVE MEDICINES		
Alternative Medicine - G's		
<i>ginger (zingiber officinalis) caps 250 mg</i>	P	OTC; QL(4 ea daily)
Alternative Medicine - M's		
MELATONIN SUBL SL 3 MG	P	QL(1 ea daily)
<i>melatonin tabs or 3 mg, 5 mg</i>	P	OTC; QL(1 ea daily)
<i>melatonin tbdp or 3 mg</i>	P	QL(1 ea daily)
AMINOGLYCOSIDES - Drugs to Treat Bacterial Infections		
Aminoglycosides		
<i>neomycin sulfate tabs or</i>	P	
<i>tobramycin sulfate soln ij 1.2 gm/30ml, 10 mg/ml, 40 mg/ml, 80 mg/2ml</i>	P	PA
<i>tobramycin sulfate solr ij 1.2 gm</i>	P	PA
ANALGESICS - ANTI-INFLAMMATORY - Drugs to Treat Pain, Swelling, Muscle and Joint Conditions		
Anti-TNF-alpha - Monoclonal Antibodies		
HUMIRA PEDIATRIC CROHNS DISEASE STARTER PACK PSKT	P	PA; SP
HUMIRA PEN PNKT	P	PA; SP
HUMIRA PEN-CD/UC/HS STARTER PNKT	P	PA; SP
HUMIRA PEN-PS/UV STARTER PNKT	P	PA; SP
HUMIRA PSKT	P	PA; SP

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
Antirheumatic - Enzyme Inhibitors		
XELJANZ TABS	P	PA; SP
XELJANZ XR TB24	P	PA; SP
Antirheumatic Antimetabolites		
METHOTREXATE TABS OR	P	
Nonsteroidal Anti-inflammatory Agents (NSAIDs)		
ADVIL TABS (Use ibuprofen)	NP	OTC
ALEVE ARTHRITIS TABS (Use naproxen sodium)	NP	OTC;QL(2 ea daily)
ALEVE TABS (Use naproxen sodium)	NP	OTC;QL(2 ea daily)
CHILDRENS ADVIL SUSP (Use ibuprofen)	NP	RX/OTC
CHILDRENS MOTRIN SUSP (Use ibuprofen)	NP	RX/OTC
<i>diclofenac potassium tabs</i>	P	
<i>diclofenac sodium tbec or 25 mg, 50 mg, 75 mg</i>	P	
<i>etodolac caps 200 mg, 300 mg</i>	P	
<i>etodolac tabs 400 mg, 500 mg</i>	P	
FELDENE CAPS (Use piroxicam)	NP	
<i>fenoprofen calcium caps or 400 mg</i>	P	
<i>flurbiprofen tabs or 100 mg, 50 mg</i>	P	
<i>ibuprofen chew or 100 mg</i>	P	OTC
<i>ibuprofen lysine soln</i>	P	
<i>ibuprofen susp or 100 mg/5ml</i>	P	RX/OTC
<i>ibuprofen susp or 40 mg/ml, 50 mg/1.25ml</i>	P	OTC
<i>ibuprofen tabs or 200 mg</i>	P	OTC
<i>ibuprofen tabs or 400 mg, 600 mg, 800 mg</i>	P	

Drug Name	Drug Tier	Requirements/Limits
INDOCIN SUPP	P	
INDOCIN SUSP	P	
<i>indomethacin caps or 25 mg, 50 mg</i>	P	
<i>indomethacin sodium solr</i>	P	
INFANTS ADVIL SUSP (Use ibuprofen)	NP	OTC
<i>ketorolac tromethamine soln ij 15 mg/ml, 30 mg/ml</i>	P	
KETOROLAC TROMETHAMINE SOLN IJ 30 MG/ML	P	
<i>ketorolac tromethamine tabs or 10 mg</i>	P	QL(20 ea per 30 days retail); AL(At least 17 yrs old)
LODINE TABS (Use etodolac)	NP	
<i>meloxicam tabs or 15 mg, 7.5 mg</i>	P	
MOBIC TABS (Use meloxicam)	NP	
MOTRIN CHILDRENS CHEW (Use ibuprofen)	NP	OTC
MOTRIN INFANTS DROPS SUSP (Use ibuprofen)	NP	OTC
<i>nabumetone tabs or 500 mg, 750 mg</i>	P	
NALFON CAPS 400 MG	P	
NAPROSYN SUSP (Use naproxen)	NP	
<i>naproxen sodium tabs or 220 mg</i>	P	OTC;QL(2 ea daily)
<i>naproxen sodium tabs or 550 mg, 275 mg</i>	P	
<i>naproxen susp or 125 mg/5ml</i>	P	
<i>naproxen tabs or 250 mg, 375 mg, 500 mg</i>	P	
NEOPROFEN SOLN (Use ibuprofen lysine)	NP	

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
<i>piroxicam caps or 10 mg, 20 mg</i>	P	
<i>sulindac tabs or 150 mg, 200 mg</i>	P	
Pyrimidine Synthesis Inhibitors		
ARAVA TABS (<i>Use leflunomide</i>)	NP	QL(1 ea daily)
<i>leflunomide tabs or 10 mg, 20 mg</i>	P	QL(1 ea daily)
Soluble Tumor Necrosis Factor Receptor Agents		
ENBREL SOLR	P	PA; SP
ENBREL SOSY	P	PA; SP
ENBREL SURECLICK SOAJ	P	PA; SP
ANALGESICS - NonNarcotic - Drugs to Treat Pain, Muscle and Joint Conditions		
Analgesic Combinations		
<i>butalbital-acetaminophen tabs 325 mg-50 mg</i>	P	QL(4 ea daily); AL(At least 12 yrs old)
<i>butalbital-acetaminophen-caffeine caps 325 mg-40 mg-50 mg</i>	P	QL(4 ea daily); AL(At least 12 yrs old)
<i>butalbital-acetaminophen-caffeine tabs 325 mg-40 mg-50 mg</i>	P	QL(4 ea daily); AL(At least 12 yrs old)
<i>butalbital-aspirin-caffeine caps</i>	P	QL(4 ea daily); AL(At least 18 yrs old)
ESGIC TABS (<i>Use butalbital-acetaminophen-caffeine</i>)	NP	QL(4 ea daily); AL(At least 12 yrs old)
FIORINAL CAPS (<i>Use butalbital-aspirin-caffeine</i>)	NP	QL(4 ea daily); AL(At least 18 yrs old)
Analgesics Other		
<i>acetaminophen chew or 80 mg, 160 mg</i>	P	OTC
<i>acetaminophen elix or 160 mg/5ml, 80 mg/2.5ml</i>	P	OTC
<i>acetaminophen liqd or 160 mg/5ml</i>	P	OTC

Drug Name	Drug Tier	Requirements/Limits
<i>acetaminophen soln or 100 mg/ml</i>	P	QL(30 ml per fill retail)
<i>acetaminophen soln or 160 mg/5ml, 325 mg/10.15ml, 650 mg/20.3ml</i>	P	OTC
<i>acetaminophen supp re 650 mg, 120 mg</i>	P	OTC;QL(12 ea per 30 days retail)
<i>acetaminophen susp or 160 mg/5ml, 650 mg/20.3ml, 80 mg/2.5ml</i>	P	OTC
<i>acetaminophen tabs or 325 mg, 500 mg</i>	P	OTC
FEVERALL JUNIOR STRENGTH SUPP	P	OTC;QL(12 ea per 30 days retail)
NORTEMP INFANTS SUSP	P	OTC
TYLENOL CHILDRENS CHEWABLES/PAIN + FEVER CHEW (<i>Use acetaminophen</i>)	NP	OTC
TYLENOL CHILDRENS SUSP (<i>Use acetaminophen</i>)	NP	OTC
TYLENOL EXTRA STRENGTH TABS (<i>Use acetaminophen</i>)	NP	OTC
TYLENOL INFANTS PAIN+FEVER SUSP (<i>Use acetaminophen</i>)	NP	OTC
TYLENOL INFANTS SUSP (<i>Use acetaminophen</i>)	NP	OTC
TYLENOL TABS (<i>Use acetaminophen</i>)	NP	OTC
Salicylates		
<i>aspirin buffered (cal carb-mag carb-mag oxide) tabs</i>	P	OTC
<i>aspirin chew or 81 mg</i>	P	OTC
ASPIRIN SUPP RE 300 MG, 600 MG	P	OTC;QL(12 ea per 30 days retail)
<i>aspirin tabs or 325 mg</i>	P	OTC
<i>aspirin tbec or 500 mg, 324 mg, 325 mg, 81 mg</i>	P	OTC

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
BUFFERIN TABS (<i>Use aspirin buffered (cal carb-mag carb-mag oxide)</i>)	NP	OTC
<i>diflunisal tabs</i>	P	
ECOTRIN MAXIMUM STRENGTH TBEC (<i>Use aspirin</i>)	NP	OTC
ECOTRIN REGULAR STRENGTH TBEC (<i>Use aspirin</i>)	NP	OTC
<i>salsalate tabs or 500 mg, 750 mg</i>	P	
ANALGESICS - OPIOID - Drugs to Treat Pain, Muscle and Joint Conditions		
Opioid Agonists		
CODEINE SULFATE TABS 15 MG, 60 MG	P	Clinical Edit: Opioids;QL(2 ea daily); AL(At least 12 yrs old)
<i>codeine sulfate tabs 60 mg, 30 mg</i>	P	Clinical Edit: Opioids;QL(2 ea daily); AL(At least 12 yrs old)
DILAUDID TABS OR 2 MG, 4 MG (<i>Use hydromorphone hcl</i>)	NP	Clinical Edit: Opioids;QL(6 ea daily)
DILAUDID TABS OR 8 MG (<i>Use hydromorphone hcl</i>)	NP	Clinical Edit: Opioids;QL(4 ea daily)
DOLOPHINE TABS 10 MG (<i>Use methadone hcl</i>)	NP	PA; QL(10 ea daily)
DOLOPHINE TABS 5 MG (<i>Use methadone hcl</i>)	NP	PA; QL(6 ea daily)
DURAGESIC PT72 (<i>Use fentanyl</i>)	NP	QL(0.34 ea daily)
<i>fentanyl pt72 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i>	P	QL(0.34 ea daily)
HYDROMORPHONE HCL SUPP RE 3 MG	P	Clinical Edit: Opioids;QL(2 ea daily)
<i>hydromorphone hcl tabs or 2 mg, 4 mg</i>	P	Clinical Edit: Opioids;QL(6 ea daily)

Drug Name	Drug Tier	Requirements/ Limits
<i>hydromorphone hcl tabs or 8 mg</i>	P	Clinical Edit: Opioids;QL(4 ea daily)
<i>meperidine hcl soln or 50 mg/5ml</i>	P	Clinical Edit: Opioids;QL(30 ml daily)
<i>meperidine hcl tabs or 100 mg, 50 mg</i>	P	Clinical Edit: Opioids;QL(6 ea daily)
<i>methadone hcl tabs or 10 mg</i>	P	PA; QL(10 ea daily)
<i>methadone hcl tabs or 5 mg</i>	P	PA; QL(6 ea daily)
<i>morphine sulfate soln or 10 mg/5ml, 20 mg/5ml</i>	P	Clinical Edit: Opioids;QL(21.4 ml daily)
<i>morphine sulfate soln or 100 mg/5ml, 20 mg/ml</i>	P	Clinical Edit: Opioids;QL(240 ml per fill retail)
<i>morphine sulfate supp re 10 mg, 20 mg, 30 mg, 5 mg</i>	P	Clinical Edit: Opioids;QL(18 ea per fill retail)
<i>morphine sulfate tabs or 15 mg, 30 mg</i>	P	Clinical Edit: Opioids;QL(6 ea daily)
<i>morphine sulfate tbcr or 100 mg, 15 mg, 200 mg, 30 mg, 60 mg</i>	P	QL(3 ea daily)
MS CONTIN TBCR (<i>Use morphine sulfate</i>)	NP	QL(3 ea daily)
OXAYDO TABS 5 MG	P	Clinical Edit: Opioids;QL(6 ea daily)
<i>oxycodone hcl caps or 5 mg</i>	P	Clinical Edit: Opioids;QL(6 ea daily)
<i>oxycodone hcl conc or 100 mg/5ml</i>	P	Clinical Edit: Opioids;QL(90 ml per fill retail)
<i>oxycodone hcl soln or 5 mg/5ml</i>	P	Clinical Edit: Opioids;QL(30 ml daily)
<i>oxycodone hcl t12a or 15 mg, 30 mg, 60 mg, 10 mg, 20 mg, 80 mg, 40 mg</i>	P	PA; QL(2 ea daily)

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
<i>oxycodone hcl tabs or 10 mg, 20 mg, 15 mg, 5 mg</i>	P	Clinical Edit: Opioids; QL(6 ea daily)
<i>oxycodone hcl tabs or 30 mg</i>	P	Clinical Edit: Opioids; QL(4 ea daily)
OXYCONTIN T12A	P	PA; QL(2 ea daily)
ROXICODONE TABS 15 MG, 5 MG (<i>Use oxycodone hcl</i>)	NP	Clinical Edit: Opioids; QL(6 ea daily)
ROXICODONE TABS 30 MG (<i>Use oxycodone hcl</i>)	NP	Clinical Edit: Opioids; QL(4 ea daily)
<i>tramadol hcl tabs or 50 mg</i>	P	Clinical Edit: Opioids; QL(4 ea daily); AL(At least 18 yrs old)
ULTRAM TABS (<i>Use tramadol hcl</i>)	NP	Clinical Edit: Opioids; QL(4 ea daily); AL(At least 18 yrs old)
Opioid Combinations		
<i>acetaminophen w/ codeine soln 12 mg/5ml-120 mg/5ml</i>	P	Clinical Edit: Opioids; QL(30 ml daily); AL(At least 12 yrs old)
<i>acetaminophen w/ codeine tabs 15 mg-300 mg, 300 mg-60 mg, 30 mg-300 mg</i>	P	Clinical Edit: Opioids; QL(6 ea daily); AL(At least 12 yrs old)
<i>butalbital-acetaminophen-caffeine w/ codeine caps 30 mg-325 mg-40 mg-50 mg</i>	P	Clinical Edit: Opioids; QL(4 ea daily); AL(At least 12 yrs old)
<i>butalbital-aspirin-caffeine w/cod caps</i>	P	Clinical Edit: Opioids; QL(4 ea daily); AL(At least 12 yrs old)

Drug Name	Drug Tier	Requirements/ Limits
FIORINAL/CODEINE #3 CAPS (<i>Use butalbital-aspirin-caffeine w/cod</i>)	NP	Clinical Edit: Opioids; QL(4 ea daily); AL(At least 12 yrs old)
<i>hydrocodone-acetaminophen soln 108 mg/5ml-2.5 mg/5ml, 217 mg/10ml-5 mg/10ml, 325 mg/15ml-7.5 mg/15ml</i>	P	Clinical Edit: Opioids; QL(180 ml daily)
<i>hydrocodone-acetaminophen tabs 10 mg-325 mg, 325 mg-5 mg, 325 mg-7.5 mg</i>	P	Clinical Edit: Opioids; QL(6 ea daily)
NORCO TABS (<i>Use hydrocodone-acetaminophen</i>)	NP	Clinical Edit: Opioids; QL(6 ea daily)
<i>oxycodone w/ acetaminophen tabs 10 mg-325 mg, 325 mg-5 mg, 325 mg-7.5 mg</i>	P	Clinical Edit: Opioids; QL(6 ea daily)
<i>oxycodone-aspirin tabs</i>	P	Clinical Edit: Opioids; QL(6 ea daily)
PERCOCET TABS 10 MG-325 MG, 325 MG-5 MG, 325 MG-7.5 MG (<i>Use oxycodone w/ acetaminophen</i>)	NP	Clinical Edit: Opioids; QL(6 ea daily)
ROXICET SOLN	P	Clinical Edit: Opioids; QL(30 ml daily)
<i>tramadol-acetaminophen tabs</i>	P	Clinical Edit: Opioids; QL(4 ea daily); AL(At least 18 yrs old)
TYLENOL/CODEINE #3 TABS (<i>Use acetaminophen w/ codeine</i>)	NP	Clinical Edit: Opioids; QL(6 ea daily); AL(At least 12 yrs old)
TYLENOL/CODEINE #4 TABS (<i>Use acetaminophen w/ codeine</i>)	NP	Clinical Edit: Opioids; QL(6 ea daily); AL(At least 12 yrs old)

Drug Name	Drug Tier	Requirements/Limits
ULTRACET TABS (<i>Use tramadol-acetaminophen</i>)	NP	Clinical Edit: Opioids; QL(4 ea daily); AL(At least 18 yrs old)
Opioid Partial Agonists		
BELBUCA FILM	P	PA
BUNAVAIL FILM	P	PA
BUPRENEX SOLN (<i>Use buprenorphine hcl</i>)	NP	PA
<i>buprenorphine hcl soln ij 0.3 mg/ml</i>	P	PA
<i>buprenorphine hcl subl sl 2 mg, 8 mg</i>	P	PA
<i>buprenorphine hcl-naloxone hcl dihydrate film 0.5 mg-2 mg, 1 mg-4 mg</i>	P	PA; QL(1 ea daily)
<i>buprenorphine hcl-naloxone hcl dihydrate film 12 mg-3 mg, 2 mg-8 mg</i>	P	PA; QL(2 ea daily)
<i>buprenorphine hcl-naloxone hcl dihydrate subl 0.5 mg-2 mg, 2 mg-8 mg</i>	P	QL(3 ea daily)
SUBOXONE FILM 0.5 MG-2 MG, 1 MG-4 MG (<i>Use buprenorphine hcl-naloxone hcl dihydrate</i>)	NP	PA; QL(1 ea daily)
SUBOXONE FILM 12 MG-3 MG (<i>Use buprenorphine hcl-naloxone hcl dihydrate</i>)	NP	PA; QL(2 ea daily)
SUBOXONE FILM 2 MG-8 MG (<i>Use buprenorphine hcl-naloxone hcl dihydrate</i>)	P	PA; QL(2 ea daily)
ZUBSOLV SUBL	P	PA
ANDROGENS-ANABOLIC - Drugs to Regulate Hormones		
Androgens		
ANDRODERM PT24	P	QL(1 ea daily)
DEPO-TESTOSTERONE SOLN 200 MG/ML (<i>Use testosterone cypionate</i>)	NP	QL(4 ml per 30 days retail)
METHITEST TABS	P	

Drug Name	Drug Tier	Requirements/Limits
<i>testosterone cypionate soln im 200 mg/ml</i>	P	QL(4 ml per 30 days retail)
ANORECTAL AND RELATED PRODUCTS - Rectal Drugs to Treat Pain, Swelling and Itching		
Intra-rectal Steroids		
CORTENEMA ENEM (<i>Use hydrocortisone (intra-rectal)</i>)	NP	
<i>hydrocortisone (intra-rectal) enem</i>	P	
Rectal Combinations		
ANALPRAM-HC LOTN 1 %-2.5 %	P	QL(62 ml per 30 days retail)
<i>phenylephrine-shark liver oil-cocoa butter supp</i>	P	OTC; QL(12 ea per 30 days retail)
<i>phenylephrine-shark liver oil-mineral oil-petrolatum oint</i>	P	OTC; QL(31 gm per 30 days retail)
Rectal Steroids		
ANUSOL-HC CREA (<i>Use hydrocortisone (rectal)</i>)	NP	
<i>hydrocortisone (rectal) crea 2.5 %</i>	P	
ANTACIDS		
Antacid Combinations		
<i>alum & mag hydrox-simethicone liqd 20 mg/5ml-200 mg/5ml-200 mg/5ml</i>	P	QL(744 ml per 30 days retail)
<i>alum & mag hydrox-simethicone susp 0.2 %-40 mg/10ml-400 mg/10ml-400 mg/10ml, 120 mg/30ml-1200 mg/30ml-1200 mg/30ml, 20 mg/5ml-20 mg/5ml-200 mg/5ml-200 mg/5ml-200 mg/5ml, 20 mg/5ml-200 mg/5ml</i>	P	QL(744 ml per 30 days retail)
Antacids - Aluminum Salts		
ALUMINUM HYDROXIDE SUSP OR	P	OTC
Antacids - Bicarbonate		

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
<i>sodium bicarbonate (antacid) tabs</i>	P	OTC;QL(100 ea per 30 days retail)
Antacids - Calcium Salts		
<i>calcium carbonate (antacid) chew 500 mg</i>	P	OTC
TUMS CHEW (<i>Use calcium carbonate (antacid)</i>)	NP	OTC
TUMS LASTING EFFECTS CHEW (<i>Use calcium carbonate (antacid)</i>)	NP	OTC
Antacids - Magnesium Salts		
<i>magnesium oxide tabs 400 mg</i>	P	OTC
ANTHELMINTICS - Drugs to Treat Worm Infections		
Anthelmintics		
EMVERM CHEW	P	QL(1 ea per 14 days retail)
<i>pyrantel pamoate susp or</i>	P	OTC;QL(60 ml per fill retail)
REESES PINWORM MEDICINE TABS	P	OTC;QL(3 ea per fill retail)
ANTI-INFECTIVE AGENTS - MISC. - Drugs to Treat Bacterial Infections		
Anti-infective Agents - Misc.		
FLAGYL TABS 500 MG (<i>Use metronidazole</i>)	NP	
<i>metronidazole tabs or 250 mg, 500 mg</i>	P	
<i>trimethoprim tabs or</i>	P	
<i>vancomycin hcl solr iv 1000 mg</i>	P	QL(14 ea per fill retail)
Anti-infective Misc. - Combinations		
BACTRIM DS TABS (<i>Use sulfamethoxazole-trimethoprim</i>)	NP	
BACTRIM TABS (<i>Use sulfamethoxazole-trimethoprim</i>)	NP	

Drug Name	Drug Tier	Requirements/Limits
<i>methenamine-hyosc-methylene blue-sod phospheryl sal tabs 0.12 mg-10.8 mg-36.2 mg-40.8 mg-81.6 mg</i>	P	
<i>sulfamethoxazole-trimethoprim susp or 200 mg/5ml-40 mg/5ml</i>	P	
<i>sulfamethoxazole-trimethoprim tabs or 160 mg-800 mg, 400 mg-80 mg</i>	P	
Glycopeptides		
FIRVANQ SOLR	P	QL(300 ml per fill retail)
VANCOCIN CAPS (<i>Use vancomycin hcl</i>)	NP	QL(8 ea daily)
VANCOCIN HCL CAPS (<i>Use vancomycin hcl</i>)	NP	QL(4 ea daily)
<i>vancomycin hcl caps or 125 mg</i>	P	QL(4 ea daily)
<i>vancomycin hcl caps or 250 mg</i>	P	QL(8 ea daily)
<i>vancomycin hcl solr iv 1 gm, 1000 mg</i>	P	QL(14 ea per fill retail)
<i>vancomycin hcl solr iv 500 mg</i>	P	QL(14 ea per 30 days retail)
Leprostatics		
<i>dapsone tabs or 100 mg, 25 mg</i>	P	
Lincosamides		
CLEOCIN CAPS OR 150 MG, 300 MG (<i>Use clindamycin hcl</i>)	NP	
CLEOCIN PEDIATRIC GRANULES SOLR (<i>Use clindamycin palmitate hydrochloride</i>)	NP	QL(300 ml per fill retail)
<i>clindamycin hcl caps or 150 mg, 300 mg</i>	P	
<i>clindamycin palmitate hydrochloride solr</i>	P	QL(300 ml per fill retail)
Oxazolidinones		
SIVEXTRO TABS OR	P	PA; QL(6 ea per fill retail)
Urinary Anti-infectives		

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
FURADANTIN SUSP (<i>Use nitrofurantoin</i>)	NP	QL(40 ml daily)
MACROBID CAPS (<i>Use nitrofurantoin monohyd macro</i>)	NP	
MACRODANTIN CAPS 100 MG, 50 MG (<i>Use nitrofurantoin macrocrystal</i>)	NP	
<i>methenamine mandelate tabs or 1 gm, 0.5 gm, 500 mg</i>	P	
<i>nitrofurantoin macrocrystal caps or 100 mg, 50 mg</i>	P	
<i>nitrofurantoin monohyd macro caps</i>	P	
<i>nitrofurantoin susp or</i>	P	QL(40 ml daily)
ANTIANGINAL AGENTS - Drugs to Treat Chest Pain		
Nitrates		
ISORDIL TITRADOSE TABS 5 MG (<i>Use isosorbide dinitrate</i>)	NP	
<i>isosorbide dinitrate tabs 30 mg, 10 mg, 20 mg, 5 mg</i>	P	
<i>isosorbide dinitrate tbcr 40 mg</i>	P	
<i>isosorbide mononitrate tabs 10 mg, 20 mg</i>	P	QL(2 ea daily)
<i>isosorbide mononitrate tb24 120 mg, 30 mg, 60 mg</i>	P	QL(1 ea daily)
NITRO-BID OINT	P	
NITRO-DUR PT24 0.1 MG/HR, 0.2 MG/HR, 0.4 MG/HR, 0.6 MG/HR (<i>Use nitroglycerin</i>)	NP	
<i>nitroglycerin cpcr or 2.5 mg, 6.5 mg, 9 mg</i>	P	
<i>nitroglycerin pt24 td 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i>	P	
<i>nitroglycerin subl sl 0.3 mg, 0.4 mg, 0.6 mg</i>	P	
NITROSTAT SUBL (<i>Use nitroglycerin</i>)	NP	

Drug Name	Drug Tier	Requirements/Limits
ANTIANGIETY AGENTS - Drugs to Treat Anxiety		
Antianxiety Agents - Misc.		
<i>bupirone hcl tabs or 10 mg, 5 mg</i>	P	QL(6 ea daily)
<i>bupirone hcl tabs or 15 mg</i>	P	QL(4 ea daily)
<i>bupirone hcl tabs or 30 mg, 7.5 mg</i>	P	QL(3 ea daily)
<i>hydroxyzine hcl syrp or 10 mg/5ml</i>	P	
<i>hydroxyzine hcl tabs or 10 mg, 25 mg, 50 mg</i>	P	
<i>hydroxyzine pamoate caps or 100 mg, 25 mg, 50 mg</i>	P	
<i>meprobamate tabs</i>	P	
VISTARIL CAPS (<i>Use hydroxyzine pamoate</i>)	NP	
Benzodiazepines		
<i>alprazolam tabs or 0.25 mg, 0.5 mg, 1 mg, 2 mg</i>	P	QL(3 ea daily); AL(At least 18 yrs old)
ATIVAN TABS OR 0.5 MG, 1 MG, 2 MG (<i>Use lorazepam</i>)	NP	QL(3 ea daily); AL(At least 18 yrs old)
<i>chlordiazepoxide hcl caps</i>	P	QL(4 ea daily); AL(At least 18 yrs old)
<i>clorazepate dipotassium tabs</i>	P	QL(3 ea daily); AL(At least 18 yrs old)
<i>diazepam soln or 5 mg/5ml</i>	P	AL (6 months to 12 years old)
<i>diazepam tabs or 10 mg, 2 mg, 5 mg</i>	P	QL(4 ea daily); AL(At least 18 yrs old)
<i>lorazepam tabs or 0.5 mg, 1 mg, 2 mg</i>	P	QL(3 ea daily); AL(At least 18 yrs old)
<i>oxazepam caps</i>	P	QL(4 ea daily); AL(At least 18 yrs old)
TRANXENE T TABS (<i>Use clorazepate dipotassium</i>)	NP	QL(3 ea daily); AL(At least 18 yrs old)

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
VALIUM TABS (<i>Use diazepam</i>)	NP	QL(4 ea daily); AL(At least 18 yrs old)
XANAX TABS (<i>Use alprazolam</i>)	NP	QL(3 ea daily); AL(At least 18 yrs old)
ANTIARRHYTHMICS - Drugs to treat abnormal heart rhythms		
Antiarrhythmics Type I-A		
<i>disopyramide phosphate caps</i>	P	
NORPACE CAPS (<i>Use disopyramide phosphate</i>)	P	
NORPACE CR CP12 150 MG	P	
<i>quinidine gluconate tbcr or 324 mg</i>	P	
<i>quinidine sulfate tabs or 200 mg, 300 mg</i>	P	
Antiarrhythmics Type I-B		
<i>mexiletine hcl caps</i>	P	
Antiarrhythmics Type I-C		
<i>flecainide acetate tabs</i>	P	
<i>propafenone hcl tabs 150 mg, 225 mg, 300 mg</i>	P	
Antiarrhythmics Type III		
<i>amiodarone hcl tabs or 200 mg</i>	P	
CORDARONE TABS (<i>Use amiodarone hcl</i>)	NP	
<i>dofetilide caps</i>	P	
TIKOSYN CAPS (<i>Use dofetilide</i>)	NP	
ANTIASTHMATIC AND BRONCHODILATOR AGENTS - Drugs to Treat Lung Conditions		
Anti-Inflammatory Agents		
CROMOLYN SODIUM NEBU IN	P	QL(8 ml daily)
<i>cromolyn sodium nebu in</i>	P	QL(8 ml daily)
Bronchodilators - Anticholinergics		

Drug Name	Drug Tier	Requirements/Limits
ATROVENT HFA AERS	P	QL(25.8 gm per fill retail)
INCRUSE ELLIPTA AEPB	P	QL(1 ea daily)
<i>ipratropium bromide soln in</i>	P	QL(375 ml per 20 days retail)
TUDORZA PRESSAIR AEPB	P	QL(1 ea per 30 days retail)
Leukotriene Modulators		
<i>montelukast sodium chew or 4 mg, 5 mg</i>	P	QL(1 ea daily)
<i>montelukast sodium pack or 4 mg</i>	P	QL(1 ea daily)
<i>montelukast sodium tabs or 10 mg</i>	P	QL(1 ea daily)
SINGULAIR CHEW (<i>Use montelukast sodium</i>)	NP	QL(1 ea daily)
SINGULAIR PACK (<i>Use montelukast sodium</i>)	NP	QL(1 ea daily)
SINGULAIR TABS (<i>Use montelukast sodium</i>)	NP	QL(1 ea daily)
Steroid Inhalants		
ARNUIITY ELLIPTA AEPB	P	QL(1 ea daily)
<i>budesonide (inhalation) susp</i>	P	QL(120 ml per fill retail); AL(At least 1 yrs old - Up to 8 yrs old)
FLOVENT HFA AERO 110 MCG/ACT, 220 MCG/ACT	P	QL(12 gm per fill retail); AL(Up to 12 yrs old)
FLOVENT HFA AERO 44 MCG/ACT	P	QL(10.6 gm per fill retail); AL(Up to 12 yrs old)
PULMICORT SUSP (<i>Use budesonide (inhalation)</i>)	NP	QL(120 ml per fill retail); AL(At least 1 yrs old - Up to 8 yrs old)
QVAR REDHALER AERB 40 MCG/ACT	P	QL(0.36 gm daily, 21.2 gm per 30 days retail)
QVAR REDHALER AERB 80 MCG/ACT	P	QL(0.72 gm daily)

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
Sympathomimetics		
ADVAIR DISKUS AEPB (Use fluticasone-salmeterol)	NP	QL(2 ea daily,60 ea per 30 days retail)
<i>albuterol sulfate aers in 108 mcg/act</i>	P	QL(18 gm per fill retail,36 gm per 30 days retail);Refill 4%
<i>albuterol sulfate aers in 108 mcg/act</i>	P	QL(6.7 gm per fill retail,13.4 gm per 30 days retail);Refill 4%
<i>albuterol sulfate aers in 108 mcg/act</i>	P	QL(8.5 gm per fill retail,17 gm per 30 days retail);Refill 4%
<i>albuterol sulfate nebu in 0.083 %</i>	P	QL(12.5 ml daily)
ALBUTEROL SULFATE NEBU IN 0.5 %	P	
<i>albuterol sulfate nebu in 0.5 %, 2.5 mg/0.5ml</i>	P	
<i>albuterol sulfate nebu in 0.63 mg/3ml, 1.25 mg/3ml</i>	P	QL(375 ml per 30 days retail)
<i>albuterol sulfate syrp or 2 mg/5ml</i>	P	
<i>albuterol sulfate tabs or 2 mg, 4 mg</i>	P	
<i>albuterol sulfate tb12 or 4 mg, 8 mg</i>	P	
<i>budesonide-formoterol fumarate dihydrate aereo</i>	P	QL(11 gm per fill retail)
COMBIVENT RESPIMAT AERS	P	QL(4 gm per 30 days retail)
<i>fluticasone-salmeterol aepb 100 mcg/dose-50 mcg/dose, 250 mcg/dose-50 mcg/dose, 50 mcg/dose-500 mcg/dose</i>	P	QL(2 ea daily,60 ea per 30 days retail)
<i>ipratropium-albuterol soln</i>	P	QL(12 ml daily)
<i>metaproterenol sulfate tabs or 10 mg, 20 mg</i>	P	
PROAIR HFA AERS (Use albuterol sulfate)	NF	

Drug Name	Drug Tier	Requirements/Limits
PROAIR RESPICLICK AEPB	P	QL(1 ea per fill retail,2 ea per 30 days retail);Refill 4%;; AL(At least 4 yrs old - Up to 18 yrs old)
PROVENTIL HFA AERS (Use albuterol sulfate)	NF	
SEREVENT DISKUS AEPB	P	QL(60 ea per fill retail)
SYMBICORT AERO (Use budesonide-formoterol fumarate dihydrate)	NF	
<i>terbutaline sulfate tabs or 2.5 mg, 5 mg</i>	P	
VENTOLIN HFA AERS (Use albuterol sulfate)	NF	
Xanthines		
ELIXOPHYLLIN ELIX	P	
THEO-24 CP24	P	
<i>theophylline soln 80 mg/15ml</i>	P	QL(475 ml per fill retail)
<i>theophylline tb12 100 mg, 200 mg, 300 mg, 450 mg</i>	P	
<i>theophylline tb24 400 mg, 600 mg</i>	P	
ANTICOAGULANTS - Blood Thinners		
Coumarin Anticoagulants		
COUMADIN TABS (Use warfarin sodium)	P	
<i>warfarin sodium tabs</i>	P	
Direct Factor Xa Inhibitors		
BEVYXXA CAPS	P	QL(42 ea per 42 days retail)
ELIQUIS STARTER PACK TBPK	P	QL(4 ea daily)
ELIQUIS TABS	P	QL(4 ea daily)
Heparins And Heparinoid-Like Agents		

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
<i>enoxaparin sodium soln ij 300 mg/3ml</i>	P	QL(42 ml per 7 days retail)3 rtl MAX fill,180 rtl day(s) supply,
<i>enoxaparin sodium soln sc 100 mg/ml, 150 mg/ml</i>	P	QL(14 ml per 7 days retail)3 rtl MAX fill,180 rtl day(s) supply,
<i>enoxaparin sodium soln sc 120 mg/0.8ml, 80 mg/0.8ml</i>	P	QL(12 ml per 7 days retail)3 rtl MAX fill,180 rtl day(s) supply,
<i>enoxaparin sodium soln sc 30 mg/0.3ml</i>	P	QL(5 ml per 7 days retail)3 rtl MAX fill,180 rtl day(s) supply,
<i>enoxaparin sodium soln sc 40 mg/0.4ml</i>	P	QL(6 ml per 7 days retail)3 rtl MAX fill,180 rtl day(s) supply,
<i>enoxaparin sodium soln sc 60 mg/0.6ml</i>	P	QL(9 ml per 7 days retail)3 rtl MAX fill,180 rtl day(s) supply,
<i>heparin sodium (porcine) soln</i>	P	
LOVENOX SOLN IJ 300 MG/3ML (<i>Use enoxaparin sodium</i>)	NP	QL(42 ml per 7 days retail)3 rtl MAX fill,180 rtl day(s) supply,
LOVENOX SOLN SC 100 MG/ML, 150 MG/ML (<i>Use enoxaparin sodium</i>)	NP	QL(14 ml per 7 days retail)3 rtl MAX fill,180 rtl day(s) supply,
LOVENOX SOLN SC 120 MG/0.8ML, 80 MG/0.8ML (<i>Use enoxaparin sodium</i>)	NP	QL(12 ml per 7 days retail)3 rtl MAX fill,180 rtl day(s) supply,
LOVENOX SOLN SC 30 MG/0.3ML (<i>Use enoxaparin sodium</i>)	NP	QL(5 ml per 7 days retail)3 rtl MAX fill,180 rtl day(s) supply,
LOVENOX SOLN SC 40 MG/0.4ML (<i>Use enoxaparin sodium</i>)	NP	QL(6 ml per 7 days retail)3 rtl MAX fill,180 rtl day(s) supply,

Drug Name	Drug Tier	Requirements/ Limits
LOVENOX SOLN SC 60 MG/0.6ML (<i>Use enoxaparin sodium</i>)	NP	QL(9 ml per 7 days retail)3 rtl MAX fill,180 rtl day(s) supply,
ANTICONVULSANTS - Drugs to Treat Seizures		
Anticonvulsants - Benzodiazepines		
<i>clonazepam tabs or 0.5 mg, 1 mg, 2 mg</i>	P	QL(3 ea daily); AL(At least 18 yrs old)
DIASTAT ACUDIAL GEL 10 MG (<i>Use diazepam (anticonvulsant)</i>)	P	QL(1 ea per fill retail); AL(At least 2 yrs old)
DIASTAT ACUDIAL GEL 20 MG (<i>Use diazepam (anticonvulsant)</i>)	NP	QL(1 ea per fill retail); AL(At least 2 yrs old)
DIASTAT PEDIATRIC GEL (<i>Use diazepam (anticonvulsant)</i>)	NP	QL(1 ea per fill retail); AL(At least 2 yrs old)
<i>diazepam (anticonvulsant) gel</i>	P	QL(1 ea per fill retail); AL(At least 2 yrs old)
KLONOPIN TABS (<i>Use clonazepam</i>)	NP	QL(3 ea daily); AL(At least 18 yrs old)
NAYZILAM SOLN	P	PA; QL(10 ea per 30 days retail)
VALTOCO LIQD	P	PA; QL(10 ea per 30 days retail)
VALTOCO LQPK	P	PA; QL(10 ea per 30 days retail)
Anticonvulsants - Misc.		
<i>carbamazepine chew or 100 mg</i>	P	
<i>carbamazepine susp or 100 mg/5ml</i>	P	
<i>carbamazepine tabs or 200 mg</i>	P	
<i>carbamazepine tb12 or 100 mg, 200 mg, 400 mg</i>	P	
DIACOMIT CAPS 250 MG	P	PA; QL(12 ea daily)
DIACOMIT CAPS 500 MG	P	PA; QL(6 ea daily)

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
DIACOMIT PACK 250 MG	P	PA; QL(12 ea daily)
DIACOMIT PACK 500 MG	P	PA; QL(6 ea daily)
<i>gabapentin caps or 100 mg, 300 mg, 400 mg</i>	P	QL(9 ea daily)
<i>gabapentin soln or 250 mg/5ml, 300 mg/6ml</i>	P	
<i>gabapentin tabs or 600 mg</i>	P	QL(6 ea daily)
<i>gabapentin tabs or 800 mg</i>	P	QL(4 ea daily)
KEPPRA SOLN OR 100 MG/ML (<i>Use levetiracetam</i>)	NP	QL(16 ml daily)
KEPPRA TABS OR 1000 MG (<i>Use levetiracetam</i>)	NP	
KEPPRA TABS OR 250 MG, 750 MG (<i>Use levetiracetam</i>)	NP	QL(4 ea daily)
KEPPRA TABS OR 500 MG (<i>Use levetiracetam</i>)	NP	QL(6 ea daily)
KEPPRA XR TB24 (<i>Use levetiracetam</i>)	NP	ST; Use levetiracetam IR
LAMICTAL CHEWABLE DISPERSIBLE CHEW (<i>Use lamotrigine</i>)	NP	
LAMICTAL TABS (<i>Use lamotrigine</i>)	NP	
LAMICTAL XR TB24 100 MG, 200 MG, 250 MG, 300 MG, 25 MG, 50 MG (<i>Use lamotrigine</i>)	NP	ST; Use lamotrigine IR
<i>lamotrigine chew or 25 mg, 5 mg</i>	P	
<i>lamotrigine tabs or 100 mg, 150 mg, 200 mg, 25 mg</i>	P	
<i>lamotrigine tb24 or 100 mg, 200 mg, 250 mg, 300 mg, 25 mg, 50 mg</i>	P	ST; Use lamotrigine IR
<i>levetiracetam soln or 100 mg/ml, 500 mg/5ml</i>	P	QL(16 ml daily)
<i>levetiracetam tabs or 1000 mg</i>	P	
<i>levetiracetam tabs or 250 mg, 750 mg</i>	P	QL(4 ea daily)

Drug Name	Drug Tier	Requirements/Limits
<i>levetiracetam tabs or 500 mg</i>	P	QL(6 ea daily)
<i>levetiracetam tb24 or 500 mg, 750 mg</i>	P	ST; Use levetiracetam IR
MYSOLINE TABS (<i>Use primidone</i>)	NP	
NEURONTIN CAPS 100 MG, 300 MG, 400 MG (<i>Use gabapentin</i>)	NP	QL(9 ea daily)
NEURONTIN SOLN 250 MG/5ML (<i>Use gabapentin</i>)	NP	
NEURONTIN TABS 600 MG (<i>Use gabapentin</i>)	NP	QL(6 ea daily)
NEURONTIN TABS 800 MG (<i>Use gabapentin</i>)	NP	QL(4 ea daily)
<i>oxcarbazepine susp</i>	P	
<i>oxcarbazepine tabs</i>	P	
<i>primidone tabs or 250 mg, 50 mg</i>	P	
TEGRETOL SUSP (<i>Use carbamazepine</i>)	NP	
TEGRETOL TABS (<i>Use carbamazepine</i>)	NP	
TEGRETOL-XR TB12 (<i>Use carbamazepine</i>)	NP	
TOPAMAX SPRINKLE CPSP 15 MG (<i>Use topiramate</i>)	NP	QL(6 ea daily)
TOPAMAX SPRINKLE CPSP 25 MG (<i>Use topiramate</i>)	NP	QL(8 ea daily)
TOPAMAX TABS 100 MG (<i>Use topiramate</i>)	NP	QL(4 ea daily)
TOPAMAX TABS 200 MG (<i>Use topiramate</i>)	NP	QL(3 ea daily)
TOPAMAX TABS 25 MG, 50 MG (<i>Use topiramate</i>)	NP	QL(6 ea daily)
<i>topiramate cpsp or 15 mg</i>	P	QL(6 ea daily)
<i>topiramate cpsp or 25 mg</i>	P	QL(8 ea daily)
<i>topiramate tabs or 100 mg</i>	P	QL(4 ea daily)

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
<i>topiramate tabs or 200 mg</i>	P	QL(3 ea daily)
<i>topiramate tabs or 25 mg, 50 mg</i>	P	QL(6 ea daily)
TRILEPTAL SUSP (Use <i>oxcarbazepine</i>)	NP	
TRILEPTAL TABS (Use <i>oxcarbazepine</i>)	NP	
ZONEGRAN CAPS (Use <i>zonisamide</i>)	NP	
<i>zonisamide caps or 100 mg, 25 mg, 50 mg</i>	P	
Carbamates		
<i>felbamate susp</i>	P	
<i>felbamate tabs</i>	P	
FELBATOL SUSP (Use <i>felbamate</i>)	NP	
FELBATOL TABS (Use <i>felbamate</i>)	NP	
GABA Modulators		
GABITRIL TABS (Use <i>tiagabine hcl</i>)	NP	
<i>tiagabine hcl tabs</i>	P	
Hydantoins		
DILANTIN CAPS 100 MG (Use <i>phenytoin sodium extended</i>)	P	
DILANTIN CAPS 30 MG	P	
DILANTIN INFATABS CHEW (Use <i>phenytoin</i>)	P	
DILANTIN-125 SUSP (Use <i>phenytoin</i>)	P	
<i>phenytoin chew or 50 mg</i>	P	
<i>phenytoin sodium extended caps 100 mg</i>	P	
<i>phenytoin sodium soln ij</i>	P	
<i>phenytoin susp or 100 mg/4ml, 125 mg/5ml</i>	P	
Succinimides		

Drug Name	Drug Tier	Requirements/ Limits
<i>ethosuximide caps or 250 mg</i>	P	
<i>ethosuximide soln or 250 mg/5ml</i>	P	
ZARONTIN CAPS (Use <i>ethosuximide</i>)	NP	
ZARONTIN SOLN (Use <i>ethosuximide</i>)	NP	
Valproic Acid		
DEPAKENE CAPS (Use <i>valproic acid</i>)	P	
DEPAKENE SOLN (Use <i>valproate sodium</i>)	P	
DEPAKOTE ER TB24 250 MG (Use <i>divalproex sodium</i>)	NP	QL(3 ea daily)
DEPAKOTE ER TB24 500 MG (Use <i>divalproex sodium</i>)	NP	QL(7 ea daily)
DEPAKOTE SPRINKLES CSDR (Use <i>divalproex sodium</i>)	NP	QL(8 ea daily)
DEPAKOTE TBEC 125 MG (Use <i>divalproex sodium</i>)	NP	QL(2 ea daily)
DEPAKOTE TBEC 250 MG (Use <i>divalproex sodium</i>)	NP	QL(3 ea daily)
DEPAKOTE TBEC 500 MG (Use <i>divalproex sodium</i>)	NP	QL(7 ea daily)
<i>divalproex sodium csdr or 125 mg</i>	P	QL(8 ea daily)
<i>divalproex sodium tb24 or 250 mg</i>	P	QL(3 ea daily)
<i>divalproex sodium tb24 or 500 mg</i>	P	QL(7 ea daily)
<i>divalproex sodium tbec or 125 mg</i>	P	QL(2 ea daily)
<i>divalproex sodium tbec or 250 mg</i>	P	QL(3 ea daily)
<i>divalproex sodium tbec or 500 mg</i>	P	QL(7 ea daily)
<i>valproate sodium soln or 250 mg/5ml</i>	P	
<i>valproic acid caps or</i>	P	
ANTIDEPRESSANTS - Drugs to Treat Depression		

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
Alpha-2 Receptor Antagonists (Tetracyclics)		
<i>mirtazapine tabs or 15 mg</i>	P	QL(3 ea daily)
<i>mirtazapine tabs or 30 mg</i>	P	QL(1.5 ea daily)
<i>mirtazapine tabs or 7.5 mg, 45 mg</i>	P	QL(1 ea daily)
<i>mirtazapine tbdp or 15 mg</i>	P	QL(3 ea daily)
<i>mirtazapine tbdp or 30 mg</i>	P	QL(1.5 ea daily)
<i>mirtazapine tbdp or 45 mg</i>	P	QL(1 ea daily)
REMERON SOLTAB TBDP 15 MG (<i>Use mirtazapine</i>)	NP	QL(3 ea daily)
REMERON SOLTAB TBDP 30 MG (<i>Use mirtazapine</i>)	NP	QL(1.5 ea daily)
REMERON SOLTAB TBDP 45 MG (<i>Use mirtazapine</i>)	NP	QL(1 ea daily)
REMERON TABS 15 MG (<i>Use mirtazapine</i>)	NP	QL(3 ea daily)
REMERON TABS 30 MG (<i>Use mirtazapine</i>)	NP	QL(1.5 ea daily)
Antidepressants - Misc.		
<i>bupropion hcl tabs or 100 mg, 75 mg</i>	P	QL(3 ea daily)
<i>bupropion hcl tb12 or 100 mg</i>	P	QL(4 ea daily)
<i>bupropion hcl tb12 or 150 mg</i>	P	QL(3 ea daily)
<i>bupropion hcl tb12 or 200 mg</i>	P	QL(2 ea daily)
<i>bupropion hcl tb24 or 150 mg</i>	P	QL(3 ea daily)
<i>bupropion hcl tb24 or 300 mg</i>	P	QL(1 ea daily)
<i>maprotiline hcl tabs</i>	P	
WELLBUTRIN SR TB12 100 MG (<i>Use bupropion hcl</i>)	NP	QL(4 ea daily)
WELLBUTRIN SR TB12 150 MG (<i>Use bupropion hcl</i>)	NP	QL(3 ea daily)

Drug Name	Drug Tier	Requirements/Limits
WELLBUTRIN SR TB12 200 MG (<i>Use bupropion hcl</i>)	NP	QL(2 ea daily)
WELLBUTRIN XL TB24 150 MG (<i>Use bupropion hcl</i>)	NP	QL(3 ea daily)
WELLBUTRIN XL TB24 300 MG (<i>Use bupropion hcl</i>)	NP	QL(1 ea daily)
Monoamine Oxidase Inhibitors (MAOIs)		
NARDIL TABS (<i>Use phenelzine sulfate</i>)	NP	
PARNATE TABS (<i>Use tranylcypromine sulfate</i>)	NP	
<i>phenelzine sulfate tabs or</i>	P	
<i>tranylcypromine sulfate tabs</i>	P	
Selective Serotonin Reuptake Inhibitors (SSRIs)		
CELEXA TABS 10 MG (<i>Use citalopram hydrobromide</i>)	NP	QL(4 ea daily)
CELEXA TABS 20 MG (<i>Use citalopram hydrobromide</i>)	NP	QL(2 ea daily)
CELEXA TABS 40 MG (<i>Use citalopram hydrobromide</i>)	NP	QL(1 ea daily)
<i>citalopram hydrobromide soln 10 mg/5ml</i>	P	
<i>citalopram hydrobromide tabs 10 mg</i>	P	QL(4 ea daily)
<i>citalopram hydrobromide tabs 20 mg</i>	P	QL(2 ea daily)
<i>citalopram hydrobromide tabs 40 mg</i>	P	QL(1 ea daily)
<i>escitalopram oxalate tabs 10 mg</i>	P	QL(2 ea daily); AL(At least 12 yrs old)
<i>escitalopram oxalate tabs 20 mg</i>	P	QL(1 ea daily); AL(At least 12 yrs old)
<i>escitalopram oxalate tabs 5 mg</i>	P	QL(4 ea daily); AL(At least 12 yrs old)

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
<i>fluoxetine hcl caps or 10 mg, 20 mg</i>	P	QL(4 ea daily)
<i>fluoxetine hcl caps or 40 mg</i>	P	QL(2 ea daily); AL(At least 7 yrs old)
<i>fluoxetine hcl soln or 20 mg/5ml</i>	P	QL(600 ml per 30 days retail); AL(Up to 6 yrs old)
<i>fluoxetine hcl tabs or 10 mg</i>	P	QL(1 ea daily); AL(At least 7 yrs old)
<i>fluoxetine hcl tabs or 20 mg</i>	P	QL(4 ea daily)
<i>fluvoxamine maleate tabs 100 mg</i>	P	QL(3 ea daily)
<i>fluvoxamine maleate tabs 25 mg, 50 mg</i>	P	QL(2 ea daily)
LEXAPRO TABS 10 MG (Use escitalopram oxalate)	NP	QL(2 ea daily); AL(At least 12 yrs old)
LEXAPRO TABS 20 MG (Use escitalopram oxalate)	NP	QL(1 ea daily); AL(At least 12 yrs old)
LEXAPRO TABS 5 MG (Use escitalopram oxalate)	NP	QL(4 ea daily); AL(At least 12 yrs old)
<i>paroxetine hcl tabs 10 mg</i>	P	QL(6 ea daily)
<i>paroxetine hcl tabs 20 mg</i>	P	QL(3 ea daily)
<i>paroxetine hcl tabs 30 mg, 40 mg</i>	P	QL(2 ea daily)
<i>paroxetine hcl tb24 37.5 mg, 12.5 mg, 25 mg</i>	P	
PAXIL CR TB24 (Use paroxetine hcl)	NP	
PAXIL SUSP 10 MG/5ML	P	PA; QL(40 ml daily)
PAXIL TABS 10 MG (Use paroxetine hcl)	NP	QL(6 ea daily)
PAXIL TABS 20 MG (Use paroxetine hcl)	NP	QL(3 ea daily)
PAXIL TABS 30 MG, 40 MG (Use paroxetine hcl)	NP	QL(2 ea daily)
PROZAC CAPS 10 MG, 20 MG (Use fluoxetine hcl)	NP	QL(4 ea daily)

Drug Name	Drug Tier	Requirements/Limits
PROZAC CAPS 40 MG (Use fluoxetine hcl)	NP	QL(2 ea daily); AL(At least 7 yrs old)
<i>sertraline hcl conc or 20 mg/ml</i>	P	QL(6 ml daily)
<i>sertraline hcl tabs or 100 mg</i>	P	QL(2 ea daily)
<i>sertraline hcl tabs or 25 mg, 50 mg</i>	P	QL(4 ea daily)
ZOLOFT CONC 20 MG/ML (Use sertraline hcl)	NP	QL(6 ml daily)
ZOLOFT TABS 100 MG (Use sertraline hcl)	NP	QL(2 ea daily)
ZOLOFT TABS 25 MG, 50 MG (Use sertraline hcl)	NP	QL(4 ea daily)
Serotonin Modulators		
<i>nefazodone hcl tabs</i>	P	
<i>trazodone hcl tabs or 100 mg, 150 mg, 50 mg</i>	P	
<i>trazodone hcl tabs or 300 mg</i>	P	QL(2 ea daily)
TRINTELLIX TABS	P	PA; QL(1 ea daily); AL(At least 18 yrs old)
VIIBRYD TABS	P	PA; QL(1 ea daily)
Serotonin-Norepinephrine Reuptake Inhibitors		
CYMBALTA CPEP (Use duloxetine hcl)	NP	QL(1 ea daily); AL(At least 7 yrs old)
<i>desvenlafaxine succinate tb24 100 mg</i>	P	ST; QL(4 ea daily)
<i>desvenlafaxine succinate tb24 25 mg, 50 mg</i>	P	ST; QL(1 ea daily)
<i>duloxetine hcl cpep or 20 mg, 30 mg, 60 mg</i>	P	QL(1 ea daily); AL(At least 7 yrs old)
EFFEXOR XR CP24 150 MG (Use venlafaxine hcl)	NP	QL(2 ea daily)
EFFEXOR XR CP24 37.5 MG (Use venlafaxine hcl)	NP	QL(4 ea daily)
EFFEXOR XR CP24 75 MG (Use venlafaxine hcl)	NP	QL(5 ea daily)

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
PRISTIQ TB24 100 MG (Use desvenlafaxine succinate)	NP	ST; QL(4 ea daily)
PRISTIQ TB24 25 MG, 50 MG (Use desvenlafaxine succinate)	NP	ST; QL(1 ea daily)
venlafaxine hcl cp24 150 mg	P	QL(2 ea daily)
venlafaxine hcl cp24 37.5 mg	P	QL(4 ea daily)
venlafaxine hcl cp24 75 mg	P	QL(5 ea daily)
venlafaxine hcl tabs 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg	P	
venlafaxine hcl tb24 150 mg	P	QL(2 ea daily)
venlafaxine hcl tb24 225 mg, 75 mg, 37.5 mg	P	QL(1 ea daily)
Tricyclic Agents		
amitriptyline hcl tabs or 10 mg, 50 mg, 150 mg, 100 mg, 25 mg, 75 mg	P	
amoxapine tabs	P	
ANAFRANIL CAPS 75 MG (Use clomipramine hcl)	NP	
clomipramine hcl caps or 75 mg	P	
desipramine hcl tabs or 100 mg, 150 mg, 10 mg, 50 mg, 75 mg	P	
desipramine hcl tabs or 25 mg	P	QL(2 ea daily)
doxepin hcl caps or 100 mg, 150 mg, 25 mg, 10 mg, 50 mg, 75 mg	P	
doxepin hcl conc or 10 mg/ml	P	
imipramine hcl tabs or 10 mg, 25 mg, 50 mg	P	
NORPRAMIN TABS 10 MG (Use desipramine hcl)	NP	
NORPRAMIN TABS 25 MG (Use desipramine hcl)	NP	QL(2 ea daily)

Drug Name	Drug Tier	Requirements/Limits
nortriptyline hcl caps or 10 mg, 50 mg, 75 mg, 25 mg	P	
nortriptyline hcl soln or 10 mg/5ml	P	QL(20 ml daily)
PAMELOR CAPS (Use nortriptyline hcl)	NP	
TOFRANIL TABS (Use imipramine hcl)	NP	
ANTIDIABETICS - Drugs to Regulate Blood Sugar		
Antidiabetic - Amylin Analogs		
SYMLINPEN 120 SOPN	P	PA; QL(11 ml per 30 days retail)
SYMLINPEN 60 SOPN	P	PA; QL(6 ml per 30 days retail)
Antidiabetic Combinations		
ACTOPLUS MET TABS (Use pioglitazone hcl-metformin hcl)	NP	QL(2 ea daily)
alogliptin-metformin hcl tabs	P	QL(2 ea daily)
alogliptin-pioglitazone tabs	P	
glipizide-metformin hcl tabs	P	
glyburide-metformin tabs	P	
KAZANO TABS (Use alogliptin-metformin hcl)	NF	
OSENI TABS (Use alogliptin-pioglitazone)	NF	
pioglitazone hcl-metformin hcl tabs	P	QL(2 ea daily)
SEGLUROMET TABS	P	ST; try Metformin 90 days QL(2 ea daily)
Biguanides		
GLUCOPHAGE TABS 1000 MG, 850 MG (Use metformin hcl)	NP	
GLUCOPHAGE TABS 500 MG (Use metformin hcl)	NP	QL(4 ea daily)

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
GLUCOPHAGE XR TB24 500 MG (<i>Use metformin hcl</i>)	NP	QL(4 ea daily)
GLUCOPHAGE XR TB24 750 MG (<i>Use metformin hcl</i>)	NP	QL(3 ea daily)
<i>metformin hcl tabs or 1000 mg, 850 mg</i>	P	
<i>metformin hcl tabs or 500 mg</i>	P	QL(4 ea daily)
<i>metformin hcl tb24 or 500 mg</i>	P	QL(4 ea daily)
<i>metformin hcl tb24 or 750 mg</i>	P	QL(3 ea daily)
Diabetic Other		
BAQSIMI ONE PACK POWD	P	QL(0.69 ea daily)
BAQSIMI TWO PACK POWD	P	QL(0.69 ea daily)
BD GLUCOSE CHEW	P	OTC;QL(50 ea per 30 days retail)
CVS GLUCOSE CHEW 4 GM	P	OTC;QL(50 ea per 30 days retail)
CVS GLUCOSE CHEW 4 GM-6 MG	P	QL(50 ea per 30 days retail)
CVS SOFT GLUCOSE CHEW	P	OTC;QL(50 ea per 30 days retail)
DEX4 CHEW	P	QL(50 ea per 30 days retail)
DEX4 FAST ACTING GLUCOSE CHEW 4 GM-6 MG	P	QL(50 ea per 30 days retail)
DEX4 NATURALS CHEW	P	QL(50 ea per 30 days retail)
DEX4 POUCH PACK CHEW	P	QL(50 ea per 30 days retail)
DEX4 QUICK DISSOLVE GLUCOSE CHEW	P	OTC;QL(50 ea per 30 days retail)
GLUCAGEN HYPOKIT SOLR	P	
GLUCAGON EMERGENCY KIT KIT	P	QL(1 ea per fill retail)

Drug Name	Drug Tier	Requirements/ Limits
GLUCOSE CHEW 4 GM	P	OTC;QL(50 ea per 30 days retail)
GLUCOSE CHEW 4 GM-4 GM-6 MG, 4 GM-6 MG	P	QL(50 ea per 30 days retail)
GLUCOSE INSTANT ENERGY CHEW	P	QL(50 ea per 30 days retail)
GNP GLUCOSE CHEW 4 GM	P	OTC;QL(50 ea per 30 days retail)
GNP GLUCOSE CHEW 4 GM-6 MG	P	QL(50 ea per 30 days retail)
GNP QUICK DISSOLVE GLUCOSE CHEW	P	OTC;QL(50 ea per 30 days retail)
GOODSENSE GLUCOSE CHEW	P	QL(50 ea per 30 days retail)
GVOKE PFS SOSY	P	QL(0.02 ml daily)
HM GLUCOSE CHEW	P	QL(50 ea per 30 days retail)
HY-VEE GLUCOSE CHEW	P	QL(50 ea per 30 days retail)
KROGER GLUCOSE CHEW	P	QL(50 ea per 30 days retail)
LEADER GLUCOSE CHEW	P	QL(50 ea per 30 days retail)
LEADER QUICK DISSOLVE GLUCOSE CHEW	P	OTC;QL(50 ea per 30 days retail)
LONGS GLUCOSE CHEW	P	QL(50 ea per 30 days retail)
MEIJER GLUCOSE CHEW	P	QL(50 ea per 30 days retail)
PREFERRED PLUS GLUCOSE CHEW	P	QL(50 ea per 30 days retail)
PX GLUCOSE CHEW	P	QL(50 ea per 30 days retail)
RA GLUCOSE CHEW	P	QL(50 ea per 30 days retail)
RELION GLUCOSE CHEW	P	QL(50 ea per 30 days retail)
SM GLUCOSE CHEW 4 GM	P	OTC;QL(50 ea per 30 days retail)

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
SM GLUCOSE CHEW 4 GM-6 MG	P	QL(50 ea per 30 days retail)
SMART SENSE GLUCOSE CHEW	P	QL(50 ea per 30 days retail)
SMART SENSE GLUCOSE TABLETS CHEW	P	QL(50 ea per 30 days retail)
TGT GLUCOSE CHEW	P	QL(50 ea per 30 days retail)
UP & UP GLUCOSE CHEW	P	QL(50 ea per 30 days retail)
VALUE PLUS GLUCOSE CHEW	P	QL(50 ea per 30 days retail)
WALGREENS GLUCOSE CHEW 4 GM	P	OTC;QL(50 ea per 30 days retail)
WALGREENS GLUCOSE CHEW 4 GM-6 MG	P	QL(50 ea per 30 days retail)
Dipeptidyl Peptidase-4 (DPP-4) Inhibitors		
<i>alogliptin benzoate tabs</i>	P	
NESINA TABS (<i>Use alogliptin benzoate</i>)	NF	
Incretin Mimetic Agents (GLP-1 Receptor)		
BYDUREON BCISE AUJ	P	PA; QL(3.4 ml per 28 days retail)
BYDUREON PEN PEN	P	PA; QL(4 ea per 28 days retail); AL(At least 18 yrs old)
BYDUREON SRER	P	PA; QL(4 ea per 28 days retail); AL(At least 18 yrs old)
BYETTA SOPN 10 MCG/0.04ML	P	PA; QL(2.4 ml per 30 days retail); AL(At least 18 yrs old)
BYETTA SOPN 5 MCG/0.02ML	P	PA; QL(1.2 ml per 30 days retail); AL(At least 18 yrs old)

Drug Name	Drug Tier	Requirements/Limits
VICTOZA SOPN	P	PA; QL(1.8 ml daily)
Insulin Sensitizing Agents		
ACTOS TABS (<i>Use pioglitazone hcl</i>)	NP	QL(1 ea daily)
<i>pioglitazone hcl tabs</i>	P	QL(1 ea daily)
Insulin		
ADMELOG SOLN	P	QL(40 ml per 30 days retail)
ADMELOG SOLOSTAR SOPN	P	QL(1 ml daily)
BASAGLAR KWIKPEN SOPN	P	QL(1 ml daily)
HUMALOG MIX 50/50 KWIKPEN SUPN	P	QL(1 ml daily)
HUMALOG MIX 50/50 SUSP	P	QL(40 ml per 30 days retail)
HUMALOG MIX 75/25 KWIKPEN SUPN	P	QL(1 ml daily)
HUMALOG MIX 75/25 SUSP	P	QL(40 ml per 30 days retail)
HUMULIN 70/30 KWIKPEN SUPN	P	OTC;QL(1 ml daily)
HUMULIN 70/30 SUSP	P	OTC;QL(40 ml per 30 days retail)
HUMULIN N KWIKPEN SUPN	P	OTC;QL(1 ml daily)
HUMULIN N SUSP	P	OTC;QL(40 ml per 30 days retail)
HUMULIN R SOLN	P	OTC;QL(40 ml per 30 days retail)
INSULIN ASPART PROTAMINE/INSULIN ASPART FLEXPEN SUPN	P	QL(1 ml daily)
INSULIN ASPART PROTAMINE/INSULIN ASPART SUSP	P	QL(40 ml per 30 days retail)
INSULIN LISPRO PROTAMINE/INSULIN LISPRO KWIKPEN SUPN	P	QL(1 ml daily)
NOVOLIN 70/30 FLEXPEN RELION SUPN	P	OTC;QL(1 ml daily)

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
NOVOLIN 70/30 FLEXPEN SUPN	P	OTC;QL(1 ml daily)
NOVOLIN 70/30 RELION SUSP	P	OTC;QL(40 ml per 30 days retail)
NOVOLIN 70/30 SUSP	P	OTC;QL(40 ml per 30 days retail)
NOVOLIN N FLEXPEN RELION SUPN	P	OTC;QL(1 ml daily)
NOVOLIN N FLEXPEN SUPN	P	OTC;QL(1 ml daily)
NOVOLIN N RELION SUSP	P	OTC;QL(40 ml per 30 days retail)
NOVOLIN N SUSP	P	OTC;QL(40 ml per 30 days retail)
NOVOLIN R RELION SOLN	P	OTC;QL(40 ml per 30 days retail)
NOVOLIN R SOLN	P	OTC;QL(40 ml per 30 days retail)
NOVOLOG MIX 70/30 PREFILLED FLEXPEN SUPN	P	QL(1 ml daily)
NOVOLOG MIX 70/30 SUSP	P	QL(40 ml per 30 days retail)
Meglitinide Analogues		
<i>nateglinide tabs</i>	P	QL(3 ea daily)
STARLIX TABS (<i>Use nateglinide</i>)	NP	QL(3 ea daily)
Sodium-Glucose Co-Transporter 2 (SGLT2)		
STEGLATRO TABS	P	ST; try Metformin 90 days QL(1 ea daily)
Sulfonylureas		
AMARYL TABS 1 MG, 2 MG (<i>Use glimepiride</i>)	NP	QL(4 ea daily)
AMARYL TABS 4 MG (<i>Use glimepiride</i>)	NP	QL(2 ea daily)
<i>glimepiride tabs 1 mg, 2 mg</i>	P	QL(4 ea daily)

Drug Name	Drug Tier	Requirements/Limits
<i>glimepiride tabs 4 mg</i>	P	QL(2 ea daily)
<i>glipizide tabs or 10 mg, 5 mg</i>	P	
<i>glipizide tb24 or 10 mg, 2.5 mg, 5 mg</i>	P	
GLUCOTROL TABS (<i>Use glipizide</i>)	NP	
GLUCOTROL XL TB24 (<i>Use glipizide</i>)	NP	
<i>glyburide micronized tabs</i>	P	
<i>glyburide tabs or 1.25 mg, 2.5 mg, 5 mg</i>	P	
GLYNASE TABS (<i>Use glyburide micronized</i>)	NP	
ANTIDIARRHEAL/PROBIOTIC AGENTS - Drugs to Treat Diarrhea		
Antidiarrheal/Probiotic Agents - Misc.		
<i>bismuth subsalicylate chew or 262 mg</i>	P	OTC
<i>bismuth subsalicylate susp or 1050 mg/30ml, 525 mg/15ml</i>	P	OTC
PEPTO-BISMOL CHEW 262 MG (<i>Use bismuth subsalicylate</i>)	NP	OTC
PEPTO-BISMOL MAX STRENGTH SUSP (<i>Use bismuth subsalicylate</i>)	NP	OTC
PEPTO-BISMOL TO-GO CHEW (<i>Use bismuth subsalicylate</i>)	NP	OTC
Antiperistaltic Agents		
<i>diphenoxylate w/ atropine liqd</i>	P	
<i>diphenoxylate w/ atropine tabs</i>	P	
IMODIUM A-D CAPS 2 MG (<i>Use loperamide hcl</i>)	NP	OTC;QL(8 ea daily); RX/OTC
IMODIUM A-D TABS 2 MG (<i>Use loperamide hcl</i>)	NP	OTC;QL(8 ea daily)
LOMOTIL TABS (<i>Use diphenoxylate w/ atropine</i>)	NP	
<i>loperamide hcl caps or 2 mg</i>	P	OTC;QL(8 ea daily); RX/OTC

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
<i>loperamide hcl liqd or 1 mg/5ml</i>	P	OTC;QL(40 ml daily)
<i>loperamide hcl tabs or 2 mg</i>	P	OTC;QL(8 ea daily)
ANTIDOTES AND SPECIFIC ANTAGONISTS		
Antidotes - Chelating Agents		
CHEMET CAPS	P	
<i>deferasirox tabs</i>	P	PA; SP
JADENU TABS (<i>Use deferasirox</i>)	NP	PA; SP
Antidotes and Specific Antagonists		
ANDEXXA SOLR	P	PA; SP
SM IPECAC SYRUP SYRP	P	
VISTOGARD PACK	P	
Opioid Antagonists		
<i>naloxone hcl soct ij 0.4 mg/ml</i>	P	QL(2 ml per 90 days retail)
<i>naloxone hcl soln ij 0.4 mg/ml, 4 mg/10ml</i>	P	QL(2 ml per 90 days retail)
<i>naloxone hcl sosy ij 2 mg/2ml</i>	P	QL(4 ml per 90 days retail)
<i>naltrexone hcl tabs or</i>	P	
NARCAN LIQD	P	QL(4 ea per 90 days retail)
VIVITROL SUSR	P	
ANTIEMETICS - Drugs to Treat Nausea and Vomiting		
5-HT3 Receptor Antagonists		
<i>ondansetron hcl soln or 4 mg/5ml</i>	P	QL(50 ml per 30 days retail)
<i>ondansetron hcl tabs or 24 mg</i>	P	QL(1 ea per 14 days retail)
<i>ondansetron hcl tabs or 4 mg, 8 mg</i>	P	QL(2 ea daily)
<i>ondansetron tbdp</i>	P	QL(2 ea daily)
ZOFRAN SOLN 4 MG/5ML (<i>Use ondansetron hcl</i>)	NP	QL(50 ml per 30 days retail)

Drug Name	Drug Tier	Requirements/Limits
ZOFRAN TABS 4 MG, 8 MG (<i>Use ondansetron hcl</i>)	NP	QL(2 ea daily)
Antiemetics - Anticholinergic		
<i>dimenhydrinate tabs or 50 mg</i>	P	OTC;QL(24 ea per fill retail)
DRAMAMINE CHEW	P	OTC;QL(24 ea per fill retail)
DRAMAMINE TABS (<i>Use dimenhydrinate</i>)	NP	OTC;QL(24 ea per fill retail)
<i>meclizine hcl chew or 25 mg</i>	P	OTC;RX/OTC
<i>meclizine hcl tabs or 12.5 mg, 25 mg</i>	P	RX/OTC
ANTIFUNGALS - Drugs to Treat Fungal Infections		
Antifungals		
<i>griseofulvin microsize susp</i>	P	
<i>griseofulvin microsize tabs</i>	P	
<i>griseofulvin ultramicrosize tabs</i>	P	
<i>nystatin tabs or</i>	P	QL(6 ea daily)
<i>terbinafine hcl tabs or</i>	P	QL(90 ea per 120 days retail)
Imidazole-Related Antifungals		
DIFLUCAN SUSR 10 MG/ML, 40 MG/ML (<i>Use fluconazole</i>)	NP	QL(70 ml per fill retail)
DIFLUCAN TABS 100 MG, 200 MG (<i>Use fluconazole</i>)	NP	
DIFLUCAN TABS 150 MG (<i>Use fluconazole</i>)	NP	QL(2 ea per fill retail)
DIFLUCAN TABS 50 MG (<i>Use fluconazole</i>)	NP	QL(3 ea per 14 days retail)
<i>fluconazole susr or 10 mg/ml, 40 mg/ml</i>	P	QL(70 ml per fill retail)
<i>fluconazole tabs or 100 mg, 200 mg</i>	P	
<i>fluconazole tabs or 150 mg</i>	P	QL(2 ea per fill retail)
<i>fluconazole tabs or 50 mg</i>	P	QL(3 ea per 14 days retail)
<i>itraconazole caps or 100 mg</i>	P	PA; QL(1 ea daily)

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
SPORANOX CAPS 100 MG (<i>Use itraconazole</i>)	NP	PA; QL(1 ea daily)
SPORANOX PULSEPAK CAPS (<i>Use itraconazole</i>)	NP	PA; QL(1 ea daily)
ANTIHISTAMINES - Drugs to Treat Allergies		
Antihistamines - Alkylamines		
CHLOR-TRIMETON SYRP 2 MG/5ML (<i>Use chlorpheniramine maleate</i>)	NP	OTC
CHLOR-TRIMETON TABS 4 MG (<i>Use chlorpheniramine maleate</i>)	NP	OTC;QL(120 ea per fill retail)
<i>chlorpheniramine maleate syrp or 2 mg/5ml</i>	P	OTC
<i>chlorpheniramine maleate tabs or 4 mg</i>	P	OTC;QL(120 ea per fill retail)
Antihistamines - Ethanolamines		
ALER-DRYL TABS	P	QL(4 ea daily)
BENADRYL ALLERGY CAPS (<i>Use diphenhydramine hcl</i>)	NP	QL(4 ea daily)
BENADRYL ALLERGY CHILDRENS LIQD 12.5 MG/5ML (<i>Use diphenhydramine hcl</i>)	NP	OTC;QL(240 ml per fill retail); RX/OTC
BENADRYL ALLERGY TABS (<i>Use diphenhydramine hcl</i>)	NP	OTC;QL(4 ea daily)
<i>clemastine fumarate tabs or 1.34 mg</i>	P	OTC;QL(2 ea daily)
<i>diphenhydramine hcl caps or 50 mg, 25 mg</i>	P	QL(4 ea daily)
<i>diphenhydramine hcl elix or 12.5 mg/5ml</i>	P	QL(240 ml per fill retail); RX/OTC
<i>diphenhydramine hcl liqd or 12.5 mg/5ml, 25 mg/10ml, 50 mg/20ml</i>	P	OTC;QL(240 ml per fill retail); RX/OTC
<i>diphenhydramine hcl tabs or 25 mg</i>	P	OTC;QL(4 ea daily)
Antihistamines - Non-Sedating		
ALLEGRA ALLERGY TABS 180 MG (<i>Use fexofenadine hcl</i>)	NP	QL(1 ea daily)

Drug Name	Drug Tier	Requirements/Limits
ALLEGRA ALLERGY TABS 60 MG (<i>Use fexofenadine hcl</i>)	NP	QL(2 ea daily)
<i>cetirizine hcl chew 5 mg, 10 mg</i>	P	QL(1 ea daily)
<i>cetirizine hcl soln 1 mg/ml, 5 mg/5ml</i>	P	QL(240 ml per fill retail); RX/OTC
<i>cetirizine hcl syrp 1 mg/ml, 5 mg/5ml</i>	P	QL(240 ml per fill retail); RX/OTC
<i>cetirizine hcl tabs 5 mg, 10 mg</i>	P	QL(1 ea daily)
CLARITIN ALLERGY CHILDRENS SYRP (<i>Use loratadine</i>)	NP	OTC;QL(240 ml per fill retail)
CLARITIN REDITABS TBDP 10 MG (<i>Use loratadine</i>)	NP	OTC;QL(1 ea daily)
CLARITIN SYRP 5 MG/5ML (<i>Use loratadine</i>)	NP	OTC;QL(240 ml per fill retail)
CLARITIN TABS 10 MG (<i>Use loratadine</i>)	NP	OTC;QL(1 ea daily)
<i>fexofenadine hcl tabs or 180 mg</i>	P	QL(1 ea daily)
<i>fexofenadine hcl tabs or 60 mg</i>	P	QL(2 ea daily)
<i>levocetirizine dihydrochloride tabs or 5 mg</i>	P	RX/OTC
<i>loratadine soln or 5 mg/5ml</i>	P	OTC;QL(240 ml per fill retail)
<i>loratadine syrp or 5 mg/5ml</i>	P	OTC;QL(240 ml per fill retail)
<i>loratadine tabs or 10 mg</i>	P	OTC;QL(1 ea daily)
<i>loratadine tbdp or 10 mg</i>	P	OTC;QL(1 ea daily)
XYZAL ALLERGY 24HR TABS (<i>Use levocetirizine dihydrochloride</i>)	NP	RX/OTC
ZYRTEC ALLERGY TABS (<i>Use cetirizine hcl</i>)	NP	QL(1 ea daily)
ZYRTEC CHILDRENS ALLERGY SOLN (<i>Use cetirizine hcl</i>)	NP	QL(240 ml per fill retail); RX/OTC

Georgia Inter-Pregnancy Care

P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Updated January 1, 2021

Drug Name	Drug Tier	Requirements/Limits
Antihistamines - Phenothiazines		
<i>promethazine hcl soln or 6.25 mg/5ml</i>	P	AL(At least 2 yrs old)
<i>promethazine hcl supp re 50 mg, 12.5 mg, 25 mg</i>	P	QL(12 ea per fill retail); AL(At least 2 yrs old)
<i>promethazine hcl syrp or 6.25 mg/5ml</i>	P	AL(At least 2 yrs old)
<i>promethazine hcl tabs or 12.5 mg, 25 mg, 50 mg</i>	P	AL(At least 2 yrs old)
Antihistamines - Piperidines		
<i>cyproheptadine hcl syrp or 2 mg/5ml</i>	P	
<i>cyproheptadine hcl tabs or 4 mg</i>	P	
ANTIHYPERLIPIDEMICS - Drugs to Treat High Cholesterol		
Antihyperlipidemics - Combinations		
<i>ezetimibe-simvastatin tabs</i>	P	ST; QL(1 ea daily)
<i>VYTORIN TABS (Use ezetimibe-simvastatin)</i>	NP	ST; QL(1 ea daily)
Bile Acid Sequestrants		
<i>cholestyramine light pack</i>	P	
<i>cholestyramine light powd</i>	P	
<i>cholestyramine pack or 4 gm</i>	P	
<i>cholestyramine powd or 4 gm/dose</i>	P	
<i>COLESTID FLAVORED GRAN 5 GM (Use colestipol hcl)</i>	NP	
<i>COLESTID GRAN 5 GM (Use colestipol hcl)</i>	NP	
<i>COLESTID TABS 1 GM (Use colestipol hcl)</i>	NP	
<i>colestipol hcl gran 5 gm</i>	P	
<i>colestipol hcl tabs 1 gm</i>	P	
<i>QUESTRAN LIGHT POWD (Use cholestyramine light)</i>	NP	

Drug Name	Drug Tier	Requirements/Limits
<i>QUESTRAN PACK (Use cholestyramine)</i>	NP	
<i>QUESTRAN POWD (Use cholestyramine)</i>	NP	
Fibric Acid Derivatives		
<i>fenofibrate micronized caps 134 mg, 200 mg</i>	P	QL(1 ea daily)
<i>fenofibrate micronized caps 67 mg</i>	P	QL(2 ea daily)
<i>FENOFIBRATE TABS OR 160 MG</i>	P	QL(1 ea daily)
<i>fenofibrate tabs or 160 mg</i>	P	QL(1 ea daily)
<i>fenofibrate tabs or 54 mg</i>	P	QL(3 ea daily)
<i>gemfibrozil tabs or</i>	P	QL(2 ea daily)
<i>LOPID TABS (Use gemfibrozil)</i>	NP	QL(2 ea daily)
<i>TRIGLIDE TABS</i>	P	QL(1 ea daily)
HMG CoA Reductase Inhibitors		
<i>atorvastatin calcium tabs or 10 mg, 20 mg, 40 mg, 80 mg</i>	P	QL(1 ea daily)
<i>CRESTOR TABS (Use rosuvastatin calcium)</i>	NP	ST; Try simvastatin or atorvastatin;QL (1 ea daily)
<i>LIPITOR TABS (Use atorvastatin calcium)</i>	NP	QL(1 ea daily)
<i>lovastatin tabs 10 mg, 20 mg</i>	P	QL(1 ea daily)
<i>lovastatin tabs 40 mg</i>	P	QL(2 ea daily)
<i>PRAVACHOL TABS (Use pravastatin sodium)</i>	NP	QL(1 ea daily)
<i>pravastatin sodium tabs</i>	P	QL(1 ea daily)
<i>rosuvastatin calcium tabs</i>	P	ST; Try simvastatin or atorvastatin;QL (1 ea daily)
<i>simvastatin tabs or 10 mg, 20 mg, 40 mg, 5 mg</i>	P	QL(1 ea daily)

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
ZOCOR TABS 10 MG, 20 MG, 40 MG, 5 MG (<i>Use simvastatin</i>)	NP	QL(1 ea daily)
Intestinal Cholesterol Absorption Inhibitors		
<i>ezetimibe tabs</i>	P	ST
ZETIA TABS (<i>Use ezetimibe</i>)	NP	ST
Nicotinic Acid Derivatives		
<i>niacin (antihyperlipidemic) tabs</i>	P	
<i>niacin (antihyperlipidemic) tbc</i>	P	
NIASPAN TBCR (<i>Use niacin (antihyperlipidemic)</i>)	NP	
ANTIHYPERTENSIVES - Drugs to Treat High Blood Pressure		
ACE Inhibitors		
ACCUPRIL TABS (<i>Use quinapril hcl</i>)	NP	
ALTACE CAPS (<i>Use ramipril</i>)	NP	QL(2 ea daily)
<i>benazepril hcl tabs or 10 mg, 5 mg, 20 mg</i>	P	QL(1 ea daily)
<i>benazepril hcl tabs or 40 mg</i>	P	QL(2 ea daily)
<i>captopril tabs or 100 mg, 12.5 mg, 25 mg, 50 mg</i>	P	QL(3 ea daily)
<i>enalapril maleate tabs or 10 mg, 2.5 mg, 20 mg, 5 mg</i>	P	QL(2 ea daily)
<i>fosinopril sodium tabs</i>	P	QL(1 ea daily)
<i>lisinopril tabs or 10 mg, 20 mg, 30 mg, 40 mg, 5 mg</i>	P	QL(2 ea daily)
<i>lisinopril tabs or 2.5 mg</i>	P	QL(1 ea daily)
LOTENSIN TABS 10 MG, 20 MG (<i>Use benazepril hcl</i>)	NP	QL(1 ea daily)
LOTENSIN TABS 40 MG (<i>Use benazepril hcl</i>)	NP	QL(2 ea daily)
PRINIVIL TABS (<i>Use lisinopril</i>)	NP	QL(2 ea daily)
<i>quinapril hcl tabs</i>	P	

Drug Name	Drug Tier	Requirements/Limits
<i>ramipril caps</i>	P	QL(2 ea daily)
<i>trandolapril tabs 1 mg, 2 mg</i>	P	QL(1 ea daily)
<i>trandolapril tabs 4 mg</i>	P	QL(2 ea daily)
VASOTEC TABS (<i>Use enalapril maleate</i>)	NP	QL(2 ea daily)
ZESTRIL TABS 10 MG, 20 MG, 30 MG, 40 MG, 5 MG (<i>Use lisinopril</i>)	NP	QL(2 ea daily)
ZESTRIL TABS 2.5 MG (<i>Use lisinopril</i>)	NP	QL(1 ea daily)
Angiotensin II Receptor Antagonists		
ATACAND TABS (<i>Use candesartan cilexetil</i>)	NP	
AVAPRO TABS (<i>Use irbesartan</i>)	NP	QL(1 ea daily)
BENICAR TABS (<i>Use olmesartan medoxomil</i>)	NP	ST; Use losartan or irbesartan; QL(1 ea daily)
<i>candesartan cilexetil tabs</i>	P	
COZAAR TABS (<i>Use losartan potassium</i>)	NP	QL(1 ea daily)
DIOVAN TABS (<i>Use valsartan</i>)	NP	QL(1 ea daily)
<i>irbesartan tabs</i>	P	QL(1 ea daily)
<i>losartan potassium tabs</i>	P	QL(1 ea daily)
MICARDIS TABS (<i>Use telmisartan</i>)	NP	QL(1 ea daily)
<i>olmesartan medoxomil tabs or 20 mg, 40 mg, 5 mg</i>	P	ST; Use losartan or irbesartan; QL(1 ea daily)
<i>telmisartan tabs</i>	P	QL(1 ea daily)
<i>valsartan tabs</i>	P	QL(1 ea daily)
Antiadrenergic Antihypertensives		
CARDURA TABS (<i>Use doxazosin mesylate</i>)	NP	
CATAPRES TABS (<i>Use clonidine hcl</i>)	NP	

Georgia Inter-Pregnancy Care

P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Updated January 1, 2021

Drug Name	Drug Tier	Requirements/Limits
<i>clonidine hcl tabs or 0.1 mg, 0.2 mg, 0.3 mg</i>	P	
<i>doxazosin mesylate tabs or 1 mg, 2 mg, 4 mg, 8 mg</i>	P	
<i>guanfacine hcl tabs</i>	P	
<i>methyldopa tabs</i>	P	
MINIPRESS CAPS (Use <i>prazosin hcl</i>)	NP	
<i>prazosin hcl caps</i>	P	
<i>terazosin hcl caps</i>	P	
Antihypertensive Combinations		
ACCURETIC TABS 10 MG-12.5 MG (Use <i>quinapril-hydrochlorothiazide</i>)	NP	QL(3 ea daily)
ACCURETIC TABS 12.5 MG-20 MG (Use <i>quinapril-hydrochlorothiazide</i>)	NP	QL(4 ea daily)
ACCURETIC TABS 20 MG-25 MG (Use <i>quinapril-hydrochlorothiazide</i>)	NP	QL(2 ea daily)
<i>amlodipine besylate-benazepril hcl caps</i>	P	QL(1 ea daily)
<i>amlodipine besylate-olmesartan medoxomil tabs</i>	P	ST; Use losartan or irbesartan
<i>amlodipine besylate-valsartan tabs</i>	P	ST; Use losartan or irbesartan
<i>amlodipine-valsartan-hydrochlorothiazide tabs</i>	P	ST; Use losartan or irbesartan
ATACAND HCT TABS (Use <i>candesartan cilexetil-hydrochlorothiazide</i>)	NP	
<i>atenolol & chlorthalidone tabs</i>	P	QL(2 ea daily)
AVALIDE TABS (Use <i>irbesartan-hydrochlorothiazide</i>)	NP	QL(1 ea daily)
AZOR TABS (Use <i>amlodipine besylate-olmesartan medoxomil</i>)	NP	ST; Use losartan or irbesartan

Drug Name	Drug Tier	Requirements/Limits
<i>benazepril & hydrochlorothiazide tabs</i>	P	QL(1 ea daily)
BENICAR HCT TABS (Use <i>olmesartan medoxomil-hydrochlorothiazide</i>)	NP	ST; Use losartan or irbesartan;QL(1 ea daily)
<i>bisoprolol & hydrochlorothiazide tabs</i>	P	QL(1 ea daily)
<i>candesartan cilexetil-hydrochlorothiazide tabs</i>	P	
<i>captopril & hydrochlorothiazide tabs 15 mg-25 mg, 15 mg-50 mg, 25 mg-25 mg</i>	P	QL(2 ea daily)
<i>captopril & hydrochlorothiazide tabs 25 mg-50 mg</i>	P	QL(3 ea daily)
DIOVAN HCT TABS (Use <i>valsartan-hydrochlorothiazide</i>)	NP	QL(1 ea daily)
DUTOPROL TB24	P	QL(1 ea daily)
<i>enalapril maleate & hydrochlorothiazide tabs</i>	P	QL(2 ea daily)
EXFORGE HCT TABS (Use <i>amlodipine-valsartan-hydrochlorothiazide</i>)	NP	ST; Use losartan or irbesartan
EXFORGE TABS (Use <i>amlodipine besylate-valsartan</i>)	NP	ST; Use losartan or irbesartan
<i>fosinopril sodium & hydrochlorothiazide tabs</i>	P	QL(1 ea daily)
HYZAAR TABS (Use <i>losartan potassium & hydrochlorothiazide</i>)	NP	QL(1 ea daily)
<i>irbesartan-hydrochlorothiazide tabs</i>	P	QL(1 ea daily)
<i>lisinopril & hydrochlorothiazide tabs 10 mg-12.5 mg, 12.5 mg-20 mg</i>	P	QL(2 ea daily)
<i>lisinopril & hydrochlorothiazide tabs 20 mg-25 mg</i>	P	QL(1 ea daily)
LOPRESSOR HCT TABS (Use <i>metoprolol & hydrochlorothiazide</i>)	NP	QL(2 ea daily)

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
<i>losartan potassium & hydrochlorothiazide tabs</i>	P	QL(1 ea daily)
LOTENSIN HCT TABS (Use benazepril & hydrochlorothiazide)	NP	QL(1 ea daily)
LOTREL CAPS (Use amlodipine besylate-benazepril hcl)	NP	QL(1 ea daily)
<i>metoprolol & hydrochlorothiazide tabs 100 mg-25 mg, 25 mg-50 mg</i>	P	QL(2 ea daily)
<i>metoprolol & hydrochlorothiazide tabs 100 mg-50 mg</i>	P	QL(1 ea daily)
METOPROLOL SUCCINATE ER/HYDROCHLOROTHIAZIDE TB24	P	QL(1 ea daily)
MICARDIS HCT TABS (Use telmisartan-hydrochlorothiazide)	NP	QL(1 ea daily)
<i>olmesartan medoxomil-amlodipine-hydrochlorothiazide tabs</i>	P	ST; Use losartan or irbesartan
<i>olmesartan medoxomil-hydrochlorothiazide tabs</i>	P	ST; Use losartan or irbesartan; QL(1 ea daily)
<i>propranolol & hydrochlorothiazide tabs</i>	P	QL(2 ea daily)
<i>quinapril-hydrochlorothiazide tabs 10 mg-12.5 mg</i>	P	QL(3 ea daily)
<i>quinapril-hydrochlorothiazide tabs 12.5 mg-20 mg</i>	P	QL(4 ea daily)
<i>quinapril-hydrochlorothiazide tabs 20 mg-25 mg</i>	P	QL(2 ea daily)
TARKA TBCR (Use trandolapril-verapamil hcl)	NP	
<i>telmisartan-amlodipine tabs</i>	P	
<i>telmisartan-hydrochlorothiazide tabs</i>	P	QL(1 ea daily)

Drug Name	Drug Tier	Requirements/Limits
TENORETIC 100 TABS (Use atenolol & chlorthalidone)	NP	QL(2 ea daily)
TENORETIC 50 TABS (Use atenolol & chlorthalidone)	NP	QL(2 ea daily)
<i>trandolapril-verapamil hcl tbc</i>	P	
TRIBENZOR TABS (Use olmesartan medoxomil-amlodipine-hydrochlorothiazide)	NP	ST; Use losartan or irbesartan
TWYNSTA TABS (Use telmisartan-amlodipine)	NP	
<i>valsartan-hydrochlorothiazide tabs</i>	P	QL(1 ea daily)
VASERETIC TABS (Use enalapril maleate & hydrochlorothiazide)	NP	QL(2 ea daily)
ZESTORETIC TABS 10 MG-12.5 MG, 12.5 MG-20 MG (Use lisinopril & hydrochlorothiazide)	NP	QL(2 ea daily)
ZESTORETIC TABS 20 MG-25 MG (Use lisinopril & hydrochlorothiazide)	NP	QL(1 ea daily)
ZIAC TABS (Use bisoprolol & hydrochlorothiazide)	NP	QL(1 ea daily)
Vasodilators		
<i>hydralazine hcl tabs or 10 mg, 100 mg, 50 mg, 25 mg</i>	P	
<i>minoxidil tabs or 10 mg</i>	P	QL(10 ea daily)
<i>minoxidil tabs or 2.5 mg</i>	P	QL(3 ea daily)
ANTIMALARIALS - Drugs to Treat Malaria (Parasitic Infections)		
Antimalarial Combinations		
COARTEM TABS	P	QL(24 ea per fill retail)
Antimalarials		
<i>chloroquine phosphate tabs or 250 mg</i>	P	
<i>chloroquine phosphate tabs or 500 mg</i>	P	QL(1 ea daily)

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
<i>hydroxychloroquine sulfate tabs or</i>	P	
KRINTAFEL TABS	P	QL(2 ea per 30 days retail)
<i>mefloquine hcl tabs</i>	P	
PLAQUENIL TABS (<i>Use hydroxychloroquine sulfate</i>)	NP	
<i>primaquine phosphate tabs</i>	P	
PRIMAQUINE PHOSPHATE TABS (<i>Use primaquine phosphate</i>)	NP	
ANTIMYASTHENIC/CHOLINERGIC AGENTS		
Antimyasthenic/Cholinergic Agents		
MESTINON TABS (<i>Use pyridostigmine bromide</i>)	NP	
MESTINON TIMESPAN TBCR (<i>Use pyridostigmine bromide</i>)	NP	
<i>pyridostigmine bromide tabs or 60 mg</i>	P	
<i>pyridostigmine bromide tbcr or 180 mg</i>	P	
ANTIMYCOBACTERIAL AGENTS - Drugs to Treat Tuberculosis (Bacterial Infections)		
Antimycobacterial Agents		
<i>ethambutol hcl tabs or 100 mg, 400 mg</i>	P	
<i>isoniazid syrj or 50 mg/5ml</i>	P	
<i>isoniazid tabs or 100 mg, 300 mg</i>	P	
MYAMBUTOL TABS (<i>Use ethambutol hcl</i>)	NP	
<i>pyrazinamide tabs or</i>	P	
RIFADIN CAPS OR 150 MG, 300 MG (<i>Use rifampin</i>)	NP	
<i>rifampin caps or 150 mg, 300 mg</i>	P	
TRECTOR TABS	P	

Drug Name	Drug Tier	Requirements/ Limits
ANTINEOPLASTICS AND ADJUNCTIVE THERAPIES - Drugs to Treat Cancer		
Alkylating Agents		
ALKERAN TABS (<i>Use melphalan</i>)	NP	
LEUKERAN TABS	P	
<i>melphalan tabs</i>	P	
MYLERAN TABS	P	
Antimetabolites		
<i>mercaptopurine tabs or</i>	P	
<i>methotrexate sodium soln ij 250 mg/10ml, 50 mg/2ml, 1 gm/40ml, 250 mg/10ml, 50 mg/2ml</i>	P	
<i>methotrexate sodium tabs or 2.5 mg</i>	P	
PURIXAN SUSP	P	
TREXALL TABS	P	
Antineoplastic - Hormonal and Related Agents		
<i>anastrozole tabs or</i>	P	
ARIMIDEX TABS (<i>Use anastrozole</i>)	NP	
AROMASIN TABS (<i>Use exemestane</i>)	NP	
<i>bicalutamide tabs</i>	P	QL(1 ea daily)
CASODEX TABS (<i>Use bicalutamide</i>)	NP	QL(1 ea daily)
<i>exemestane tabs</i>	P	
FARESTON TABS (<i>Use toremifene citrate</i>)	NP	PA
FEMARA TABS (<i>Use letrozole</i>)	NP	
<i>flutamide caps</i>	P	
<i>hydroxyprogesterone caproate (antineoplastic) soln</i>	P	PA; SP

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
<i>letrozole tabs or</i>	P	
<i>megestrol acetate susp or 40 mg/ml, 400 mg/10ml</i>	P	
<i>megestrol acetate tabs or 20 mg, 40 mg</i>	P	
<i>tamoxifen citrate tabs or 10 mg, 20 mg</i>	P	
<i>toremifene citrate tabs</i>	P	PA
Antineoplastic Enzyme Inhibitors		
COTELLIC TABS	P	PA; SP
NINLARO CAPS	P	PA; SP
Antineoplastics Misc.		
HYDREA CAPS (<i>Use hydroxyurea</i>)	NP	
<i>hydroxyurea caps or</i>	P	
Chemotherapy Rescue/Antidote Agents		
<i>leucovorin calcium tabs or 10 mg, 15 mg, 25 mg, 5 mg</i>	P	
ANTIPARKINSON AND RELATED THERAPY AGENTS - Drugs to Treat Parkinson's Disease		
Antiparkinson Adjunctive Therapy		
<i>carbidopa tabs or</i>	P	
LODOSYN TABS (<i>Use carbidopa</i>)	NP	
Antiparkinson Anticholinergics		
<i>benztropine mesylate tabs or 0.5 mg, 1 mg, 2 mg</i>	P	
<i>trihexyphenidyl hcl tabs</i>	P	
Antiparkinson Dopaminergics		
<i>amantadine hcl caps or 100 mg</i>	P	
<i>amantadine hcl syrp or 50 mg/5ml</i>	P	
<i>bromocriptine mesylate caps or 5 mg</i>	P	
<i>bromocriptine mesylate tabs or 2.5 mg</i>	P	

Drug Name	Drug Tier	Requirements/ Limits
<i>carbidopa-levodopa tabs 10 mg-100 mg, 100 mg-25 mg, 25 mg-250 mg</i>	P	
<i>carbidopa-levodopa tbcr 100 mg-25 mg, 200 mg-50 mg</i>	P	
MIRAPEX TABS (<i>Use pramipexole dihydrochloride</i>)	NP	QL(3 ea daily); AL(At least 18 yrs old)
PARLODEL CAPS (<i>Use bromocriptine mesylate</i>)	NP	
PARLODEL TABS (<i>Use bromocriptine mesylate</i>)	NP	
<i>pramipexole dihydrochloride tabs 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i>	P	QL(3 ea daily); AL(At least 18 yrs old)
REQUIP TABS 0.25 MG, 4 MG (<i>Use ropinirole hydrochloride</i>)	NP	QL(6 ea daily)
REQUIP TABS 1 MG, 2 MG, 5 MG (<i>Use ropinirole hydrochloride</i>)	NP	QL(3 ea daily)
<i>ropinirole hydrochloride tabs 0.25 mg, 3 mg, 4 mg</i>	P	QL(6 ea daily)
<i>ropinirole hydrochloride tabs 0.5 mg, 1 mg, 2 mg, 5 mg</i>	P	QL(3 ea daily)
SINEMET CR TBCR (<i>Use carbidopa-levodopa</i>)	NP	
SINEMET TABS (<i>Use carbidopa-levodopa</i>)	NP	
Antiparkinson Monoamine Oxidase Inhibitors		
<i>selegiline hcl caps or</i>	P	
<i>selegiline hcl tabs or</i>	P	
ANTIPSYCHOTICS/ANTIMANIC AGENTS - Drugs to Treat Mood Disorders		
Antimanic Agents		
<i>lithium carbonate caps or 300 mg, 150 mg, 600 mg</i>	P	
<i>lithium carbonate tabs or 300 mg</i>	P	
<i>lithium carbonate tbcr or 300 mg, 450 mg</i>	P	

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
LITHIUM SOLN	P	
LITHOBID TBCR (<i>Use lithium carbonate</i>)	P	
Antipsychotics - Misc.		
GEODON CAPS OR 20 MG, 40 MG, 60 MG, 80 MG (<i>Use ziprasidone hcl</i>)	NP	QL(2 ea daily); AL(At least 18 yrs old)
NUPLAZID CAPS 34 MG	P	PA; QL(1 ea daily)
NUPLAZID TABS 10 MG	P	PA; QL(1 ea daily)
NUPLAZID TABS 17 MG	P	PA; QL(2 ea daily)
<i>ziprasidone hcl caps</i>	P	QL(2 ea daily); AL(At least 18 yrs old)
Benzisoxazoles		
RISPERDAL SOLN 1 MG/ML (<i>Use risperidone</i>)	NP	QL(4 ml daily); AL(At least 5 yrs old)
RISPERDAL TABS 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG (<i>Use risperidone</i>)	NP	QL(4 ea daily); AL(At least 5 yrs old)
<i>risperidone soln 1 mg/ml</i>	P	QL(4 ml daily); AL(At least 5 yrs old)
<i>risperidone tabs 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i>	P	QL(4 ea daily); AL(At least 5 yrs old)
<i>risperidone tbdp 0.25 mg, 3 mg, 4 mg, 0.5 mg, 1 mg, 2 mg</i>	P	QL(2 ea daily); AL(At least 5 yrs old)
Butyrophenones		
HALDOL DECANOATE 100 SOLN (<i>Use haloperidol decanoate</i>)	NP	
HALDOL DECANOATE 50 SOLN (<i>Use haloperidol decanoate</i>)	NP	
<i>haloperidol decanoate soln im 100 mg/ml, 50 mg/ml</i>	P	
<i>haloperidol lactate conc or 2 mg/ml</i>	P	

Drug Name	Drug Tier	Requirements/Limits
<i>haloperidol tabs or 0.5 mg, 1 mg, 10 mg, 2 mg, 5 mg</i>	P	QL(3 ea daily)
<i>haloperidol tabs or 20 mg</i>	P	
Dibenzapines		
<i>clozapine tabs 100 mg, 200 mg, 25 mg, 50 mg</i>	P	QL(3 ea daily); AL(At least 18 yrs old)
CLOZARIL TABS (<i>Use clozapine</i>)	NP	QL(3 ea daily); AL(At least 18 yrs old)
<i>loxapine succinate caps</i>	P	QL(4 ea daily)
<i>olanzapine tabs or 10 mg, 7.5 mg</i>	P	QL(2 ea daily); AL(At least 10 yrs old)
<i>olanzapine tabs or 15 mg, 20 mg</i>	P	QL(1 ea daily); AL(At least 10 yrs old)
<i>olanzapine tabs or 2.5 mg, 5 mg</i>	P	QL(4 ea daily); AL(At least 10 yrs old)
<i>quetiapine fumarate tabs 100 mg, 200 mg</i>	P	QL(4 ea daily); AL(At least 10 yrs old)
<i>quetiapine fumarate tabs 25 mg, 50 mg</i>	P	QL(4 ea daily); AL(At least 10 yrs old - Up to 17 yrs old)
<i>quetiapine fumarate tabs 300 mg, 400 mg</i>	P	QL(2 ea daily); AL(At least 10 yrs old)
SEROQUEL TABS 100 MG, 200 MG (<i>Use quetiapine fumarate</i>)	NP	QL(4 ea daily); AL(At least 10 yrs old)
SEROQUEL TABS 25 MG, 50 MG (<i>Use quetiapine fumarate</i>)	NP	QL(4 ea daily); AL(At least 10 yrs old - Up to 17 yrs old)
SEROQUEL TABS 300 MG, 400 MG (<i>Use quetiapine fumarate</i>)	NP	QL(2 ea daily); AL(At least 10 yrs old)
ZYPREXA TABS OR 10 MG, 7.5 MG (<i>Use olanzapine</i>)	NP	QL(2 ea daily); AL(At least 10 yrs old)
ZYPREXA TABS OR 15 MG, 20 MG (<i>Use olanzapine</i>)	NP	QL(1 ea daily); AL(At least 10 yrs old)

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
ZYPREXA TABS OR 2.5 MG, 5 MG (<i>Use olanzapine</i>)	NP	QL(4 ea daily); AL(At least 10 yrs old)
Dihydroindolones		
<i>molindone hcl tabs</i>	P	QL(4 ea daily)
Phenothiazines		
<i>chlorpromazine hcl tabs or 10 mg</i>	P	QL(10 ea daily)
<i>chlorpromazine hcl tabs or 200 mg, 25 mg, 100 mg, 50 mg</i>	P	QL(3 ea daily)
<i>fluphenazine decanoate soln ij</i>	P	
<i>fluphenazine hcl tabs or 1 mg, 10 mg, 2.5 mg, 5 mg</i>	P	
<i>perphenazine tabs or 16 mg, 2 mg, 4 mg, 8 mg</i>	P	QL(4 ea daily)
<i>prochlorperazine maleate tabs or 10 mg, 5 mg</i>	P	
<i>prochlorperazine supp</i>	P	
<i>thioridazine hcl tabs or 10 mg, 100 mg, 25 mg, 50 mg</i>	P	QL(3 ea daily)
<i>trifluoperazine hcl tabs</i>	P	QL(2 ea daily)
Quinolinone Derivatives		
ABILIFY TABS (<i>Use aripiprazole</i>)	NP	QL(1 ea daily); AL(At least 6 yrs old)
<i>aripiprazole soln 1 mg/ml</i>	P	QL(750 ml per fill retail); AL(At least 6 yrs old)
<i>aripiprazole tabs 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg</i>	P	QL(1 ea daily); AL(At least 6 yrs old)
<i>aripiprazole tbdp 10 mg, 15 mg</i>	P	QL(1 ea daily); AL(At least 6 yrs old)
Thioxanthenes		
<i>thiothixene caps</i>	P	QL(3 ea daily)
ANTISEPTICS & DISINFECTANTS		
Antiseptics & Disinfectants		

Drug Name	Drug Tier	Requirements/Limits
<i>formaldehyde soln 10 %</i>	P	QL(90 ml per fill retail)
Chlorine Antiseptics		
<i>chlorhexidine gluconate liqd ex 4 %</i>	P	OTC;QL(946 ml per fill retail)
HIBICLENS LIQD (<i>Use chlorhexidine gluconate</i>)	NP	OTC;QL(946 ml per fill retail)
ANTIVIRALS - Drugs to Treat Viral Infections		
Antiretrovirals		
<i>abacavir sulfate soln 20 mg/ml</i>	P	QL(30 ml daily)
<i>abacavir sulfate tabs 300 mg</i>	P	QL(2 ea daily)
<i>abacavir sulfate-lamivudine tabs</i>	P	QL(1 ea daily)
<i>abacavir sulfate-lamivudine-zidovudine tabs</i>	P	QL(2 ea daily)
APTIVUS CAPS 250 MG	P	ST; QL(4 ea daily)
APTIVUS SOLN 100 MG/ML	P	ST; QL(10 ml daily)
<i>atazanavir sulfate caps 150 mg, 200 mg</i>	P	QL(2 ea daily)
<i>atazanavir sulfate caps 300 mg</i>	P	
ATRIPLA TABS (<i>Use efavirenz-emtricitabine-tenofovir disoproxil fumarate</i>)	NP	ST; try Symfi;;QL(1 ea daily)
BIKTARVY TABS	P	QL(1 ea daily)
CIMDUO TABS	P	ST; QL(1 ea daily)
COMBIVIR TABS (<i>Use lamivudine-zidovudine</i>)	NP	QL(2 ea daily)
COMPLERA TABS	P	ST; try Symfi;;QL(1 ea daily)
CRIXIVAN CAPS 200 MG	P	QL(9 ea daily)
CRIXIVAN CAPS 400 MG	P	QL(6 ea daily)
DELSTRIGO TABS	P	ST; try Symfi;QL(1 ea daily)

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
DESCOVY TABS	P	PA; QL(1 ea daily)
<i>didanosine cpdr</i>	P	QL(1 ea daily)
DOVATO TABS	P	
EDURANT TABS	P	QL(1 ea daily)
<i>efavirenz caps 200 mg</i>	P	QL(1 ea daily)
<i>efavirenz caps 50 mg</i>	P	QL(2 ea daily)
<i>efavirenz tabs 600 mg</i>	P	QL(1 ea daily)
<i>efavirenz-emtricitabine-tenofovir disoproxil fumarate tabs</i>	P	ST; try Symfi;;QL(1 ea daily)
<i>efavirenz-lamivudine-tenofovir disoproxil fumarate tabs</i>	P	QL(1 ea daily)
<i>emtricitabine caps</i>	P	QL(1 ea daily)
<i>emtricitabine-tenofovir disoproxil fumarate tabs</i>	P	QL(1 ea daily)
EMTRIVA CAPS 200 MG (Use <i>emtricitabine</i>)	NP	QL(1 ea daily)
EMTRIVA SOLN 10 MG/ML	P	QL(24 ml daily)
EPIVIR SOLN 10 MG/ML (Use <i>lamivudine</i>)	NP	QL(30 ml daily)
EPIVIR TABS 150 MG (Use <i>lamivudine</i>)	NP	QL(2 ea daily)
EPIVIR TABS 300 MG (Use <i>lamivudine</i>)	NP	QL(1 ea daily)
EPZICOM TABS (Use <i>abacavir sulfate-lamivudine</i>)	NP	QL(1 ea daily)
<i>fosamprenavir calcium tabs</i>	P	QL(4 ea daily)
GENVOYA TABS	P	QL(1 ea daily)
INTELENCE TABS 100 MG, 25 MG	P	QL(4 ea daily)
INTELENCE TABS 200 MG	P	QL(2 ea daily)
INVIRASE CAPS 200 MG	P	ST; QL(10 ea daily)

Drug Name	Drug Tier	Requirements/Limits
INVIRASE TABS 500 MG	P	ST; QL(4 ea daily)
ISENTRESS CHEW 100 MG	P	QL(6 ea daily)
ISENTRESS CHEW 25 MG	P	QL(12 ea daily)
ISENTRESS HD TABS	P	QL(2 ea daily)
ISENTRESS PACK 100 MG	P	QL(2 ea daily)
ISENTRESS TABS 400 MG	P	QL(2 ea daily)
JULUCA TABS	P	QL(1 ea daily)
KALETRA SOLN 100 MG/5ML-400 MG/5ML (Use <i>lopinavir-ritonavir</i>)	NP	QL(480 ml per 30 days retail)
KALETRA TABS 100 MG-25 MG	P	QL(4 ea daily)
KALETRA TABS 200 MG-50 MG	P	QL(6 ea daily)
<i>lamivudine soln 10 mg/ml</i>	P	QL(30 ml daily)
<i>lamivudine tabs 150 mg</i>	P	QL(2 ea daily)
<i>lamivudine tabs 300 mg</i>	P	QL(1 ea daily)
<i>lamivudine-zidovudine tabs</i>	P	QL(2 ea daily)
LEXIVA SUSP 50 MG/ML	P	QL(56 ml daily)
LEXIVA TABS 700 MG (Use <i>fosamprenavir calcium</i>)	NP	QL(4 ea daily)
<i>lopinavir-ritonavir soln</i>	P	QL(480 ml per 30 days retail)
<i>nevirapine susp 50 mg/5ml</i>	P	QL(40 ml daily)
<i>nevirapine tabs 200 mg</i>	P	QL(2 ea daily)
<i>nevirapine tb24 100 mg</i>	P	QL(3 ea daily)
<i>nevirapine tb24 400 mg</i>	P	QL(1 ea daily)
NORVIR SOLN 80 MG/ML	P	QL(15 ml daily)
NORVIR TABS 100 MG (Use <i>ritonavir</i>)	NP	QL(12 ea daily)

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
PIFELTRO TABS	P	QL(1 ea daily)
PREZCOBIX TABS	P	QL(1 ea daily)
PREZISTA SUSP 100 MG/ML	P	ST; QL(12 ml daily)
PREZISTA TABS 150 MG	P	ST; QL(3 ea daily)
PREZISTA TABS 600 MG, 75 MG	P	ST; QL(2 ea daily)
PREZISTA TABS 800 MG	P	ST; QL(1 ea daily)
RESCRIPTOR TABS	P	QL(6 ea daily)
RETROVIR CAPS 100 MG (Use zidovudine)	NP	QL(6 ea daily)
RETROVIR SYRP 50 MG/5ML (Use zidovudine)	NP	QL(60 ml daily)
REYATAZ CAPS 150 MG, 200 MG (Use atazanavir sulfate)	NP	QL(2 ea daily)
REYATAZ CAPS 300 MG (Use atazanavir sulfate)	NP	
REYATAZ PACK 50 MG	P	QL(6 ea daily)
<i>ritonavir tabs</i>	P	QL(12 ea daily)
SELZENTRY SOLN 20 MG/ML	P	QL(35 ml daily)
SELZENTRY TABS 150 MG, 25 MG, 75 MG	P	QL(2 ea daily)
SELZENTRY TABS 300 MG	P	QL(4 ea daily)
<i>stavudine caps</i>	P	QL(2 ea daily)
STRIBILD TABS	P	QL(1 ea daily)
SUSTIVA CAPS 200 MG (Use efavirenz)	NP	QL(1 ea daily)
SUSTIVA CAPS 50 MG (Use efavirenz)	NP	QL(2 ea daily)
SUSTIVA TABS 600 MG (Use efavirenz)	NP	QL(1 ea daily)
SYMFI LO TABS (Use efavirenz-lamivudine-tenofovir disoproxil fumarate)	NP	QL(1 ea daily)

Drug Name	Drug Tier	Requirements/Limits
SYMFI TABS (Use efavirenz-lamivudine-tenofovir disoproxil fumarate)	NP	QL(1 ea daily)
SYMTUZA TABS	P	ST; try Symfi; QL(1 ea daily)
TEMIXYS TABS	P	ST; QL(1 ea daily)
<i>tenofovir disoproxil fumarate tabs</i>	P	QL(1 ea daily)
TIVICAY TABS 50 MG	P	QL(2 ea daily)
TRIUMEQ TABS	P	QL(1 ea daily); AL(At least 18 yrs old)
TRIZIVIR TABS (Use abacavir sulfate-lamivudine-zidovudine)	NP	QL(2 ea daily)
TRUVADA TABS 200 MG-300 MG (Use emtricitabine-tenofovir disoproxil fumarate)	P	QL(1 ea daily)
TYBOST TABS	P	QL(1 ea daily); AL(At least 18 yrs old)
VIDEX EC CPDR 125 MG	P	QL(1 ea daily)
VIDEX EC CPDR 200 MG, 250 MG, 400 MG (Use didanosine)	NP	QL(1 ea daily)
VIDEXPEDIATRIC SOLR	P	QL(20 ml daily)
VIRACEPT TABS 250 MG	P	QL(9 ea daily)
VIRACEPT TABS 625 MG	P	QL(4 ea daily)
VIRAMUNE SUSP 50 MG/5ML (Use nevirapine)	NP	QL(40 ml daily)
VIRAMUNE TABS 200 MG (Use nevirapine)	NP	QL(2 ea daily)
VIRAMUNE XR TB24 (Use nevirapine)	NP	QL(1 ea daily)
VIREAD POWD 40 MG/GM	P	QL(240 gm per 30 days retail)
VIREAD TABS 150 MG, 200 MG, 250 MG	P	QL(1 ea daily)

Georgia Inter-Pregnancy Care

P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Updated January 1, 2021

Drug Name	Drug Tier	Requirements/Limits
VIREAD TABS 300 MG (Use <i>tenofovir disoproxil fumarate</i>)	NP	QL(1 ea daily)
ZERIT CAPS (Use <i>stavudine</i>)	NP	QL(2 ea daily)
ZIAGEN SOLN 20 MG/ML (Use <i>abacavir sulfate</i>)	NP	QL(30 ml daily)
ZIAGEN TABS 300 MG (Use <i>abacavir sulfate</i>)	NP	QL(2 ea daily)
<i>zidovudine caps 100 mg</i>	P	QL(6 ea daily)
<i>zidovudine syrp 50 mg/5ml</i>	P	QL(60 ml daily)
<i>zidovudine tabs 300 mg</i>	P	QL(2 ea daily)
CMV Agents		
VALCYTE TABS 450 MG (Use <i>valganciclovir hcl</i>)	NP	QL(2 ea daily)
<i>valganciclovir hcl tabs 450 mg</i>	P	QL(2 ea daily)
Hepatitis Agents		
MAVYRET TABS	P	PA; QL(3 ea daily); SP
Herpes Agents		
<i>acyclovir caps or 200 mg</i>	P	QL(50 ea per 30 days retail)
<i>acyclovir susp or 200 mg/5ml</i>	P	QL(400 ml per 30 days retail)
<i>acyclovir tabs or 400 mg</i>	P	QL(3 ea daily)
<i>acyclovir tabs or 800 mg</i>	P	QL(50 ea per 30 days retail)
<i>famciclovir tabs or 125 mg, 250 mg, 500 mg</i>	P	
<i>valacyclovir hcl tabs or 1 gm, 1000 mg</i>	P	QL(42 ea per 21 days retail)
<i>valacyclovir hcl tabs or 500 mg</i>	P	QL(2 ea daily)
VALTREX TABS 1 GM (Use <i>valacyclovir hcl</i>)	NP	QL(42 ea per 21 days retail)
VALTREX TABS 500 MG (Use <i>valacyclovir hcl</i>)	NP	QL(2 ea daily)
ZOVIRAX CAPS OR 200 MG (Use <i>acyclovir</i>)	NP	QL(50 ea per 30 days retail)
ZOVIRAX SUSP OR 200 MG/5ML (Use <i>acyclovir</i>)	NP	QL(400 ml per 30 days retail)

Drug Name	Drug Tier	Requirements/Limits
ZOVIRAX TABS OR 400 MG (Use <i>acyclovir</i>)	NP	QL(3 ea daily)
ZOVIRAX TABS OR 800 MG (Use <i>acyclovir</i>)	NP	QL(50 ea per 30 days retail)
Influenza Agents		
<i>oseltamivir phosphate caps or 30 mg</i>	P	QL(20 ea per 30 days retail)
<i>oseltamivir phosphate caps or 45 mg, 75 mg</i>	P	QL(10 ea per 30 days retail)
<i>oseltamivir phosphate susr or 6 mg/ml</i>	P	QL(120 ml per 30 days retail)
RELENZA DISKHALER AEPB	P	QL(20 ea per fill retail); AL(At least 5 yrs old)
TAMIFLU CAPS 30 MG (Use <i>oseltamivir phosphate</i>)	NP	QL(20 ea per 30 days retail)
TAMIFLU CAPS 45 MG, 75 MG (Use <i>oseltamivir phosphate</i>)	NP	QL(10 ea per 30 days retail)
TAMIFLU SUSR 6 MG/ML (Use <i>oseltamivir phosphate</i>)	NP	QL(120 ml per 30 days retail)
BETA BLOCKERS - Drugs to Treat High Blood Pressure		
Alpha-Beta Blockers		
<i>carvedilol phosphate cp24</i>	P	QL(1 ea daily)
<i>carvedilol tabs 12.5 mg, 3.125 mg, 6.25 mg</i>	P	QL(3 ea daily)
<i>carvedilol tabs 25 mg</i>	P	QL(4 ea daily)
COREG CR CP24 (Use <i>carvedilol phosphate</i>)	NP	QL(1 ea daily)
COREG TABS 12.5 MG, 3.125 MG, 6.25 MG (Use <i>carvedilol</i>)	NP	QL(3 ea daily)
COREG TABS 25 MG (Use <i>carvedilol</i>)	NP	QL(4 ea daily)
<i>labetalol hcl tabs or 100 mg</i>	P	QL(3 ea daily)
<i>labetalol hcl tabs or 200 mg</i>	P	QL(6 ea daily)
<i>labetalol hcl tabs or 300 mg</i>	P	QL(8 ea daily)
Beta Blockers Cardio-Selective		

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
<i>acebutolol hcl caps or 400 mg, 200 mg</i>	P	
<i>atenolol tabs or 100 mg, 25 mg, 50 mg</i>	P	QL(2 ea daily)
<i>bisoprolol fumarate tabs</i>	P	QL(1 ea daily)
LOPRESSOR TABS 100 MG (Use <i>metoprolol tartrate</i>)	NP	QL(4.5 ea daily)
LOPRESSOR TABS 50 MG (Use <i>metoprolol tartrate</i>)	NP	QL(4 ea daily)
<i>metoprolol succinate tb24 100 mg, 25 mg, 50 mg</i>	P	QL(4 ea daily)
<i>metoprolol succinate tb24 200 mg</i>	P	QL(2 ea daily)
<i>metoprolol tartrate tabs or 100 mg</i>	P	QL(4.5 ea daily)
<i>metoprolol tartrate tabs or 25 mg, 50 mg</i>	P	QL(4 ea daily)
TENORMIN TABS (Use <i>atenolol</i>)	NP	QL(2 ea daily)
TOPROL XL TB24 100 MG, 25 MG, 50 MG (Use <i>metoprolol succinate</i>)	NP	QL(4 ea daily)
TOPROL XL TB24 200 MG (Use <i>metoprolol succinate</i>)	NP	QL(2 ea daily)
Beta Blockers Non-Selective		
BETAPACE AF TABS (Use <i>sotalol hcl (afib/af)</i>)	NP	QL(2 ea daily)
BETAPACE TABS (Use <i>sotalol hcl</i>)	NP	QL(2 ea daily)
CORGARD TABS (Use <i>nadolol</i>)	NP	QL(2 ea daily)
INDERAL LA CP24 (Use <i>propranolol hcl</i>)	NP	QL(2 ea daily)
<i>nadolol tabs or 20 mg, 40 mg, 80 mg</i>	P	QL(2 ea daily)
<i>pindolol tabs</i>	P	
<i>propranolol hcl cp24 or 120 mg, 160 mg, 60 mg, 80 mg</i>	P	QL(2 ea daily)
<i>propranolol hcl soln or 20 mg/5ml, 40 mg/5ml</i>	P	

Drug Name	Drug Tier	Requirements/Limits
<i>propranolol hcl tabs or 10 mg, 80 mg, 20 mg, 40 mg, 60 mg</i>	P	
<i>sotalol hcl (afib/af)</i> tabs	P	QL(2 ea daily)
<i>sotalol hcl tabs 120 mg, 160 mg, 80 mg</i>	P	QL(2 ea daily)
<i>sotalol hcl tabs 240 mg</i>	P	
<i>timolol maleate tabs or 10 mg, 20 mg, 5 mg</i>	P	
CALCIUM CHANNEL BLOCKERS - Drugs to Treat High Blood Pressure		
Calcium Channel Blockers		
ADALAT CC TB24 30 MG, 90 MG (Use <i>nifedipine</i>)	NP	QL(1 ea daily)
ADALAT CC TB24 60 MG (Use <i>nifedipine</i>)	NP	QL(2 ea daily)
<i>amlodipine besylate tabs or 10 mg, 2.5 mg, 5 mg</i>	P	QL(1 ea daily)
CALAN SR TBCR (Use <i>verapamil hcl</i>)	NP	QL(2 ea daily)
CALAN TABS (Use <i>verapamil hcl</i>)	NP	QL(3 ea daily)
CARDIZEM CD CP24 120 MG, 180 MG, 300 MG (Use <i>diltiazem hcl coated beads</i>)	NP	QL(1 ea daily)
CARDIZEM CD CP24 240 MG (Use <i>diltiazem hcl coated beads</i>)	NP	QL(2 ea daily)
CARDIZEM TABS (Use <i>diltiazem hcl</i>)	NP	QL(3 ea daily)
<i>diltiazem hcl coated beads cp24 120 mg, 180 mg, 300 mg</i>	P	QL(1 ea daily)
<i>diltiazem hcl coated beads cp24 240 mg</i>	P	QL(2 ea daily)
<i>diltiazem hcl cp12 or 120 mg, 60 mg, 90 mg</i>	P	QL(2 ea daily)
<i>diltiazem hcl cp24 or 120 mg, 180 mg</i>	P	QL(1 ea daily)
<i>diltiazem hcl cp24 or 240 mg</i>	P	QL(2 ea daily)
<i>diltiazem hcl extended release beads cp24 240 mg</i>	P	QL(2 ea daily)

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
<i>diltiazem hcl extended release beads cp24 420 mg, 120 mg, 180 mg, 300 mg, 360 mg</i>	P	QL(1 ea daily)
<i>diltiazem hcl tabs or 120 mg, 60 mg, 30 mg, 90 mg</i>	P	QL(3 ea daily)
<i>felodipine tb24</i>	P	QL(1 ea daily)
<i>nicardipine hcl caps or 20 mg, 30 mg</i>	P	
<i>nifedipine caps or 10 mg, 20 mg</i>	P	QL(4 ea daily)
<i>nifedipine tb24 or 30 mg, 90 mg</i>	P	QL(1 ea daily)
<i>nifedipine tb24 or 60 mg</i>	P	QL(2 ea daily)
NORVASC TABS (Use <i>amlodipine besylate</i>)	NP	QL(1 ea daily)
PROCARDIA CAPS (Use <i>nifedipine</i>)	NP	QL(4 ea daily)
PROCARDIA XL TB24 30 MG, 90 MG (Use <i>nifedipine</i>)	NP	QL(1 ea daily)
PROCARDIA XL TB24 60 MG (Use <i>nifedipine</i>)	NP	QL(2 ea daily)
TIAZAC CP24 240 MG (Use <i>diltiazem hcl extended release beads</i>)	NP	QL(2 ea daily)
TIAZAC CP24 420 MG, 120 MG, 180 MG, 300 MG, 360 MG (Use <i>diltiazem hcl extended release beads</i>)	NP	QL(1 ea daily)
<i>verapamil hcl cp24 or 100 mg, 200 mg</i>	P	QL(2 ea daily)
<i>verapamil hcl cp24 or 360 mg, 120 mg, 180 mg, 240 mg, 300 mg</i>	P	QL(1 ea daily)
<i>verapamil hcl tabs or 40 mg, 120 mg, 80 mg</i>	P	QL(3 ea daily)
<i>verapamil hcl tbc or 120 mg, 180 mg, 240 mg</i>	P	QL(2 ea daily)
VERELAN CP24 (Use <i>verapamil hcl</i>)	NP	QL(1 ea daily)
VERELAN PM CP24 100 MG, 200 MG (Use <i>verapamil hcl</i>)	NP	QL(2 ea daily)

Drug Name	Drug Tier	Requirements/Limits
VERELAN PM CP24 300 MG (Use <i>verapamil hcl</i>)	NP	QL(1 ea daily)
CARDIOTONICS - Drugs to Treat Heart Failure and Abnormal Heart Rhythm		
Cardiac Glycosides		
<i>digoxin soln ij 0.25 mg/ml</i>	P	
<i>digoxin soln or 0.05 mg/ml</i>	P	
<i>digoxin tabs or 0.25 mg, 250 mcg, 0.125 mg, 125 mcg</i>	P	
LANOXIN SOLN IJ 0.25 MG/ML (Use <i>digoxin</i>)	P	
LANOXIN TABS OR 250 MCG, 125 MCG (Use <i>digoxin</i>)	P	
CEPHALOSPORINS - Drugs to Treat Bacterial Infections		
Cephalosporins - 1st Generation		
<i>cefadroxil caps</i>	P	
<i>cefadroxil susr</i>	P	
<i>cefadroxil tabs</i>	P	
<i>cephalexin caps 250 mg, 500 mg</i>	P	
<i>cephalexin susr 125 mg/5ml, 250 mg/5ml</i>	P	
KEFLEX CAPS 250 MG, 500 MG (Use <i>cephalexin</i>)	NP	
Cephalosporins - 2nd Generation		
<i>cefaclor caps</i>	P	
<i>cefaclor susr</i>	P	
<i>cefprozil susr 125 mg/5ml, 250 mg/5ml</i>	P	QL(200 ml per fill retail); AL(Up to 12 yrs old)
<i>cefprozil tabs 250 mg, 500 mg</i>	P	QL(20 ea per fill retail)
<i>cefuroxime axetil tabs</i>	P	QL(20 ea per fill retail)
Cephalosporins - 3rd Generation		

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
<i>cefdinir caps 300 mg</i>	P	QL(20 ea per fill retail)
<i>cefdinir susr 125 mg/5ml, 250 mg/5ml</i>	P	QL(100 ml per fill retail)
<i>ceftriaxone sodium solr ij 1 gm, 250 mg, 500 mg</i>	P	QL(3 ea per fill retail)

CHEMICALS

Bulk Chemicals - O's

OMEPRAZOLE POWD XX	P	PA
--------------------	---	----

Bulk Chemicals - P's

PROMETHAZINE HCL POWD XX	P	PA
--------------------------	---	----

CONTRACEPTIVES - Drugs to Prevent Pregnancy

Combination Contraceptives - Oral

<i>desogestrel & ethinyl estradiol tabs</i>	P	
<i>desogestrel-ethinyl estradiol (biphasic) tabs</i>	P	
<i>desogestrel-ethinyl estradiol (triphasic) tabs</i>	P	
<i>drosiprenone-ethinyl estradiol tabs</i>	P	QL(1 ea daily)
ESTROSTEP FE TABS (Use <i>norethindrone acetate-ethinyl estradiol-fe</i>)	NP	
<i>ethynodiol diacet & eth estrad tabs</i>	P	QL(1 ea daily)
GENERESS FE CHEW (Use <i>norethindrone & ethinyl estradiol-fe</i>)	NP	
<i>levonorgestrel & eth estradiol tabs</i>	P	
<i>levonorgestrel-eth estradiol (triphasic) tabs</i>	P	
<i>levonorgestrel-ethinyl estradiol (91-day) tabs</i>	P	QL(91 ea per fill retail)
MIRCETTE TABS (Use <i>desogestrel-ethinyl estradiol (biphasic)</i>)	NP	
<i>norethin acet & estrad-fe tabs 1.5 mg-30 mcg-75 mg, 1 mg-20 mcg-75 mg</i>	P	

Drug Name	Drug Tier	Requirements/Limits
<i>norethindrone & eth estradiol tabs</i>	P	
<i>norethindrone & ethinyl estradiol-fe chew</i>	P	
<i>norethindrone acet & eth estra tabs</i>	P	
<i>norethindrone acetate-ethinyl estradiol-fe tabs</i>	P	
<i>norethindrone-eth estradiol (triphasic) tabs</i>	P	
<i>norgestimate-ethinyl estradiol (triphasic) tabs</i>	P	
<i>norgestimate-ethinyl estradiol tabs</i>	P	
<i>norgestrel & ethinyl estradiol tabs 0.3 mg-30 mcg</i>	P	QL(2 ea daily)
<i>norgestrel & ethinyl estradiol tabs 0.5 mg-50 mcg</i>	P	
ORTHO TRI-CYCLEN LO TABS (Use <i>norgestimate-ethinyl estradiol (triphasic)</i>)	NP	
ORTHO TRI-CYCLEN TABS (Use <i>norgestimate-ethinyl estradiol (triphasic)</i>)	NP	
ORTHO-CYCLEN TABS (Use <i>norgestimate-ethinyl estradiol</i>)	NP	
ORTHO-NOVUM 1/35 TABS (Use <i>norethindrone & eth estradiol</i>)	NP	
ORTHO-NOVUM 7/7/7 TABS (Use <i>norethindrone-eth estradiol (triphasic)</i>)	NP	
SEASONIQUE TABS (Use <i>levonorgestrel-ethinyl estradiol (91-day)</i>)	NP	QL(91 ea per fill retail)
TRI-NORINYL 28 TABS (Use <i>norethindrone-eth estradiol (triphasic)</i>)	NP	
YASMIN 28 TABS (Use <i>drosiprenone-ethinyl estradiol</i>)	NP	QL(1 ea daily)
YAZ TABS (Use <i>drosiprenone-ethinyl estradiol</i>)	NP	QL(1 ea daily)

Georgia Inter-Pregnancy Care

P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Updated January 1, 2021

Drug Name	Drug Tier	Requirements/Limits
Combination Contraceptives - Transdermal		
<i>norelgestromin-ethinyl estradiol ptwk</i>	P	QL(3 ea per 28 days retail)
Combination Contraceptives - Vaginal		
<i>etonogestrel-ethinyl estradiol ring</i>	P	QL(1 ea per fill retail)
NUVARING RING (Use <i>etonogestrel-ethinyl estradiol</i>)	NP	QL(1 ea per fill retail)
Emergency Contraceptives		
ELLA TABS	P	QL(4 ea per 365 days retail)
<i>levonorgestrel (emergency oc) tabs</i>	P	QL(1 ea per 21 days retail)
PLAN B ONE-STEP TABS (Use <i>levonorgestrel (emergency oc)</i>)	NP	QL(1 ea per 21 days retail)
Progestin Contraceptives - Injectable		
DEPO-PROVERA CONTRACEPTIVE SUSP (Use <i>medroxyprogesterone acetate (contraceptive)</i>)	NP	QL(1 ml per fill retail)
DEPO-PROVERA CONTRACEPTIVE SUSY (Use <i>medroxyprogesterone acetate (contraceptive)</i>)	NP	QL(1 ml per fill retail)
DEPO-SUBQ PROVERA 104 SUSY	P	QL(1 ml per fill retail)
<i>medroxyprogesterone acetate (contraceptive) susp</i>	P	QL(1 ml per fill retail)
<i>medroxyprogesterone acetate (contraceptive) susy</i>	P	QL(1 ml per fill retail)
Progestin Contraceptives - Oral		
<i>norethindrone (contraceptive) tabs</i>	P	
ORTHO MICRONOR TABS (Use <i>norethindrone (contraceptive)</i>)	NP	
CORTICOSTEROIDS - Steroid Hormone Drugs to Treat Systemic Swelling Conditions		
Glucocorticosteroids		
CORTEF TABS (Use <i>hydrocortisone</i>)	NP	

Drug Name	Drug Tier	Requirements/Limits
<i>cortisone acetate tabs or</i>	P	
<i>dexamethasone elix or 0.5 mg/5ml</i>	P	
<i>dexamethasone sodium phosphate soln ij 120 mg/30ml, 20 mg/5ml, 4 mg/ml</i>	P	QL(150 ml per 30 days retail)
DEXAMETHASONE SODIUM PHOSPHATE SOLN IJ 4 MG/ML	P	QL(150 ml per 30 days retail)
<i>dexamethasone soln or 0.5 mg/5ml</i>	P	
<i>dexamethasone tabs or 1 mg, 1.5 mg, 2 mg, 0.5 mg, 0.75 mg, 4 mg, 6 mg</i>	P	
<i>hydrocortisone tabs or 10 mg, 20 mg, 5 mg</i>	P	
MEDROL DOSEPAK TBPK (Use <i>methylprednisolone</i>)	NP	
MEDROL TABS 8 MG, 4 MG (Use <i>methylprednisolone</i>)	NP	
<i>methylprednisolone tabs or 8 mg, 4 mg</i>	P	
<i>methylprednisolone tbpk or 4 mg</i>	P	
MILLIPRED TABS 5 MG	P	
PEDIAPRED SOLN (Use <i>prednisolone sodium phosphate</i>)	NP	
<i>prednisolone sodium phosphate soln or 15 mg/5ml, 5 mg/5ml</i>	P	
<i>prednisolone sodium phosphate soln or 20 mg/5ml</i>	P	QL(150 ml per fill retail)
<i>prednisolone soln or</i>	P	
PREDNISON INTENSOL CONC	P	
<i>prednisone soln or 5 mg/5ml</i>	P	
<i>prednisone tabs or 1 mg, 10 mg, 2.5 mg, 50 mg, 20 mg, 5 mg</i>	P	

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
<i>prednisone tbpk or 10 mg, 5 mg</i>	P	
VERIPRED 20 SOLN (<i>Use prednisolone sodium phosphate</i>)	NP	QL(150 ml per fill retail)
Mineralocorticoids		
<i>fludrocortisone acetate tabs or</i>	P	
COUGH/COLD/ALLERGY - Drugs to Treat Cough, Cold and Allergy Symptoms		
Antitussives		
<i>benzonatate caps 100 mg</i>	P	AL(At least 10 yrs old - Up to 21 yrs old)
<i>benzonatate caps 200 mg</i>	P	QL(30 ea per 30 days retail); AL(At least 10 yrs old - Up to 21 yrs old)
DELSYM COUGH CHILDRENS SUER (<i>Use dextromethorphan polistirex</i>)	NP	OTC;QL(240 ml per 7 days retail); AL(Up to 21 yrs old)
DELSYM SUER (<i>Use dextromethorphan polistirex</i>)	NP	OTC;QL(240 ml per 7 days retail); AL(Up to 21 yrs old)
<i>dextromethorphan hbr liqd or 7.5 mg/5ml</i>	P	OTC;QL(240 ml per 7 days retail); AL(Up to 21 yrs old)
<i>dextromethorphan polistirex suer</i>	P	OTC;QL(240 ml per 7 days retail); AL(Up to 21 yrs old)
<i>hydrocodone w/ homatropine syrp 1.5 mg/5ml-5 mg/5ml</i>	P	AL(At least 18 yrs old - Up to 21 yrs old)
TESSALON PERLES CAPS (<i>Use benzonatate</i>)	NP	AL(At least 10 yrs old - Up to 21 yrs old)
TRIAMINIC LONG ACTING COUGH LIQD 7.5 MG/5ML (<i>Use dextromethorphan hbr</i>)	NP	OTC;QL(240 ml per 7 days retail); AL(Up to 21 yrs old)
Cough/Cold/Allergy Combinations		

Drug Name	Drug Tier	Requirements/ Limits
ADVIL COLD & SINUS TABS (<i>Use pseudoephedrine-ibuprofen</i>)	NP	OTC;AL(Up to 21 yrs old)
BIOSPEC DMX LIQD	P	QL(240 ml per fill retail); AL(Up to 21 yrs old)
<i>brompheniramine & phenyleph elix 1 mg/5ml-1 mg/5ml-2.5 mg/5ml-2.5 mg/5ml, 1 mg/5ml-2.5 mg/5ml</i>	P	OTC;QL(120 ml per 30 days retail); AL(Up to 21 yrs old)
<i>brompheniramine & pseudoeph elix</i>	P	OTC;QL(120 ml per 30 days retail); AL(Up to 21 yrs old)
<i>brompheniramine & pseudoeph liqd</i>	P	OTC;QL(120 ml per 30 days retail); AL(Up to 21 yrs old)
BROTAPP DM LIQD	P	OTC;QL(240 ml per fill retail); AL(Up to 21 yrs old)
<i>cetirizine-pseudoephedrine tb12</i>	P	AL(Up to 21 yrs old)
CHERACOL PLUS LIQD (<i>Use dextromethorphan-guaifenesin</i>)	NP	QL(240 ml per fill retail); AL(Up to 21 yrs old)
CHERACOL-D COUGH LIQD (<i>Use dextromethorphan-guaifenesin</i>)	NP	QL(240 ml per fill retail); AL(Up to 21 yrs old)
CLARITIN-D 12 HOUR TB12 (<i>Use loratadine & pseudoephedrine</i>)	NP	OTC;QL(2 ea daily); AL(Up to 21 yrs old)
CLARITIN-D 24 HOUR TB24 (<i>Use loratadine & pseudoephedrine</i>)	NP	OTC;QL(1 ea daily); AL(Up to 21 yrs old)
CLEAR COUGH PM MULTI-SYMPTOM LIQD (<i>Use dextromethorphan-doxylamine-acetaminophen</i>)	NP	OTC;AL(Up to 21 yrs old)
COLD & FLU RELIEF NIGHTTIME D LIQD	P	OTC;AL(Up to 21 yrs old)

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
DAY TIME MULTI-SYMPTOM COLD/FLU RELIEF CAPS (<i>Use dextromethorphan-phenylephrine-acetaminophen</i>)	NP	OTC;AL(Up to 21 yrs old)
<i>dextromethorphan-doxylamine-acetaminophen liqd 10 %-15 mg/15ml-15 mg/15ml-500 mg/15ml-500 mg/15ml-6.25 mg/15ml-6.25 mg/15ml, 1000 mg/30ml-12.5 mg/30ml-30 mg/30ml, 15 mg/15ml-500 mg/15ml-6.25 mg/15ml</i>	P	OTC;AL(Up to 21 yrs old)
<i>dextromethorphan-guaifenesin liqd 10 mg/5ml-100 mg/5ml, 15 mg/7.5ml-150 mg/7.5ml, 20 mg/10ml-200 mg/10ml</i>	P	QL(240 ml per fill retail); AL(Up to 21 yrs old)
<i>dextromethorphan-guaifenesin liqd 10 mg/5ml-200 mg/5ml, 20 mg/10ml-400 mg/10ml</i>	P	OTC;QL(240 ml per fill retail); AL(Up to 21 yrs old)
<i>dextromethorphan-guaifenesin liqd 200 mg/5ml-200 mg/5ml-30 mg/5ml-30 mg/5ml, 200 mg/5ml-30 mg/5ml, 100 mg/5ml-5 mg/5ml, 20 mg/20ml-400 mg/20ml</i>	P	OTC;AL(Up to 21 yrs old)
<i>dextromethorphan-guaifenesin syrup 10 mg/5ml-10 mg/5ml-100 mg/5ml-100 mg/5ml, 10 mg/5ml-100 mg/5ml</i>	P	QL(240 ml per fill retail); AL(Up to 21 yrs old)
<i>dextromethorphan-guaifenesin tb12 30 mg-600 mg</i>	P	QL(2 ea daily); AL(Up to 21 yrs old)
<i>dextromethorphan-phenylephrine-acetaminophen caps 10 mg-10 mg-325 mg-325 mg-5 mg-5 mg, 10 mg-325 mg-5 mg</i>	P	OTC;AL(Up to 21 yrs old)
DIABETIC TUSSIN COLD/FLU CAPS	P	OTC;AL(Up to 21 yrs old)

Drug Name	Drug Tier	Requirements/ Limits
DIMETAPP COLD & ALLERGY ELIX (<i>Use brompheniramine & phenyleph</i>)	NP	OTC;QL(120 ml per 30 days retail); AL(Up to 21 yrs old)
DIMETAPP LONG ACTING COUGH PLUS COLD SYRP	P	OTC;QL(240 ml per fill retail); AL(Up to 21 yrs old)
ED BRON GP LIQD	P	OTC;QL(240 ml per 7 days retail); AL(Up to 21 yrs old)
<i>guaifenesin-codeine liqd 10 mg/5ml-100 mg/5ml</i>	P	AL(At least 18 yrs old - Up to 21 yrs old)
<i>guaifenesin-codeine soln 10 mg/5ml-100 mg/5ml</i>	P	AL(At least 18 yrs old - Up to 21 yrs old)
<i>guaifenesin-codeine syrup 10 mg/5ml-100 mg/5ml</i>	P	AL(At least 18 yrs old - Up to 21 yrs old)
LITTLE REMEDIES FOR COLDSMULTI SYMPTOM LIQD	P	OTC;AL(Up to 21 yrs old)
LOHIST-D LIQD	P	QL(240 ml per fill retail); AL(Up to 21 yrs old)
<i>loratadine & pseudoephedrine tb12 120 mg-5 mg</i>	P	OTC;QL(2 ea daily); AL(Up to 21 yrs old)
<i>loratadine & pseudoephedrine tb24 10 mg-10 mg-240 mg-240 mg, 10 mg-240 mg</i>	P	OTC;QL(1 ea daily); AL(Up to 21 yrs old)
MAXI-TUSS PE LIQD	P	AL(Up to 21 yrs old)
MAXI-TUSS PE MAX LIQD	P	OTC;QL(240 ml per 7 days retail); AL(Up to 21 yrs old)
MUCINEX D TB12 (<i>Use pseudoephedrine-guaifenesin</i>)	NP	QL(210 ea per fill retail); AL(Up to 21 yrs old)
MUCINEX DM TB12 (<i>Use dextromethorphan-guaifenesin</i>)	NP	QL(2 ea daily); AL(Up to 21 yrs old)

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
<i>phenylephrine-chlorphen-dm liqd 10 mg/5ml-15 mg/5ml-4 mg/5ml</i>	P	QL(240 ml per fill retail); AL(Up to 21 yrs old)
<i>phenylephrine-dm liqd</i>	P	OTC;QL(240 ml per fill retail); AL(Up to 21 yrs old)
<i>phenylephrine-dm soln</i>	P	OTC;QL(240 ml per fill retail); AL(Up to 21 yrs old)
<i>promethazine & phenylephrine syrp</i>	P	QL(240 ml per 7 days retail); AL(Up to 21 yrs old)
<i>promethazine w/codeine soln</i>	P	QL(240 ml per fill retail); AL(At least 18 yrs old - Up to 21 yrs old)
<i>promethazine w/codeine syrp</i>	P	QL(240 ml per fill retail); AL(At least 18 yrs old - Up to 21 yrs old)
<i>promethazine-dm soln</i>	P	QL(240 ml per fill retail); AL(Up to 21 yrs old)
<i>promethazine-dm syrp</i>	P	QL(240 ml per fill retail); AL(Up to 21 yrs old)
<i>promethazine-phenylephrine-codeine syrp</i>	P	QL(240 ml per fill retail); AL(At least 18 yrs old - Up to 21 yrs old)
PROMETHAZINE/PHENYL EPHRINE SYRP	P	QL(240 ml per 7 days retail); AL(Up to 21 yrs old)
<i>pseudoephed-bromphen-dm syrp</i>	P	QL(240 ml per fill retail); AL(Up to 21 yrs old)

Drug Name	Drug Tier	Requirements/ Limits
<i>pseudoephedrine w/ codeine-gg soln</i>	P	QL(240 ml per 7 days retail); AL(At least 18 yrs old - Up to 21 yrs old)
<i>pseudoephedrine w/ dm-gg liqd 10 mg/5ml-100 mg/5ml-30 mg/5ml</i>	P	OTC;QL(240 ml per 7 days retail); AL(Up to 21 yrs old)
<i>pseudoephedrine-chlorphen-dm liqd</i>	P	OTC;QL(240 ml per fill retail); AL(Up to 21 yrs old)
<i>pseudoephedrine-dm liqd</i>	P	OTC;QL(240 ml per fill retail); AL(Up to 21 yrs old)
<i>pseudoephedrine-guaifenesin syrp 100 mg/5ml-30 mg/5ml</i>	P	OTC;QL(240 ml per fill retail); AL(Up to 21 yrs old)
<i>pseudoephedrine-guaifenesin tb12 60 mg-600 mg</i>	P	QL(210 ea per fill retail); AL(Up to 21 yrs old)
<i>pseudoephedrine-ibuprofen tabs</i>	P	OTC;AL(Up to 21 yrs old)
PX DAYTIME MULTI-SYMPTOM CAPS	P	OTC;AL(Up to 21 yrs old)
PX NITETIME MULTI-SYMPTOM CAPS	P	OTC;QL(240 ea per fill retail); AL(Up to 21 yrs old)
QC TRIACTING DAYTIME CHILDRENS SYRP	P	OTC;QL(240 ml per fill retail); AL(Up to 21 yrs old)
ROBITUSSIN PEAK COLD DM SYRP (<i>Use dextromethorphan-guaifenesin</i>)	NP	QL(240 ml per fill retail); AL(Up to 21 yrs old)
SCOT-TUSSIN DM LIQD	P	OTC;QL(240 ml per fill retail); AL(Up to 21 yrs old)
SCOT-TUSSIN SENIOR LIQD	P	OTC;AL(Up to 21 yrs old)

Drug Name	Drug Tier	Requirements/ Limits
TRIAMINIC COLD & COUGH DAY TIME CHILDRENS SYRP	P	OTC;QL(240 ml per fill retail); AL(Up to 21 yrs old)
ZYRTEC-D ALLERGY/CONGESTION TB12 (Use cetirizine-pseudoephedrine)	NP	AL(Up to 21 yrs old)
Expectorants		
<i>guaifenesin liqd or 100 mg/5ml, 200 mg/10ml, 400 mg/20ml</i>	P	QL(240 ml per 7 days retail); AL(Up to 21 yrs old)
<i>guaifenesin soln or 100 mg/5ml, 200 mg/10ml, 300 mg/15ml</i>	P	QL(240 ml per 7 days retail); AL(Up to 21 yrs old)
<i>guaifenesin syrp or 100 mg/5ml, 200 mg/10ml</i>	P	OTC;QL(240 ml per 7 days retail); AL(Up to 21 yrs old)
<i>guaifenesin tb12 or 1200 mg</i>	P	OTC;QL(2 ea daily); AL(Up to 21 yrs old)
<i>guaifenesin tb12 or 600 mg</i>	P	QL(40 ea per 30 days retail); AL(Up to 21 yrs old)
MUCINEX MAXIMUM STRENGTH TB12 (Use <i>guaifenesin</i>)	NP	OTC;QL(2 ea daily); AL(Up to 21 yrs old)
MUCINEX TB12 (Use <i>guaifenesin</i>)	NP	QL(40 ea per 30 days retail); AL(Up to 21 yrs old)
Misc. Respiratory Inhalants		
<i>sodium chloride (inhalant) aers 0.9 %</i>	P	OTC;QL(240 ml per fill retail)
<i>sodium chloride (inhalant) nebu 0.9 %, 10 %, 3 %</i>	P	
Mucolytics		
<i>acetylcysteine soln in 10 %, 20 %</i>	P	
DERMATOLOGICALS - Drugs to Treat Skin Conditions		
Acne Products		

Drug Name	Drug Tier	Requirements/ Limits
ABSORICA CAPS 30 MG, 10 MG, 20 MG, 40 MG	NP	PA; QL(2 ea daily); AL(At least 12 yrs old)
ACNE MEDICATION 10 LOTN	P	OTC
ACNE MEDICATION 5 LOTN	P	OTC
BENZAC AC WASH LIQD (Use <i>benzoyl peroxide</i>)	NP	RX/OTC
<i>benzoyl peroxide bar ex 10 %</i>	P	
BENZOYL PEROXIDE CLEANSER LIQD	P	
<i>benzoyl peroxide gel ex 2.5 %, 5 %, 10 %</i>	P	
<i>benzoyl peroxide liqd ex 4 %, 10 %</i>	P	
<i>benzoyl peroxide liqd ex 5 %</i>	P	RX/OTC
CLEOCIN-T GEL (Use <i>clindamycin phosphate (topical)</i>)	NP	QL(60 ml per fill retail)
CLEOCIN-T LOTN (Use <i>clindamycin phosphate (topical)</i>)	NP	
CLEOCIN-T SOLN (Use <i>clindamycin phosphate (topical)</i>)	NP	
CLINDAGEL GEL (Use <i>clindamycin phosphate (topical)</i>)	NP	QL(60 ml per fill retail)
<i>clindamycin phosphate (topical) gel</i>	P	QL(60 ml per fill retail)
<i>clindamycin phosphate (topical) lotn</i>	P	
<i>clindamycin phosphate (topical) soln</i>	P	
ERYGEL GEL (Use <i>erythromycin (acne aid)</i>)	NP	QL(60 gm per fill retail)
<i>erythromycin (acne aid) gel</i>	P	QL(60 gm per fill retail)
<i>erythromycin (acne aid) soln</i>	P	

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
<i>isotretinoin caps or 30 mg, 10 mg, 20 mg, 40 mg</i>	P	PA; QL(2 ea daily); AL(At least 12 yrs old)
KLARON LOTN (<i>Use sulfacetamide sodium (acne)</i>)	NP	
RETIN-A CREA 0.05 %, 0.1 %, 0.025 % (<i>Use tretinoin</i>)	NP	QL(20 gm per fill retail); AL(Up to 35 yrs old)
RETIN-A GEL 0.01 % (<i>Use tretinoin</i>)	NP	QL(15 gm per fill retail); AL(Up to 35 yrs old)
RETIN-A GEL 0.025 % (<i>Use tretinoin</i>)	NP	AL(Up to 35 yrs old)
SODIUM SULFACETAMIDE/SULFUR SUSP	P	
<i>sulfacetamide sodium (acne) lotn</i>	P	
<i>sulfacetamide sodium w/ sulfur lotn 10 %-5 %</i>	P	QL(60 gm per fill retail)
<i>tretinoin crea ex 0.05 %, 0.1 %, 0.025 %</i>	P	QL(20 gm per fill retail); AL(Up to 35 yrs old)
<i>tretinoin gel ex 0.01 %</i>	P	QL(15 gm per fill retail); AL(Up to 35 yrs old)
<i>tretinoin gel ex 0.025 %</i>	P	AL(Up to 35 yrs old)
Anti-inflammatory Agents - Topical		
<i>diclofenac sodium (topical) gel 1 %</i>	P	QL(6.68 gm daily)2 rtl MAX fill,30 rtl day(s) supply,; RX/OTC
VOLTAREN GEL (<i>Use diclofenac sodium (topical)</i>)	NP	QL(6.68 gm daily)2 rtl MAX fill,30 rtl day(s) supply,; RX/OTC
Antibiotics - Topical		

Drug Name	Drug Tier	Requirements/ Limits
BACIGUENT OINT EX (<i>Use bacitracin (topical)</i>)	NP	OTC;QL(30 gm per fill retail)
<i>bacitracin (topical) oint</i>	P	OTC;QL(30 gm per fill retail)
<i>bacitracin zinc oint ex</i>	P	OTC;QL(30 gm per fill retail)
BACTROBAN CREA (<i>Use mupirocin calcium (topical)</i>)	NP	QL(30 gm per fill retail)
CENTANY OINT	P	
<i>gentamicin sulfate (topical) crea</i>	P	QL(60 gm per fill retail)
<i>gentamicin sulfate (topical) oint</i>	P	QL(60 gm per fill retail)
<i>mupirocin calcium (topical) crea</i>	P	QL(30 gm per fill retail)
<i>mupirocin oint ex</i>	P	
<i>neomycin-bacitracin-polymyxin oint</i>	P	OTC;QL(454 gm per fill retail)
<i>neomycin-polymyxin w/ pramoxine crea</i>	P	OTC;QL(30 gm per fill retail)
NEOSPORIN ORIGINAL OINT (<i>Use neomycin-bacitracin-polymyxin</i>)	NP	OTC;QL(454 gm per fill retail)
NEOSPORIN PLUS PAIN RELIEF MAXIMUM STRENGTH CREA (<i>Use neomycin-polymyxin w/ pramoxine</i>)	NP	OTC;QL(30 gm per fill retail)
Antifungals - Topical		
<i>clotrimazole (topical) crea</i>	P	QL(90 gm per fill retail); RX/OTC
<i>clotrimazole (topical) soln</i>	P	QL(60 ml per fill retail); RX/OTC
<i>clotrimazole w/ betamethasone crea</i>	P	QL(45 gm per 30 days retail)
<i>clotrimazole w/ betamethasone lotn</i>	P	QL(31 ml per 30 days retail)
<i>econazole nitrate crea ex</i>	P	QL(30 gm per fill retail)
<i>ketoconazole (topical) crea 2 %</i>	P	QL(60 gm per fill retail)

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
<i>ketoconazole (topical) sham 1 %</i>	P	OTC
<i>ketoconazole (topical) sham 2 %</i>	P	
LAMISIL AT CREA (<i>Use terbinafine hcl (topical)</i>)	NP	OTC;QL(30 gm per fill retail)
LAMISIL AT JOCK ITCH CREA (<i>Use terbinafine hcl (topical)</i>)	NP	OTC;QL(30 gm per fill retail)
LOTRIMIN AF CREA (<i>Use clotrimazole (topical)</i>)	NP	QL(90 gm per fill retail); RX/OTC
LOTRIMIN AF JOCK ITCH CREA (<i>Use clotrimazole (topical)</i>)	NP	QL(90 gm per fill retail); RX/OTC
LOTRISONE CREA (<i>Use clotrimazole w/ betamethasone</i>)	NP	QL(45 gm per 30 days retail)
MICATIN CREA (<i>Use miconazole nitrate (topical)</i>)	NP	QL(60 ml per fill retail)
<i>miconazole nitrate (topical) crea</i>	P	QL(60 ml per fill retail)
NIZORAL SHAM (<i>Use ketoconazole (topical)</i>)	NP	
<i>nystatin (topical) crea</i>	P	QL(30 gm per fill retail)
<i>nystatin (topical) oint</i>	P	QL(30 gm per fill retail)
<i>nystatin (topical) powd</i>	P	QL(60 gm per fill retail)
<i>nystatin-triamcinolone crea</i>	P	QL(60 gm per fill retail)
<i>nystatin-triamcinolone oint</i>	P	QL(60 gm per fill retail)
<i>terbinafine hcl (topical) crea</i>	P	OTC;QL(30 gm per fill retail)
TINACTIN CREA (<i>Use tolnaftate</i>)	NP	OTC;QL(30 gm per fill retail)
<i>tolnaftate crea ex</i>	P	OTC;QL(30 gm per fill retail)
Antihistamines-Topical		
ITCH RELIEF CREA	P	OTC
Antineoplastic or Premalignant Lesion Agents -		

Drug Name	Drug Tier	Requirements/Limits
CARAC CREA (<i>Use fluorouracil (topical)</i>)	NP	
EFUDEX CREA (<i>Use fluorouracil (topical)</i>)	NP	QL(40 gm per 30 days retail)
<i>fluorouracil (topical) crea 0.5 %</i>	P	
<i>fluorouracil (topical) crea 5 %</i>	P	QL(40 gm per 30 days retail)
<i>fluorouracil (topical) soln 2 %, 5 %</i>	P	QL(10 ml per 30 days retail)
Antipruritics - Topical		
<i>camphor & menthol lotn 0.5 %-0.5 %</i>	P	OTC;QL(222 ml per fill retail)
SARNA LOTN (<i>Use camphor & menthol</i>)	NP	OTC;QL(222 ml per fill retail)
Antipsoriatics		
<i>calcipotriene crea ex</i>	P	
<i>calcipotriene soln ex</i>	P	QL(60 ml per fill retail)
COSENTYX SENSOREADY PEN SOAJ	P	PA; SP
COSENTYX SOSY	P	PA; SP
DOVONEX CREA (<i>Use calcipotriene</i>)	NP	
<i>tazarotene crea ex</i>	P	QL(2 gm daily); AL(Up to 20 yrs old)
TAZORAC CREA 0.05 %	P	QL(2 gm daily); AL(Up to 20 yrs old)
TAZORAC CREA 0.1 % (<i>Use tazarotene</i>)	NP	QL(2 gm daily); AL(Up to 20 yrs old)
TAZORAC GEL 0.05 %, 0.1 %	P	QL(6.67 gm daily); AL(Up to 20 yrs old)
Antiseborrheic Products		
OVACE PLUS WASH LIQD (<i>Use sulfacetamide sodium</i>)	NP	QL(120 ml per fill retail)
OVACE WASH LIQD (<i>Use sulfacetamide sodium</i>)	NP	QL(120 ml per fill retail)
<i>selenium sulfide lotn ex 1 %</i>	P	OTC;QL(420 ml per fill retail)

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
<i>selenium sulfide lotn ex 2.5 %</i>	P	
<i>selenium sulfide sham ex 1 %</i>	P	OTC;QL(420 ml per fill retail)
SELSUN BLUE DAILY LOTN (<i>Use selenium sulfide</i>)	NP	OTC;QL(420 ml per fill retail)
SELSUN BLUE LOTN (<i>Use selenium sulfide</i>)	NP	OTC;QL(420 ml per fill retail)
SELSUN BLUE MEDICATED LOTN (<i>Use selenium sulfide</i>)	NP	OTC;QL(420 ml per fill retail)
SELSUN BLUE MOISTURIZING LOTN (<i>Use selenium sulfide</i>)	NP	OTC;QL(420 ml per fill retail)
<i>sulfacetamide sodium liqd ex</i>	P	QL(120 ml per fill retail)
Antivirals - Topical		
<i>acyclovir topical crea</i>	P	QL(5 gm per fill retail)
<i>acyclovir topical oint</i>	P	QL(30 gm per 30 days retail)
ZOVIRAX CREA EX 5 % (<i>Use acyclovir topical</i>)	NP	QL(5 gm per fill retail)
ZOVIRAX OINT EX 5 % (<i>Use acyclovir topical</i>)	NP	QL(30 gm per 30 days retail)
Burn Products		
SILVADENE CREA (<i>Use silver sulfadiazine</i>)	NP	
<i>silver sulfadiazine crea ex</i>	P	
Corticosteroids - Topical		
<i>betamethasone dipropionate (topical) crea</i>	P	1 rtl pack lmt amt,30 rtl pack lmt day(s),
<i>betamethasone dipropionate augmented crea</i>	P	QL(50 gm per fill retail)
<i>betamethasone valerate crea ex 0.1 %</i>	P	
<i>betamethasone valerate lotn ex 0.1 %</i>	P	
<i>betamethasone valerate oint ex 0.1 %</i>	P	
<i>clobetasol propionate crea ex</i>	P	QL(60 gm per fill retail)

Drug Name	Drug Tier	Requirements/ Limits
<i>clobetasol propionate emollient base crea</i>	P	QL(60 gm per fill retail)
<i>clobetasol propionate gel ex</i>	P	QL(60 gm per fill retail)
<i>clobetasol propionate oint ex</i>	P	QL(60 gm per fill retail)
<i>clobetasol propionate soln ex</i>	P	QL(50 ml per fill retail)
DERMA-SMOOTH/FS SCALP OIL (<i>Use fluocinolone acetonide</i>)	NP	QL(118.28 ml per fill retail)
<i>desonide crea ex</i>	P	
<i>desonide oint ex</i>	P	QL(2 gm daily)
DESOWEN CREA (<i>Use desonide</i>)	NP	
DESOXIMETASONE CREA EX 0.05 %	P	
<i>desoximetasone crea ex 0.05 %</i>	P	
<i>desoximetasone crea ex 0.25 %</i>	P	QL(2 gm daily)
<i>desoximetasone gel ex 0.05 %</i>	P	QL(2 gm daily)
<i>desoximetasone oint ex 0.25 %</i>	P	QL(2 gm daily)
DIPROLENE AF CREA (<i>Use betamethasone dipropionate augmented</i>)	NP	QL(50 gm per fill retail)
ELOCON CREA (<i>Use mometasone furoate</i>)	NP	QL(50 gm per fill retail)
ELOCON OINT (<i>Use mometasone furoate</i>)	NP	QL(45 gm per fill retail)
EPIFOAM FOAM	P	QL(15 gm per fill retail)
<i>fluocinolone acetonide oil ex 0.01 %</i>	P	QL(118.28 ml per fill retail)
<i>fluocinonide crea ex 0.05 %</i>	P	QL(150 gm per 30 days retail)1 rtl pack lmt per fill,
<i>fluocinonide emulsified base crea</i>	P	QL(60 gm per fill retail)
<i>fluocinonide gel ex 0.05 %</i>	P	QL(60 gm per fill retail)

Georgia Inter-Pregnancy Care

P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Updated January 1, 2021

Drug Name	Drug Tier	Requirements/ Limits
<i>fluocinonide oint ex 0.05 %</i>	P	QL(60 gm per fill retail)
<i>fluocinonide soln ex 0.05 %</i>	P	QL(60 ml per fill retail)
<i>fluticasone propionate crea ex 0.05 %</i>	P	QL(60 gm per fill retail)
<i>fluticasone propionate oint ex 0.005 %</i>	P	QL(60 gm per fill retail)
<i>hydrocortisone (topical) crea 0.5 %</i>	P	OTC
<i>hydrocortisone (topical) crea 1 %</i>	P	QL(454 gm per fill retail); RX/OTC
<i>hydrocortisone (topical) crea 2.5 %</i>	P	
<i>hydrocortisone (topical) lotn 1 %</i>	P	QL(453.6 ml per fill retail)
<i>hydrocortisone (topical) lotn 2.5 %</i>	P	QL(120 ml per fill retail)
<i>hydrocortisone (topical) oint 1 %</i>	P	RX/OTC
<i>hydrocortisone (topical) oint 2.5 %</i>	P	
<i>hydrocortisone butyrate soln</i>	P	
<i>hydrocortisone-aloe vera crea 0.5 %</i>	P	
<i>hydrocortisone-aloe vera crea 1 %</i>	P	OTC;QL(224 gm per fill retail)
LOCOID SOLN (<i>Use hydrocortisone butyrate</i>)	NP	
<i>mometasone furoate crea ex</i>	P	QL(50 gm per fill retail)
<i>mometasone furoate oint ex</i>	P	QL(45 gm per fill retail)
<i>mometasone furoate soln ex</i>	P	QL(60 ml per fill retail)
MONISTAT SOOTHING CARE ITCH RELIEF CREA (<i>Use hydrocortisone (topical)</i>)	NP	QL(454 gm per fill retail); RX/OTC
TEMOVATE CREA (<i>Use clobetasol propionate</i>)	NP	QL(60 gm per fill retail)
TEMOVATE OINT (<i>Use clobetasol propionate</i>)	NP	QL(60 gm per fill retail)

Drug Name	Drug Tier	Requirements/ Limits
TOPICORT CREA 0.05 % (<i>Use desoximetasone</i>)	NP	
TOPICORT CREA 0.25 % (<i>Use desoximetasone</i>)	NP	QL(2 gm daily)
TOPICORT GEL 0.05 % (<i>Use desoximetasone</i>)	NP	QL(2 gm daily)
TOPICORT OINT 0.25 % (<i>Use desoximetasone</i>)	NP	QL(2 gm daily)
<i>triamcinolone acetonide (topical) crea 0.025 %, 0.5 %, 0.1 %</i>	P	
<i>triamcinolone acetonide (topical) lotn 0.025 %, 0.1 %</i>	P	QL(60 ml per fill retail)
<i>triamcinolone acetonide (topical) oint 0.025 %</i>	P	QL(454 gm per fill retail)
<i>triamcinolone acetonide (topical) oint 0.1 %, 0.5 %</i>	P	
TRIDESILON CREA (<i>Use desonide</i>)	NP	
Emollient/Keratolytic Agents		
<i>urea crea ex 40 %</i>	P	RX/OTC
<i>urea lotn ex 40 %</i>	P	
Emollients		
EMOLLIENT LOTION-MISC	P	RX/OTC
LAC-HYDRIN CREA (<i>Use lactic acid (ammonium lactate)</i>)	NP	QL(385 gm per fill retail); RX/OTC
LAC-HYDRIN TWELVE LOTN (<i>Use lactic acid (ammonium lactate)</i>)	NP	QL(1368 ml per fill retail); RX/OTC
<i>lactic acid (ammonium lactate) crea 12 %</i>	P	QL(385 gm per fill retail); RX/OTC
<i>lactic acid (ammonium lactate) lotn 12 %</i>	P	QL(1368 ml per fill retail); RX/OTC
Immunomodulating Agents - Topical		
ALDARA CREA (<i>Use imiquimod</i>)	NP	QL(48 ea per 180 days retail)
<i>imiquimod crea ex 5 %</i>	P	QL(48 ea per 180 days retail)

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
Immunosuppressive Agents - Topical		
ELIDEL CREA (<i>Use pimecrolimus</i>)	NP	PA; QL(30 gm per 30 days retail); AL(At least 2 yrs old)
<i>pimecrolimus crea</i>	P	PA; QL(30 gm per 30 days retail); AL(At least 2 yrs old)
PROTOPIC OINT 0.03 % (<i>Use tacrolimus (topical)</i>)	NP	PA; QL(30 gm per 30 days retail); AL(At least 2 yrs old)
PROTOPIC OINT 0.1 % (<i>Use tacrolimus (topical)</i>)	NP	PA; QL(30 gm per 30 days retail); AL(At least 16 yrs old)
<i>tacrolimus (topical) oint 0.03 %</i>	P	PA; QL(30 gm per 30 days retail); AL(At least 2 yrs old)
<i>tacrolimus (topical) oint 0.1 %</i>	P	PA; QL(30 gm per 30 days retail); AL(At least 16 yrs old)
Keratolytic/Antimitotic Agents		
DERMAREST PSORIASIS GEL	P	OTC
KERALYT GEL 3 %	P	OTC
KERALYT GEL 6 % (<i>Use salicylic acid</i>)	NP	
<i>podofilox soln ex</i>	P	
<i>salicylic acid gel ex 6 %</i>	P	
Local Anesthetics - Topical		
ARTHRITIS PAIN RELIEVING CREA	P	OTC;QL(60 gm per fill retail)
<i>capsaicin crea ex 0.025 %</i>	P	OTC;QL(60 ml per fill retail)
<i>capsaicin crea ex 0.075 %</i>	P	OTC;QL(60 gm per fill retail)
<i>capsaicin crea ex 0.1 %</i>	P	OTC;QL(43 gm per fill retail)

Drug Name	Drug Tier	Requirements/ Limits
CAPZASIN-HP CREA (<i>Use capsaicin</i>)	NP	OTC;QL(43 gm per fill retail)
CAPZASIN-P CREA	P	OTC;QL(42.5 gm per fill retail)
CASTIVA WARMING LOTN	P	OTC;QL(30 gm per fill retail)
<i>dibucaine oint ex</i>	P	OTC;QL(56.7 gm per fill retail)
<i>lidocaine crea ex 4 %</i>	P	OTC;QL(2 gm daily)
<i>lidocaine hcl crea ex 3 %</i>	P	QL(453.6 gm per fill retail); RX/OTC
<i>lidocaine hcl crea ex 4 %</i>	P	OTC;QL(2 ml daily)
<i>lidocaine hcl gel ex 2 %</i>	P	AL(At least 21 yrs old)
<i>lidocaine hcl gel ex 2 %</i>	P	AL(At least 21 yrs old); RX/OTC
<i>lidocaine oint ex 5 %</i>	P	QL(100 gm per 30 days retail)1 rtl pack lmt per fill,
<i>lidocaine-prilocaine crea</i>	P	QL(30 gm per fill retail)
LMX 4 CREA (<i>Use lidocaine</i>)	NP	OTC;QL(2 gm daily)
PREDATOR CREA (<i>Use lidocaine hcl</i>)	NP	OTC;QL(2 ml daily)
Misc. Topical		
DRYSOL SOLN	P	
HYDRO-LAN CREA	P	OTC
<i>lanolin (topical) crea</i>	P	OTC
LANOLOR CREA	P	OTC
OFF DEEP WOODS AERO	P	OTC;QL(170 gm per fill retail,340 gm per 30 days retail)

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
OFF DEEP WOODS DRY AERO	P	OTC;QL(113 gm per fill retail,226 gm per 30 days retail)
ULTRATHON INSECT REPELLENT 8 AERO	P	OTC;QL(170 gm per fill retail,340 gm per 30 days retail)
ULTRATHON INSECT REPELLENT LOTN	P	OTC;QL(57 gm per fill retail,114 gm per 30 days retail)
<i>zinc oxide (topical) oint 20 %</i>	P	OTC;QL(500 gm per fill retail)
Rosacea Agents		
METROCREAM CREA (Use <i>metronidazole (topical)</i>)	NP	
METROLOTION LOTN (Use <i>metronidazole (topical)</i>)	NP	
<i>metronidazole (topical) crea 0.75 %</i>	P	
<i>metronidazole (topical) gel 0.75 %</i>	P	QL(45 gm per fill retail)
<i>metronidazole (topical) lotn 0.75 %</i>	P	
Scabicides & Pediculicides		
<i>crotamiton lotn ex</i>	P	QL(454 gm per fill retail)
ELIMITE CREA (Use <i>permethrin</i>)	NP	QL(360 gm per fill retail)
EURAX CREA	P	QL(60 gm per fill retail)
EURAX LOTN (Use <i>crotamiton</i>)	NP	QL(454 gm per fill retail)
LICEMD GEL	P	OTC
LICIDE TREATMENT KIT KIT	P	OTC
<i>malathion lotn</i>	P	QL(59 ml per fill retail)

Drug Name	Drug Tier	Requirements/ Limits
NATROBA SUSP (Use <i>spinosad</i>)	NP	Min Age limit = 6 months;QL(120 ml per fill retail,240 ml per 30 days retail)
NIX CREME RINSE LIQD (Use <i>permethrin</i>)	NP	OTC
OVIDE LOTN (Use <i>malathion</i>)	NP	QL(59 ml per fill retail)
<i>permethrin crea ex 5 %</i>	P	QL(360 gm per fill retail)
<i>permethrin liqd ex 1 %</i>	P	OTC
<i>permethrin lotn ex 1 %</i>	P	OTC
<i>pyrethrins-piperonyl butoxide liqd</i>	P	OTC
<i>pyrethrins-piperonyl butoxide sham</i>	P	OTC
<i>pyrethrins-piperonyl butoxide-permethrin-nit remover kit</i>	P	OTC
RA LICE SOLUTION KIT KIT	P	OTC
RID COMPLETE LICE ELIMINATION KIT (Use <i>pyrethrins-piperonyl butoxide-permethrin-nit remover</i>)	NP	OTC
RID ESSENTIAL LICE ELIMINATION KIT KIT	P	OTC
RID LIQD EX 0.33 %-4 % (Use <i>pyrethrins-piperonyl butoxide</i>)	NP	OTC
SCHOOLTIME SHAMPOO SHAM	P	OTC;QL(1 ml per 14 days retail)
<i>spinosad susp</i>	P	Min Age limit = 6 months;QL(120 ml per fill retail,240 ml per 30 days retail)
Tar Products		

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
coal tar extract sham 0.5 %	P	OTC
DHS TAR GEL SHAM (Use coal tar extract)	NP	OTC
DHS TAR SHAM (Use coal tar extract)	NP	OTC
NEUTROGENA T/GEL SHAM (Use coal tar extract)	NP	OTC
NEUTROGENA T/GEL STUBBORN ITCH CONTROL SHAM (Use coal tar extract)	NP	OTC
DIAGNOSTIC PRODUCTS		
Diagnostic Tests		
CHEMSTRIP-K STRP	P	OTC;QL(6.67 ea daily)
FORA GTEL BLOOD KETONE TEST STRIPS STRP	P	OTC;QL(1 ea daily)
GOJJI BLOOD KETONE TEST STRIPS STRP	P	OTC;QL(1 ea daily)
KETONE STRP	P	OTC;QL(6.67 ea daily)
KETONE TEST STRIPS STRP	P	OTC;QL(6.67 ea daily)
KETOSTIX STRP	P	OTC;QL(6.67 ea daily)
NOVA MAX PLUS KETONE TESTSTRIPS STRP	P	OTC;QL(1 ea daily)
ONETOUCH ULTRA STRP	P	Clinical Edit: Test Strips;RX/OTC
ONETOUCH VERIO TEST STRIPS STRP	P	Clinical Edit: Test Strips;RX/OTC
PRECISION XTRA STRP VI	P	OTC;QL(1 ea daily)
PTS PANELS KETONE TEST STRP	P	OTC;QL(1 ea daily)
RELION KETONE STRP	P	OTC;QL(6.67 ea daily)
RELION KETONE TEST STRIPS STRP	P	OTC;QL(6.67 ea daily)

Drug Name	Drug Tier	Requirements/Limits
DIGESTIVE AIDS - Drugs to Treat Low Digestive Enzymes		
Digestive Enzymes		
CREON CPEP	P	
PANCREAZE CPEP	P	
DIURETICS - Drugs to Treat Heart, Circulation Conditions and Blood Pressure		
Carbonic Anhydrase Inhibitors		
acetazolamide cp12 or 500 mg	P	
acetazolamide tabs or 125 mg, 250 mg	P	
methazolamide tabs or 25 mg, 50 mg	P	
Diuretic Combinations		
ALDACTAZIDE TABS 25 MG-25 MG (Use spironolactone & hydrochlorothiazide)	NP	
amiloride & hydrochlorothiazide tabs	P	QL(1 ea daily)
DYAZIDE CAPS (Use triamterene & hydrochlorothiazide)	NP	
MAXZIDE TABS (Use triamterene & hydrochlorothiazide)	NP	
MAXZIDE-25 TABS (Use triamterene & hydrochlorothiazide)	NP	
spironolactone & hydrochlorothiazide tabs	P	
triamterene & hydrochlorothiazide caps	P	
triamterene & hydrochlorothiazide tabs	P	
Loop Diuretics		
bumetanide tabs or 0.5 mg, 1 mg, 2 mg	P	
BUMEX TABS (Use bumetanide)	NP	
DEMADEX TABS (Use torsemide)	NP	QL(1 ea daily)

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
<i>furosemide soln or 10 mg/ml, 8 mg/ml</i>	P	
<i>furosemide tabs or 20 mg, 40 mg, 80 mg</i>	P	
LASIX TABS (Use <i>furosemide</i>)	NP	
<i>toremide tabs</i>	P	QL(1 ea daily)
Potassium Sparing Diuretics		
ALDACTONE TABS (Use <i>spironolactone</i>)	NP	
<i>amiloride hcl tabs or</i>	P	QL(4 ea daily)
<i>spironolactone tabs or 50 mg, 100 mg, 25 mg</i>	P	
Thiazides and Thiazide-Like Diuretics		
<i>chlorothiazide tabs 250 mg</i>	P	QL(2 ea daily)
<i>chlorothiazide tabs 500 mg</i>	P	QL(4 ea daily)
<i>chlorthalidone tabs</i>	P	
<i>hydrochlorothiazide caps or 12.5 mg</i>	P	
<i>hydrochlorothiazide tabs or 25 mg, 50 mg</i>	P	
<i>indapamide tabs</i>	P	
<i>metolazone tabs</i>	P	
MICROZIDE CAPS (Use <i>hydrochlorothiazide</i>)	NP	
ENDOCRINE AND METABOLIC AGENTS - MISC. - Drugs to Treat Bone Disease and Regulate Hormones		
Bone Density Regulators		
ACTONEL TABS 35 MG (Use <i>risedronate sodium</i>)	NP	PA; QL(4 ea per fill retail)
ACTONEL TABS 5 MG (Use <i>risedronate sodium</i>)	NP	PA; QL(1 ea daily)
<i>alendronate sodium soln 70 mg/75ml</i>	P	QL(10.8 ml daily)
<i>alendronate sodium tabs 35 mg, 70 mg</i>	P	QL(0.15 ea daily)
<i>alendronate sodium tabs 40 mg, 10 mg, 5 mg</i>	P	QL(1 ea daily)

Drug Name	Drug Tier	Requirements/Limits
ATELVIA TBEC (Use <i>risedronate sodium</i>)	NP	PA; QL(4 ea per 28 days retail)
<i>calcitonin (salmon) soln</i>	P	1 rtl pack lmt per fill,
<i>etidronate disodium tabs</i>	P	PA
FOSAMAX TABS (Use <i>alendronate sodium</i>)	NP	QL(0.15 ea daily)
MIACALCIN SOLN	P	QL(2 ml per fill retail)
<i>risedronate sodium tabs 30 mg, 5 mg</i>	P	PA; QL(1 ea daily)
<i>risedronate sodium tabs 35 mg</i>	P	PA; QL(4 ea per fill retail)
<i>risedronate sodium tbec 35 mg</i>	P	PA; QL(4 ea per 28 days retail)
Growth Hormones		
NORDITROPIN FLEXPRO SOPN	P	PA; SP
OMNITROPE SOCT	P	PA; SP
Hormone Receptor Modulators		
EVISTA TABS (Use <i>raloxifene hcl</i>)	NP	QL(1 ea daily)
<i>raloxifene hcl tabs</i>	P	QL(1 ea daily)
Metabolic Modifiers		
<i>calcitriol caps or 0.25 mcg, 0.5 mcg</i>	P	
CARNITOR SF SOLN (Use <i>levocarnitine (metabolic modifiers)</i>)	NP	QL(30 ml daily)
CARNITOR SOLN OR 1 GM/10ML (Use <i>levocarnitine (metabolic modifiers)</i>)	NP	QL(30 ml daily)
CARNITOR TABS OR 330 MG (Use <i>levocarnitine (metabolic modifiers)</i>)	NP	QL(3 ea daily)
CRYSVITA SOLN	P	PA; SP
<i>levocarnitine (metabolic modifiers) soln 1 gm/10ml</i>	P	QL(30 ml daily)

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
<i>levocarnitine (metabolic modifiers) tabs 330 mg</i>	P	QL(3 ea daily)
ROCALTROL CAPS 0.25 MCG, 0.5 MCG (<i>Use calcitriol</i>)	NP	
Posterior Pituitary Hormones		
DDAVP SOLN NA 0.01 %	P	QL(5 ml per fill retail)
DDAVP SOLN NA 0.01 % (<i>Use desmopressin acetate spray</i>)	NP	QL(5 ml per fill retail)
DDAVP TABS OR 0.1 MG, 0.2 MG (<i>Use desmopressin acetate</i>)	NP	QL(6 ea daily)
<i>desmopressin acetate spray refrigerated soln</i>	P	QL(5 ml per fill retail)
<i>desmopressin acetate spray soln</i>	P	QL(5 ml per fill retail)
<i>desmopressin acetate tabs or 0.1 mg, 0.2 mg</i>	P	QL(6 ea daily)
ESTROGENS - Hormone Replacement/Modifying Drugs		
Estrogen Combinations		
ACTIVELLA TABS (<i>Use estradiol & norethindrone acetate</i>)	NP	QL(1 ea daily)
COMBIPATCH PTTW	P	QL(8 ea per 28 days retail)
<i>estradiol & norethindrone acetate tabs</i>	P	QL(1 ea daily)
FEMHRT LOW DOSE TABS (<i>Use norethindrone acetate-ethinyl estradiol</i>)	NP	
<i>norethindrone acetate-ethinyl estradiol tabs</i>	P	
PREMPHASE TABS	P	
PREMPRO TABS	P	
Estrogens		
ALORA PTTW	P	QL(8 ea per fill retail)
CLIMARA PTWK (<i>Use estradiol</i>)	NP	QL(4 ea per fill retail)

Drug Name	Drug Tier	Requirements/Limits
ESTRACE TABS OR 0.5 MG, 1 MG, 2 MG (<i>Use estradiol</i>)	NP	
<i>estradiol pttw td 0.025 mg/24hr, 0.0375 mg/24hr, 0.05 mg/24hr, 0.075 mg/24hr, 0.1 mg/24hr</i>	P	QL(8 ea per fill retail)
<i>estradiol ptwk td 0.05 mg/24hr, 0.075 mg/24hr, 0.1 mg/24hr, 0.025 mg/24hr, 0.06 mg/24hr, 37.5 mcg/24hr</i>	P	QL(4 ea per fill retail)
<i>estradiol tabs or 0.5 mg, 1 mg, 2 mg</i>	P	
MINIVELLE PTTW (<i>Use estradiol</i>)	NP	QL(8 ea per fill retail)
PREMARIN TABS OR 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG	P	QL(1 ea daily)
VIVELLE-DOT PTTW (<i>Use estradiol</i>)	NP	QL(8 ea per fill retail)
FLUOROQUINOLONES - Drugs to Treat Bacterial Infections		
Fluoroquinolones		
CIPRO TABS 250 MG, 500 MG (<i>Use ciprofloxacin hcl</i>)	NP	
<i>ciprofloxacin hcl tabs or 100 mg</i>	P	QL(6 ea per fill retail)
<i>ciprofloxacin hcl tabs or 750 mg, 250 mg, 500 mg</i>	P	
LEVAQUIN TABS (<i>Use levofloxacin</i>)	NP	QL(1 ea daily, 14 ea per fill retail)
<i>levofloxacin tabs or 250 mg, 500 mg, 750 mg</i>	P	QL(1 ea daily, 14 ea per fill retail)
<i>ofloxacin tabs 400 mg</i>	P	QL(56 ea per fill retail)
GASTROINTESTINAL AGENTS - MISC. - Miscellaneous Gastrointestinal Drugs		
Antiflatulents		
GAS-X CHEW (<i>Use simethicone</i>)	NP	OTC
MYLICON INFANTS GAS RELIEF DYE FREE SUSP (<i>Use simethicone</i>)	NP	OTC;QL(31 ml per 30 days retail)

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
MYLICON INFANTS GAS RELIEF SUSP (<i>Use simethicone</i>)	NP	OTC;QL(31 ml per 30 days retail)
<i>simethicone chew or 80 mg</i>	P	OTC
<i>simethicone liqd or 20 mg/0.3ml, 40 mg/0.6ml</i>	P	OTC;QL(31 ml per 30 days retail)
<i>simethicone susp or 20 mg/0.3ml, 40 mg/0.6ml</i>	P	OTC;QL(31 ml per 30 days retail)
Bile Acid Synthesis Disorder Agents		
CHOLBAM CAPS	P	PA; SP
Gallstone Solubilizing Agents		
ACTIGALL CAPS (<i>Use ursodiol</i>)	NP	
URSO 250 TABS (<i>Use ursodiol</i>)	NP	QL(7 ea daily)
<i>ursodiol caps or 300 mg</i>	P	
<i>ursodiol tabs or 250 mg</i>	P	QL(7 ea daily)
Gastrointestinal Stimulants		
<i>metoclopramide hcl soln or 10 mg/10ml, 5 mg/5ml</i>	P	
<i>metoclopramide hcl tabs or 5 mg, 10 mg</i>	P	
REGLAN TABS (<i>Use metoclopramide hcl</i>)	NP	
Inflammatory Bowel Agents		
APRISO CP24 (<i>Use mesalamine</i>)	NP	
ASACOL HD TBEC (<i>Use mesalamine</i>)	NP	
AZULFIDINE EN-TABS TBEC (<i>Use sulfasalazine</i>)	NP	
AZULFIDINE TABS (<i>Use sulfasalazine</i>)	NP	
<i>balsalazide disodium caps</i>	P	QL(9 ea daily)
COLAZAL CAPS (<i>Use balsalazide disodium</i>)	NP	QL(9 ea daily)
DELZICOL CPDR (<i>Use mesalamine</i>)	NP	

Drug Name	Drug Tier	Requirements/Limits
LIALDA TBEC (<i>Use mesalamine</i>)	NP	
<i>mesalamine cp24 or 0.375 gm</i>	P	
<i>mesalamine cpdr or 400 mg</i>	P	
<i>mesalamine enem re 4 gm</i>	P	QL(60 ml daily)
<i>mesalamine tbec or 1.2 gm, 800 mg</i>	P	
SFROWASA ENEM	P	
<i>sulfasalazine tabs or</i>	P	
<i>sulfasalazine tbec or</i>	P	
Intestinal Acidifiers		
<i>lactulose (encephalopathy) soln</i>	P	
Phosphate Binder Agents		
<i>calcium acetate (phosphate binder) caps</i>	P	
GENITOURINARY AGENTS - MISCELLANEOUS - Miscellaneous Drugs to Treat Reproductive Organs and Urinary System		
Alkalinizers		
<i>potassium citrate (alkalinizer) tbc 1080 mg, 540 mg</i>	P	
<i>sodium citrate & citric acid soln</i>	P	QL(500 ml per 30 days retail); RX/OTC
UROKIT-K 10 TBCR (<i>Use potassium citrate (alkalinizer)</i>)	NP	
UROKIT-K 5 TBCR (<i>Use potassium citrate (alkalinizer)</i>)	NP	
Genitourinary Irrigants		
<i>sodium chloride (gu irrigant) soln</i>	P	
Interstitial Cystitis Agents		
ELMIRON CAPS	P	QL(3 ea daily)
Prostatic Hypertrophy Agents		

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
<i>finasteride tabs or</i>	P	QL(1 ea daily)
FLOMAX CAPS (<i>Use tamsulosin hcl</i>)	NP	QL(2 ea daily)
PROSCAR TABS (<i>Use finasteride</i>)	NP	QL(1 ea daily)
<i>tamsulosin hcl caps</i>	P	QL(2 ea daily)
Urinary Analgesics		
<i>phenazopyridine hcl tabs or 100 mg, 200 mg</i>	P	
PYRIDIUM TABS (<i>Use phenazopyridine hcl</i>)	NP	
GOUT AGENTS - Drugs to Treat Gout		
Gout Agent Combinations		
<i>colchicine w/ probenecid tabs</i>	P	
Gout Agents		
<i>allopurinol tabs or 100 mg, 300 mg</i>	P	
<i>colchicine tabs or</i>	P	QL(6 ea per fill retail)
COLCRYS TABS (<i>Use colchicine</i>)	NP	QL(6 ea per fill retail)
ZYLOPRIM TABS (<i>Use allopurinol</i>)	NP	
Uricosurics		
<i>probenecid tabs</i>	P	
HEMATOLOGICAL AGENTS - MISC. - Drugs to Treat Blood Disorders		
Hematorheologic Agents		
<i>pentoxifylline tbcr or</i>	P	
Plasma Kallikrein Inhibitors		
KALBITOR SOLN	P	PA; SP
Platelet Aggregation Inhibitors		
BRILINTA TABS	P	QL(2 ea daily)
<i>cilostazol tabs</i>	P	QL(2 ea daily)
<i>clopidogrel bisulfate tabs or 75 mg</i>	P	

Drug Name	Drug Tier	Requirements/Limits
<i>dipyridamole tabs or 25 mg, 50 mg, 75 mg</i>	P	
EFFIENT TABS (<i>Use prasugrel hcl</i>)	NP	QL(1 ea daily)
PLAVIX TABS 75 MG (<i>Use clopidogrel bisulfate</i>)	NP	
<i>prasugrel hcl tabs</i>	P	QL(1 ea daily)
HEMATOPOIETIC AGENTS - Drugs to Treat Blood Disorders		
Agents for Sickle Cell Disease		
DROXIA CAPS	P	
SIKLOS TABS	P	PA
Cobalamins		
<i>cyanocobalamin soln 1000 mcg/ml</i>	P	QL(10 ml per 270 days retail)
Folic Acid/Folates		
<i>folic acid tabs 1 mg</i>	P	RX/OTC
<i>folic acid tabs 800 mcg, 400 mcg</i>	P	OTC;QL(1 ea daily)
Hematopoietic Growth Factors		
ZARXIO SOSY	P	PA; SP
Hematopoietic Mixtures		
<i>ferrous fumarate-fa-b complex-c-zn-mg-mn-cu tabs</i>	P	QL(1 ea daily)
Iron		
FER-IN-SOL SOLN (<i>Use ferrous sulfate</i>)	NP	OTC;QL(3.4 ml daily)
FERRETT'S TABS	P	OTC;QL(2 ea daily)
<i>ferrous fumarate tabs or</i>	P	OTC;QL(2 ea daily)
FERROUS GLUCONATE TABS OR	P	OTC;QL(100 ea per 30 days retail); AL(Up to 50 yrs old)
<i>ferrous sulfate elix 220 mg/5ml</i>	P	OTC;AL(Up to 50 yrs old)
<i>ferrous sulfate soln 15 mg/ml</i>	P	OTC;QL(3.4 ml daily)

Georgia Inter-Pregnancy Care

P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Updated January 1, 2021

Drug Name	Drug Tier	Requirements/Limits
<i>ferrous sulfate tabs 28 mg</i>	P	OTC
<i>ferrous sulfate tabs 325 mg, 65 mg</i>	P	OTC;AL(Up to 50 yrs old)
FERROUS SULFATE TBEC 324 MG	P	OTC;AL(Up to 50 yrs old)
<i>ferrous sulfate tbec 325 mg</i>	P	OTC;AL(Up to 50 yrs old)
HEMOCYTE TABS (Use <i>ferrous fumarate</i>)	NP	OTC;QL(2 ea daily)
IRON CHEWS PEDIATRIC CHEW	P	OTC
<i>polysaccharide iron complex caps</i>	P	QL(1 ea daily)
HEMOSTATICS - Drugs to Stop Bleeding/Treat Blood Disorders		
Hemostatics - Systemic		
AMICAR SOLN 0.25 GM/ML (Use <i>aminocaproic acid</i>)	NP	QL(60 ml per fill retail)
AMICAR TABS 500 MG (Use <i>aminocaproic acid</i>)	NP	QL(24 ea per fill retail)
<i>aminocaproic acid soln or 0.25 gm/ml</i>	P	QL(60 ml per fill retail)
<i>aminocaproic acid tabs or 500 mg</i>	P	QL(24 ea per fill retail)
LYSTEDA TABS (Use <i>tranexamic acid</i>)	NP	QL(30 ea per 7 days retail); AL(At least 12 yrs old)
<i>tranexamic acid tabs or 650 mg</i>	P	QL(30 ea per 7 days retail); AL(At least 12 yrs old)
HYPNOTICS/SEDATIVES/SLEEP DISORDER AGENTS		
Antihistamine Hypnotics		
<i>diphenhydramine hcl (sleep) caps 50 mg</i>	P	OTC
<i>diphenhydramine hcl (sleep) tabs 25 mg</i>	P	OTC;QL(1 ea daily)
<i>diphenhydramine hcl (sleep) tabs 50 mg</i>	P	OTC
<i>doxylamine succinate (sleep) tabs</i>	P	OTC

Drug Name	Drug Tier	Requirements/Limits
NYTOL MAXIMUM STRENGTH TABS (Use <i>diphenhydramine hcl (sleep)</i>)	NP	OTC
UNISOM SLEEPGELS CAPS (Use <i>diphenhydramine hcl (sleep)</i>)	NP	OTC
UNISOM SLEEPTABS TABS (Use <i>doxylamine succinate (sleep)</i>)	NP	OTC
Barbiturate Hypnotics		
<i>phenobarbital elix or 20 mg/5ml</i>	P	
<i>phenobarbital soln or 20 mg/5ml</i>	P	
<i>phenobarbital tabs or 100 mg, 15 mg, 30 mg, 60 mg, 64.8 mg, 97.2 mg, 16.2 mg, 32.4 mg</i>	P	
Non-Barbiturate Hypnotics		
AMBIEN TABS (Use <i>zolpidem tartrate</i>)	NP	QL(14 ea per 31 days retail); AL(At least 21 yrs old)
<i>flurazepam hcl caps</i>	P	AL(At least 18 yrs old - Up to 65 yrs old)
HALCION TABS (Use <i>triazolam</i>)	NP	QL(1 ea daily); AL(At least 18 yrs old)
<i>midazolam hcl soln ij 10 mg/2ml, 2 mg/2ml, 5 mg/5ml, 5 mg/ml, 10 mg/10ml, 50 mg/10ml, 25 mg/5ml</i>	P	
RESTORIL CAPS 15 MG, 30 MG (Use <i>temazepam</i>)	NP	AL(At least 18 yrs old)
<i>temazepam caps 15 mg, 30 mg</i>	P	AL(At least 18 yrs old)
<i>triazolam tabs</i>	P	QL(1 ea daily); AL(At least 18 yrs old)
<i>zaleplon caps 10 mg</i>	P	QL(2 ea daily); AL(At least 18 yrs old)

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
<i>zaleplon caps 5 mg</i>	P	QL(1 ea daily); AL(At least 18 yrs old)
<i>zolpidem tartrate tabs or 10 mg, 5 mg</i>	P	QL(14 ea per 31 days retail); AL(At least 21 yrs old)
LAXATIVES - Bowel Treatment Drugs		
Bulk Laxatives		
<i>calcium polycarbophil tabs</i>	P	OTC;QL(10 ea daily)
<i>EVAC POWD (Use psyllium)</i>	NP	OTC
<i>FIBERCON TABS (Use calcium polycarbophil)</i>	NP	OTC;QL(10 ea daily)
<i>KONSYL DAILY FIBER POWD 100 % (Use psyllium)</i>	NP	OTC
<i>METAMUCIL CAPS 0.52 GM (Use psyllium)</i>	NP	OTC
<i>METAMUCIL ORIGINAL TEXTURE POWD (Use psyllium)</i>	NP	OTC
<i>METAMUCIL POWD 48.57 % (Use psyllium)</i>	NP	OTC
<i>psyllium caps 0.52 gm, 520 mg</i>	P	OTC
<i>psyllium powd 33 %, 68 %, 30 %, 100 %, 30.9 %, 58.6 %, 48.57 %, 28.3 %</i>	P	OTC
Laxative Combinations		
<i>bisacodyl-peg 3350-pot chloride-sod bicarb-sod chloride kit</i>	P	
<i>COLYTE-FLAVOR PACKS SOLR (Use peg 3350-kcl-sod bicarb-sod chloride-sod sulfate)</i>	NP	QL(4000 ml per fill retail)
<i>GOLYTELY SOLR 2.97 GM-22.74 GM-236 GM-5.86 GM-6.74 GM (Use peg 3350-kcl-sod bicarb-sod chloride-sod sulfate)</i>	NP	QL(4000 ml per fill retail)

Drug Name	Drug Tier	Requirements/Limits
<i>NULYTELY SOLR (Use peg 3350-potassium chloride-sod bicarbonate-sod chloride)</i>	NP	QL(4000 ml per fill retail)
<i>NULYTELY/FLAVOR PACKS SOLR (Use peg 3350-potassium chloride-sod bicarbonate-sod chloride)</i>	NP	QL(4000 ml per fill retail)
<i>peg 3350-kcl-sod bicarb-sod chloride-sod sulfate solr</i>	P	QL(4000 ml per fill retail)
<i>peg 3350-potassium chloride-sod bicarbonate-sod chloride solr</i>	P	QL(4000 ml per fill retail)
<i>sennosides-docusate sodium tabs</i>	P	OTC;QL(4 ea daily)
<i>SENOKOT S TABS (Use sennosides-docusate sodium)</i>	NP	OTC;QL(4 ea daily)
Laxatives - Miscellaneous		
<i>glycerin (laxative) supp 2 gm</i>	P	OTC
<i>GLYCERIN ADULT SUPP (Use glycerin (laxative))</i>	NP	OTC
<i>lactulose soln 10 gm/15ml, 20 gm/30ml</i>	P	
<i>MIRALAX POWD 17 GM/SCOOP (Use polyethylene glycol 3350)</i>	NP	QL(34 gm daily)
<i>polyethylene glycol 3350 powd or 17 gm/scoop</i>	P	QL(34 gm daily)
<i>SORBITOL SOLN OR 70 %</i>	P	OTC
Saline Laxatives		
<i>FLEET ENEMA ENEM (Use sodium phosphates)</i>	NP	OTC
<i>FLEET ENEMA SIX PACK ENEM (Use sodium phosphates)</i>	NP	OTC
<i>FLEET PEDIATRIC ENEM (Use sodium phosphates)</i>	NP	OTC
<i>magnesium citrate soln or 1.745 gm/30ml,</i>	P	OTC

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
<i>magnesium hydroxide susp or 1200 mg/15ml, 2400 mg/30ml, 400 mg/5ml, 7.75 %</i>	P	OTC;QL(992 ml per 30 days retail)
<i>sodium phosphates enem</i>	P	OTC
Stimulant Laxatives		
<i>bisacodyl supp re 10 mg</i>	P	OTC;QL(12 ea per fill retail)
<i>bisacodyl tbec or 5 mg</i>	P	OTC;QL(1 ea daily)
DULCOLAX SUPP RE 10 MG (<i>Use bisacodyl</i>)	NP	OTC;QL(12 ea per fill retail)
DULCOLAX TBEC OR 5 MG (<i>Use bisacodyl</i>)	NP	OTC;QL(1 ea daily)
<i>sennosides tabs 8.6 mg</i>	P	OTC;QL(12 ea per fill retail)
SENOKOT TABS (<i>Use sennosides</i>)	NP	OTC;QL(12 ea per fill retail)
Surfactant Laxatives		
COLACE CAPS (<i>Use docusate sodium</i>)	NP	OTC;QL(3 ea daily)
COLACE CLEAR CAPS (<i>Use docusate sodium</i>)	NP	OTC
<i>docusate sodium caps or 250 mg, 100 mg</i>	P	OTC;QL(3 ea daily)
<i>docusate sodium caps or 50 mg</i>	P	OTC
<i>docusate sodium liqd or 150 mg/15ml, 50 mg/5ml</i>	P	OTC
<i>docusate sodium syrps or 60 mg/15ml</i>	P	OTC
<i>docusate sodium tabs or 100 mg</i>	P	OTC
MACROLIDES - Drugs to Treat Bacterial Infections		
Azithromycin		
<i>azithromycin pack or 1 gm</i>	P	QL(2 ea per fill retail)
<i>azithromycin susr or 100 mg/5ml</i>	P	QL(15 ml per fill retail)
<i>azithromycin susr or 200 mg/5ml</i>	P	QL(30 ml per fill retail)
<i>azithromycin tabs or 250 mg</i>	P	QL(6 ea per fill retail)

Drug Name	Drug Tier	Requirements/Limits
<i>azithromycin tabs or 500 mg</i>	P	QL(4 ea daily)
<i>azithromycin tabs or 600 mg</i>	P	QL(8 ea per 28 days retail)
ZITHROMAX PACK OR 1 GM (<i>Use azithromycin</i>)	NP	QL(2 ea per fill retail)
ZITHROMAX SUSR OR 100 MG/5ML (<i>Use azithromycin</i>)	NP	QL(15 ml per fill retail)
ZITHROMAX SUSR OR 200 MG/5ML (<i>Use azithromycin</i>)	NP	QL(30 ml per fill retail)
ZITHROMAX TABS OR 250 MG (<i>Use azithromycin</i>)	NP	QL(6 ea per fill retail)
ZITHROMAX TABS OR 500 MG (<i>Use azithromycin</i>)	NP	QL(4 ea daily)
ZITHROMAX TABS OR 600 MG (<i>Use azithromycin</i>)	NP	QL(8 ea per 28 days retail)
ZITHROMAX TRI-PAK TABS (<i>Use azithromycin</i>)	NP	QL(4 ea daily)
ZITHROMAX Z-PAK TABS (<i>Use azithromycin</i>)	NP	QL(6 ea per fill retail)
Clarithromycin		
<i>clarithromycin susr or 125 mg/5ml</i>	P	QL(100 ml per fill retail)
<i>clarithromycin susr or 250 mg/5ml</i>	P	QL(200 ml per fill retail)
<i>clarithromycin tabs or 250 mg, 500 mg</i>	P	QL(28 ea per fill retail)
<i>clarithromycin tb24 or 500 mg</i>	P	QL(14 ea per fill retail)
Erythromycins		
E.E.S. GRANULES SUSR (<i>Use erythromycin ethylsuccinate</i>)	NP	
ERYPED 200 SUSR (<i>Use erythromycin ethylsuccinate</i>)	NP	
ERYPED 400 SUSR (<i>Use erythromycin ethylsuccinate</i>)	NP	
<i>erythromycin base cpep</i>	P	
<i>erythromycin base tabs</i>	P	

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
<i>erythromycin base tbec</i>	P	
<i>erythromycin ethylsuccinate susr or 200 mg/5ml, 400 mg/5ml</i>	P	
<i>erythromycin ethylsuccinate tabs or 400 mg</i>	P	
<i>erythromycin stearate tabs</i>	P	
MEDICAL DEVICES AND SUPPLIES		
Bandages-Dressings-Tape		
GAUZE SPONGES	P	RX/OTC
Contraceptives		
CONDOMS-MISC	P	QL (36 ea per 30 days retail); OTC
Diabetic Supplies		
AIMSCO TWIST LANCETS 32G MISC	P	QL(6.67 ea daily)
AIMSCO TWIST LANCETS 33G MISC	P	QL(6.67 ea daily)
CARESENS LANCETS MISC	P	QL(6.67 ea daily)
GOJJI STERILE LANCETS 30G MISC	P	QL(6.67 ea daily)
LANCETS SUPER THIN 28G MISC	P	QL(6.67 ea daily)
LANCETS-MISC	P	QL (6.67 ea daily); OTC
LANCING DEVICE-MISC	P	OTC
ONETOUCH CLUB LANCETS FINE POINT MISC	P	QL(6.67 ea daily)
ONETOUCH DELICA LANCETS EXTRA FINE 33G MISC	P	QL(6.67 ea daily)
ONETOUCH DELICA LANCETS FINE 30G MISC	P	QL(6.67 ea daily)
ONETOUCH DELICA PLUS LANCETS EXTRA FINE 33G MISC	P	QL(6.67 ea daily)

Drug Name	Drug Tier	Requirements/ Limits
ONETOUCH DELICA PLUS LANCETS FINE 30G MISC	P	QL(6.67 ea daily)
ONETOUCH FINEPOINT LANCETS MISC	P	QL(6.67 ea daily)
ONETOUCH ULTRASOFT LANCETS MISC	P	QL(6.67 ea daily)
RELION LANCETS THIN 26G MISC	P	QL(6.67 ea daily)
RELION ULTRA THIN LANCETS/30G MISC	P	QL(6.67 ea daily)
TRUE METRIX CONTROL SOLUTION LEVEL 1 SOLN	P	QL(0.02 ea daily,90 day(s) limit)
TRUE METRIX CONTROL SOLUTION LEVEL 2 SOLN	P	QL(0.02 ea daily,90 day(s) limit)
TRUE METRIX CONTROL SOLUTION LEVEL 3 SOLN	P	QL(0.02 ea daily,90 day(s) limit)
TRUECONTROL GLUCOSE CONTROL LEVEL 0 LIQD	P	1/ 90 days;QL(0.02 ea daily,90 day(s) limit)
TRUECONTROL GLUCOSE CONTROL LEVEL 1 LIQD	P	1/ 90 days;QL(0.02 ea daily,90 day(s) limit)
UNILET LANCETS MICRO-THIN33G MISC	P	QL(6.67 ea daily)
Misc. Devices		
ALCOHOL PREP PADS-MISC	P	OTC
Parenteral Therapy Supplies		
INSULIN SYRINGES	P	QL (5 ea daily); OTC
INSULIN SYRINGES-MISC	P	QL (5 ea daily); RX/OTC
PEN NEEDLES-MISC	P	QL (5 ea daily); OTC
Respiratory Therapy Supplies		
SPACER/AEROSOL-HOLDING CHAMBER SUPPLIES	P	QL (3 ea per 180days retail)
SPACER/AEROSOL-HOLDING CHAMBERS	P	QL (2 ea per 360 days retail)

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
SPACERS AND BREATHING CHAMBERS-MISC	P	RX/OTC
MIGRAINE PRODUCTS - Drugs to Treat Migraine Headaches		
Migraine Combinations		
CAFERGOT TABS (Use ergotamine w/ caffeine)	NP	AL(At least 18 yrs old)
ergotamine w/ caffeine tabs or 1 mg-100 mg	P	AL(At least 18 yrs old)
Migraine Products		
D.H.E. 45 SOLN (Use dihydroergotamine mesylate)	NP	AL(At least 18 yrs old)
dihydroergotamine mesylate soln ij 1 mg/ml	P	AL(At least 18 yrs old)
dihydroergotamine mesylate soln na 4 mg/ml	P	AL(At least 18 yrs old)
MIGRANAL SOLN (Use dihydroergotamine mesylate)	NP	AL(At least 18 yrs old)
Serotonin Agonists		
AMERGE TABS (Use naratriptan hcl)	NP	QL(9 ea per 30 days retail); AL(At least 18 yrs old)
eletriptan hydrobromide tabs	P	QL(6 ea per 30 days retail); AL(At least 18 yrs old)
IMITREX SOLN NA 20 MG/ACT, 5 MG/ACT (Use sumatriptan)	NP	QL(6 ea per 30 days retail); AL(At least 12 yrs old)
IMITREX SOLN SC 6 MG/0.5ML (Use sumatriptan succinate)	NP	QL(2.5 ml per 30 days retail); AL(At least 12 yrs old)
IMITREX STATDOSE REFILL SOCT 6 MG/0.5ML (Use sumatriptan succinate)	NP	QL(2 ml per 30 days retail); AL(At least 12 yrs old)
IMITREX STATDOSE SYSTEM SOAJ 6 MG/0.5ML (Use sumatriptan succinate)	NP	QL(2 ml per 30 days retail); AL(At least 12 yrs old)

Drug Name	Drug Tier	Requirements/ Limits
IMITREX TABS OR 100 MG, 25 MG, 50 MG (Use sumatriptan succinate)	NP	QL(9 ea per 30 days retail); AL(At least 12 yrs old)
MAXALT TABS (Use rizatriptan benzoate)	NP	QL(12 ea per 30 days retail); AL(At least 6 yrs old)
MAXALT-MLT TBDP (Use rizatriptan benzoate)	NP	QL(0.4 ea daily)
naratriptan hcl tabs	P	QL(9 ea per 30 days retail); AL(At least 18 yrs old)
RELPAX TABS (Use eletriptan hydrobromide)	NP	QL(6 ea per 30 days retail); AL(At least 18 yrs old)
rizatriptan benzoate tabs 10 mg, 5 mg	P	QL(12 ea per 30 days retail); AL(At least 6 yrs old)
rizatriptan benzoate tbdp 10 mg, 5 mg	P	QL(0.4 ea daily)
sumatriptan soln na 20 mg/act, 5 mg/act	P	QL(6 ea per 30 days retail); AL(At least 12 yrs old)
sumatriptan succinate soaj sc 6 mg/0.5ml	P	QL(2 ml per 30 days retail); AL(At least 12 yrs old)
sumatriptan succinate soct sc 6 mg/0.5ml	P	QL(2 ml per 30 days retail); AL(At least 12 yrs old)
sumatriptan succinate soln sc 6 mg/0.5ml	P	QL(2.5 ml per 30 days retail); AL(At least 12 yrs old)
sumatriptan succinate sosy sc 6 mg/0.5ml	P	QL(2 ml per 30 days retail); AL(At least 12 yrs old)
sumatriptan succinate tabs or 100 mg, 25 mg, 50 mg	P	QL(9 ea per 30 days retail); AL(At least 12 yrs old)

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
<i>zolmitriptan tabs or 2.5 mg, 5 mg</i>	P	QL(6 ea per 30 days retail); AL(At least 18 yrs old)
<i>zolmitriptan tbdp or 2.5 mg, 5 mg</i>	P	QL(6 ea per 30 days retail); AL(At least 18 yrs old)
ZOMIG SOLN NA 5 MG	P	QL(6 ea per 30 days retail); AL(At least 12 yrs old)
ZOMIG TABS OR 2.5 MG, 5 MG (<i>Use zolmitriptan</i>)	NP	QL(6 ea per 30 days retail); AL(At least 18 yrs old)
ZOMIG ZMT TBDP (<i>Use zolmitriptan</i>)	NP	QL(6 ea per 30 days retail); AL(At least 18 yrs old)
MINERALS & ELECTROLYTES		
Calcium		
<i>calcium carbonate-cholecalciferol tabs 10 mcg-600 mg, 400 unit-600 mg, 20 mcg-600 mg, 400 unit-600 mg-600 mg-800 unit, 600 mg-800 unit</i>	P	QL(2 ea daily)
<i>calcium carbonate-cholecalciferol tabs 200 unit-500 mg, 5 mcg-500 mg</i>	P	OTC
<i>calcium carbonate-vitamin d tabs 125 unit-250 mg, 125 unit-500 mg, 200 unit-200 unit-500 mg-500 mg, 200 unit-500 mg</i>	P	OTC
<i>calcium carbonate-vitamin d tabs 200 unit-600 mg, 400 unit-600 mg</i>	P	OTC;QL(2 ea daily)
CALTRATE 600+D3 TABS (<i>Use calcium carbonate-cholecalciferol</i>)	NP	QL(2 ea daily)
<i>oyster shell tabs</i>	P	OTC
PARVA-CAL TABS	P	OTC

Drug Name	Drug Tier	Requirements/Limits
QC CALCIUM 500MG/D3 TABS	P	OTC
RA CALCIUM HI-CAL/VITAMIND TABS	P	OTC
RA OYSTER SHELL CALCIUM/VITAMIN D TABS 200 UNIT-500 MG	P	OTC
Electrolyte Mixtures		
CERALYTE 70 SOLN 20 MEQ/L-30 MEQ/L-60 MEQ/L-70 MEQ/L	P	QL(1000 ml per fill retail)
CERASPORT EX1 SOLN	P	QL(1000 ml per fill retail)
CERASPORT SOLN 18 MEQ/L-20 MEQ/L-4 MEQ/L-6 MEQ/L	P	QL(1000 ml per fill retail)
ENFAMIL ENFALYTE SOLN	P	QL(1000 ml per fill retail)
EQUALYTE SOLN (<i>Use oral electrolytes</i>)	NP	QL(1000 ml per fill retail)
HYDRALYTE FREEZER POPS SOLN	P	QL(1000 ml per fill retail)
HYDRALYTE SOLN 16 GM/L-20 MEQ/L-45 MEQ/L-45 MEQ/L-90 MEQ/L, 210 MG/250ML-270 MG/250ML	P	QL(1000 ml per fill retail)
KINDERLYTE PREMAX SOLN 3.1 MG/360ML-320 MG/360ML-620 MG/360ML-630 MG/360ML, 3.1 MG/360ML-330 MG/360ML-620 MG/360ML-630 MG/360ML	P	QL(1000 ml per fill retail)
KINDERLYTE SOLN 3.1 MG/360ML-300 MG/360ML-445 MG/360ML-560 MG/360ML, 3.1 MG/360ML-300 MG/360ML-460 MG/360ML-570 MG/360ML	P	QL(1000 ml per fill retail)
<i>oral electrolytes soln</i>	P	QL(1000 ml per fill retail)
PEDIALYTE ADVANCED CARE SOLN (<i>Use oral electrolytes</i>)	NP	QL(1000 ml per fill retail)

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
PEDIALYTE FREEZER POPS SOLN (Use oral electrolytes)	NP	QL(1000 ml per fill retail)
PEDIALYTE SINGLES SOLN (Use oral electrolytes)	NP	QL(1000 ml per fill retail)
PEDIALYTE SOLN 0.5 MG/59ML-1.2 MEQ/59ML-1.5 GM/59ML-2.1 MEQ/59ML-2.7 MEQ/59ML, 10.6 MEQ/237ML-4.7 MEQ/237ML-8.3 MEQ/237ML, 20 GM/L-20 MEQ/L-35 MEQ/L-45 MEQ/L-5 GM/L, 20 MEQ/L-25 GM/L-30 MEQ/L-35 MEQ/L-45 MEQ/L, 20 MEQ/L-25 GM/L-35 MEQ/L-45 MEQ/L-7.8 MG/L (Use oral electrolytes)	NP	QL(1000 ml per fill retail)
Fluoride		
sodium fluoride chew or 0.25 mg, 0.5 mg, 1 mg, 2.2 mg	P	AL(Up to 15 yrs old)
sodium fluoride soln or 0.5 mg/ml, 0.125 mg/drop	P	AL(Up to 15 yrs old)
Magnesium		
MAGNESIUM CAPS 400 MG	P	OTC
magnesium oxide (mg supplement) tabs 400 mg	P	OTC
magnesium oxide (mg supplement) tabs 400 mg	P	
MAGNESIUM OXIDE CAPS 400 MG	P	OTC
MAGOX 400 TABS (Use magnesium oxide (mg supplement))	NP	
Phosphate		
K-PHOS NEUTRAL TABS (Use pot phosphate monobasic w/ sod phosphate dibasic & monobasic)	NP	QL(8 ea daily)

Drug Name	Drug Tier	Requirements/ Limits
pot phosphate monobasic w/ sod phosphate dibasic & monobasic tabs	P	QL(8 ea daily)
Potassium		
K-TAB TBCR 10 MEQ, 8 MEQ (Use potassium chloride)	NP	
potassium bicarbonate tbcf or	P	
potassium chloride cpcr or 10 meq	P	
potassium chloride cpcr or 8 meq	P	QL(1 ea daily)
potassium chloride microencapsulated crystals er tbcf	P	
potassium chloride pack or 20 meq	P	
potassium chloride soln or 20 %, 10 %	P	
potassium chloride tbcf or 10 meq, 8 meq	P	
Zinc		
zinc sulfate caps or 220 mg	P	QL(100 ea per fill retail)
ZINC SULFATE CAPS OR 50 MG	P	QL(100 ea per fill retail)
MISCELLANEOUS THERAPEUTIC CLASSES		
Chelating Agents		
DEPEN TITRATABS TABS (Use penicillamine)	NP	
penicillamine tabs or	P	
Immunosuppressive Agents		
AZASAN TABS	P	PA
azathioprine tabs or 50 mg	P	
CELLCEPT CAPS (Use mycophenolate mofetil)	NP	
CELLCEPT SUSR (Use mycophenolate mofetil)	NP	
CELLCEPT TABS (Use mycophenolate mofetil)	NP	

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
<i>cyclosporine caps or 100 mg, 25 mg</i>	P	
<i>cyclosporine modified (for microemulsion) caps</i>	P	
<i>cyclosporine modified (for microemulsion) soln</i>	P	
<i>cyclosporine soln iv 50 mg/ml</i>	P	
IMURAN TABS (Use <i>azathioprine</i>)	NP	
<i>mycophenolate mofetil caps</i>	P	
<i>mycophenolate mofetil susr</i>	P	
<i>mycophenolate mofetil tabs</i>	P	
<i>mycophenolate sodium tbec</i>	P	
MYFORTIC TBEC (Use <i>mycophenolate sodium</i>)	NP	
NEORAL CAPS (Use <i>cyclosporine modified (for microemulsion)</i>)	NP	
NEORAL SOLN (Use <i>cyclosporine modified (for microemulsion)</i>)	NP	
PROGRAF CAPS OR 0.5 MG, 1 MG, 5 MG (Use <i>tacrolimus</i>)	NP	
PROGRAF PACK OR 0.2 MG, 1 MG	P	PA
RAPAMUNE SOLN (Use <i>sirolimus</i>)	NP	
RAPAMUNE TABS (Use <i>sirolimus</i>)	NP	
SANDIMMUNE CAPS OR 100 MG, 25 MG (Use <i>cyclosporine</i>)	NP	
SANDIMMUNE SOLN IV 50 MG/ML (Use <i>cyclosporine</i>)	NP	
SANDIMMUNE SOLN OR 100 MG/ML	P	
<i>sirolimus soln or 1 mg/ml</i>	P	
<i>sirolimus tabs or 0.5 mg, 1 mg, 2 mg</i>	P	

Drug Name	Drug Tier	Requirements/ Limits
<i>tacrolimus caps or 0.5 mg, 1 mg, 5 mg</i>	P	
Potassium Removing Agents		
<i>sodium polystyrene sulfonate powd or</i>	P	
<i>sodium polystyrene sulfonate susp or 15 gm/60ml</i>	P	
MOUTH/THROAT/DENTAL AGENTS		
Anesthetics Topical Oral		
<i>lidocaine hcl (mouth-throat) soln 2 %</i>	P	QL(100 ml per fill retail)
Anti-infectives - Throat		
<i>nystatin (mouth-throat) susp</i>	P	QL(120 ml per fill retail)
Antiseptics - Mouth/Throat		
<i>chlorhexidine gluconate (mouth-throat) soln</i>	P	
PERIDEX SOLN (Use <i>chlorhexidine gluconate (mouth-throat)</i>)	NP	
Dental Products		
PREVIDENT 5000 BOOSTER PLUS PSTE (Use <i>sodium fluoride (dental)</i>)	NP	
PREVIDENT 5000 DRY MOUTH GEL (Use <i>sodium fluoride (dental)</i>)	NP	
PREVIDENT 5000 ORTHO DEFENSE PSTE (Use <i>sodium fluoride (dental)</i>)	NP	
PREVIDENT 5000 PLUS CREA (Use <i>sodium fluoride (dental)</i>)	NP	PA
PREVIDENT FLUORIDE GEL (Use <i>sodium fluoride (dental)</i>)	NP	
<i>sodium fluoride (dental) crea dt 1.1 %</i>	P	PA
<i>sodium fluoride (dental) gel dt 1.1 %</i>	P	
<i>sodium fluoride (dental) pste dt 1.1 %</i>	P	

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
Steroids - Mouth/Throat/Dental		
<i>triamcinolone acetonide (mouth) pste</i>	P	QL(5 gm per fill retail)
Throat Products - Misc.		
AQUORAL SOLN	P	QL(900 ml per fill retail); RX/OTC
BIOTENE DRY MOUTH MOISTURIZING SPRAY SOLN	P	QL(900 ml per fill retail); RX/OTC
CAPHOSOL SOLN	P	QL(900 ml per fill retail); RX/OTC
CVS DRY MOUTH SPRAY SOLN	P	QL(900 ml per fill retail); RX/OTC
EQL DRY MOUTH ORAL RINSE SOLN	P	QL(900 ml per fill retail); RX/OTC
MOI-STIR SOLN	P	QL(900 ml per fill retail); RX/OTC
MOUTH KOTE REMINT SOLN	P	QL(900 ml per fill retail); RX/OTC
MOUTH KOTE SOLN	P	QL(900 ml per fill retail); RX/OTC
NUMOISYN LIQD	P	QL(900 ml per fill retail); RX/OTC
ORAL RELIEF SPRAY FOR DRYMOUTH & DISCOMFORT SOLN	P	QL(900 ml per fill retail); RX/OTC
<i>pilocarpine hcl (oral) tabs 5 mg</i>	P	QL(6 ea daily)
RA DRY MOUTH SOLN	P	QL(900 ml per fill retail); RX/OTC
SALAGEN TABS 5 MG (Use <i>pilocarpine hcl (oral)</i>)	NP	QL(6 ea daily)
XEROSTOMIA RELIEF SPRAY SOLN	P	QL(900 ml per fill retail); RX/OTC
MULTIVITAMINS		

Drug Name	Drug Tier	Requirements/ Limits
B-Complex Vitamins		
<i>b-complex vitamins caps 0.5 mg-1 mcg-20 mg-3 mg-3 mg-5 mg-60 mg-60 mg, 1 mg-1.5 mg-10 mg-100 mcg-100 mg-2 mg-70 mg</i>	P	OTC;QL(1 ea daily)
<i>b-complex vitamins tabs 0.1 mg-1 mg-2 mg-20 mg-3 mg-5 mcg, 0.2 mg-1.5 mg-10 mg-10 mg-2 mg, 1 mcg-1 mg-10 mg-100 mg-20 mg-4.6 mg-40 mg-5 mg-5 mg-50 mg, 1 mg-2 mg-20 mg-3 mg-5 mcg-83 mg, 10 mg-10 mg-2 mg-2 mg-20 mg-20 mg-3 mg-3 mg-3 mg-3 mg-6 mcg-6 mcg, 10 mg-14 mg-25 mcg-4.5 mg-7 mg, 10 mg-2 mg-20 mg-3 mg-3 mg-6 mcg, 100 mcg-30 mg-50 mcg-50 mcg-50 mg-50 mg-50 mg-50 mg-50 mg-50 mg, 15 mg-2 mcg-2 mg-2 mg-5 mg</i>	P	QL(1 ea daily)
B-Complex w/ C		
<i>b complex w/ c caps 10 mg-10 mg-15 mg-300 mg-5 mg-50 mg, 10 mg-10.2 mg-15 mg-300 mg-5 mg-50 mg</i>	P	OTC;QL(1 ea daily)
B-Complex w/ Folic Acid		
<i>b-complex w/ c & folic acid caps 1 mg-1.5 mg-1.7 mg-10 mg-100 mg-150 mcg-20 mg-5 mg-6 mcg</i>	P	QL(1 ea daily); RX/OTC

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
<i>b-complex w/ c & folic acid tabs 0.006 mg-0.3 mg-1 mg-1.5 mg-1.7 mg-10 mg-10 mg-100 mg-20 mg, 0.01 mcg-1 mg-1.5 mg-1.7 mg-10 mg-10 mg-20 mg-300 mcg-60 mg, 1 mg-1 mg-1.5 mg-1.5 mg-1.7 mg-1.7 mg-10 mg-10 mg-10 mg-10 mg-100 mg-100 mg-20 mg-20 mg-300 mcg-300 mcg-6 mcg-6 mcg, 1 mg-1 mg-1.5 mg-1.7 mg-20 mg-200 mg-30 mcg-300 mcg-8 mg, 1 mg-1.5 mg-1.7 mg-10 mg-10 mg-100 mg-20 mg-300 mcg-6 mcg, 1 mg-1.5 mg-1.7 mg-10 mg-10 mg-20 mg-300 mcg-6 mcg-60 mg, 1.5 mg-1.7 mg-10 mg-10 mg-100 mg-1000 mcg-20 mg-300 mcg-6 mcg, 1.5 mg-1.7 mg-10 mg-100 mg-1000 mcg-150 mcg-20 mg-5 mg-6 mcg</i>	P	QL(1 ea daily); RX/OTC
NEPHRO-VITE RX TABS (Use <i>b-complex w/ c & folic acid</i>)	NP	QL(1 ea daily); RX/OTC
Multiple Vitamins w/ Minerals		
<i>multiple vitamins w/ minerals tabs</i>	P	RX/OTC
<i>multiple vitamins w/ minerals-various</i>	P	RX/OTC
Ped MV w/ Fluoride		
<i>pediatric vitamins acd w/ fluoride soln</i>	P	QL(50 ml per fill retail); AL(Up to 21 yrs old)
Ped Multi Vitamins w/FI & FE		
<i>ped multivitamins w/fl & iron soln</i>	P	QL(50 ml per fill retail); AL(Up to 21 yrs old)
Ped Multiple Vitamins w/ Minerals		
<i>pediatric multiple vitamins w/ minerals-various</i>	P	RX/OTC
Prenatal Vitamins		

Drug Name	Drug Tier	Requirements/ Limits
<i>prenatal vitamins-misc</i>	P	RX/OTC
Vitamins w/ Lipotropics		
<i>vitamins w/ lipotropics caps</i>	P	OTC;QL(1 ea daily)
MUSCULOSKELETAL THERAPY AGENTS - Drugs to Treat Spasms		
Central Muscle Relaxants		
<i>baclofen tabs or 10 mg, 20 mg</i>	P	
<i>chlorzoxazone tabs 500 mg</i>	P	
<i>cyclobenzaprine hcl tabs or 10 mg, 5 mg</i>	P	QL(3 ea daily)
<i>cyclobenzaprine hcl tabs or 7.5 mg</i>	P	QL(4 ea daily)
<i>methocarbamol tabs or 500 mg, 750 mg</i>	P	
<i>orphenadrine citrate tb12 or 100 mg</i>	P	
ROBAXIN TABS OR 500 MG (Use <i>methocarbamol</i>)	NP	
ROBAXIN-750 TABS (Use <i>methocarbamol</i>)	NP	
<i>tizanidine hcl tabs or 4 mg, 2 mg</i>	P	
ZANAFLEX TABS 4 MG (Use <i>tizanidine hcl</i>)	NP	
NASAL AGENTS - SYSTEMIC AND TOPICAL - Drugs to treat the Nose or Sinus		
Nasal Agents - Misc.		
OCEAN NASAL SPRAY SOLN (Use <i>saline</i>)	NP	OTC;QL(480 ml per fill retail); AL(Up to 21 yrs old)
<i>saline soln na 0.002 %-0.65 %, 0.65 %</i>	P	OTC;QL(480 ml per fill retail); AL(Up to 21 yrs old)
Nasal Antiallergy		
<i>azelastine hcl soln na 0.1 %, 137 mcg/spray</i>	P	
<i>azelastine hcl soln na 0.15 %</i>	P	QL(30 ml per fill retail)

Georgia Inter-Pregnancy Care

P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Updated January 1, 2021

Drug Name	Drug Tier	Requirements/Limits
<i>cromolyn sodium (nasal) aers</i>	P	OTC;QL(26 ml per 30 days retail)
NASALCROM AERS (<i>Use cromolyn sodium (nasal)</i>)	NP	OTC;QL(26 ml per 30 days retail)
Nasal Anticholinergics		
<i>ipratropium bromide (nasal) soln 0.03 %</i>	P	QL(31 ml per 30 days retail)
<i>ipratropium bromide (nasal) soln 0.06 %</i>	P	QL(15 ml per 30 days retail)
Nasal Steroids		
FLONASE ALLERGY RELIEF CHILDRENS SUSP (<i>Use fluticasone propionate (nasal)</i>)	NP	QL(16 ml per fill retail); RX/OTC
FLONASE ALLERGY RELIEF SUSP (<i>Use fluticasone propionate (nasal)</i>)	NP	QL(16 ml per fill retail); RX/OTC
<i>flunisolide (nasal) soln</i>	P	QL(25 ml per 30 days retail)
<i>fluticasone propionate (nasal) susp</i>	P	QL(16 ml per fill retail); RX/OTC
NASACORT ALLERGY 24HR AERO	P	AL(At least 2 yrs old)
NASACORT ALLERGY 24HR AERO (<i>Use triamcinolone acetonide (nasal)</i>)	NP	AL(At least 2 yrs old)
NASACORT ALLERGY 24HR CHILDRENS AERO (<i>Use triamcinolone acetonide (nasal)</i>)	NP	AL(At least 2 yrs old)
<i>triamcinolone acetonide (nasal) aero</i>	P	AL(At least 2 yrs old)
Sympathomimetic Decongestants		
ADRENALIN SOLN NA 0.1 % (<i>Use epinephrine hcl (nasal)</i>)	NP	QL(120 ml per fill retail); AL(Up to 21 yrs old)
<i>epinephrine hcl (nasal) soln</i>	P	QL(120 ml per fill retail); AL(Up to 21 yrs old)

Drug Name	Drug Tier	Requirements/Limits
NASAL DECONGESTANT LIQD	P	OTC;AL(Up to 21 yrs old)
NASAL DECONGESTANT SYRP	P	OTC;QL(1 ml daily); AL(Up to 21 yrs old)
<i>phenylephrine hcl (oral) tabs</i>	P	OTC;QL(24 ea per fill retail)
<i>pseudoephedrine hcl liqd or 15 mg/5ml</i>	P	OTC;AL(Up to 21 yrs old)
<i>pseudoephedrine hcl tabs or 60 mg, 30 mg</i>	P	OTC;AL(Up to 21 yrs old)
<i>pseudoephedrine hcl tb12 or 120 mg</i>	P	OTC;QL(62 ea per 30 days retail); AL(Up to 21 yrs old)
SUDAFED CHILDRENS LIQD (<i>Use pseudoephedrine hcl</i>)	NP	OTC;AL(Up to 21 yrs old)
SUDAFED CONGESTION TABS (<i>Use pseudoephedrine hcl</i>)	NP	OTC;AL(Up to 21 yrs old)
SUDAFED PE CHILDRENS NASAL DECONGESTANT SOLN	P	OTC;QL(120 ml per fill retail)
SUDAFED PE SINUS CONGESTION TABS (<i>Use phenylephrine hcl (oral)</i>)	NP	OTC;QL(24 ea per fill retail)
SUDAFED SINUS CONGESTION TABS (<i>Use pseudoephedrine hcl</i>)	NP	OTC;AL(Up to 21 yrs old)
NEUROMUSCULAR AGENTS - Drugs to Relax/Paralyze Muscles		
ALS Agents		
RILUTEK TABS (<i>Use riluzole</i>)	NP	PA
<i>riluzole tabs</i>	P	PA
NUTRIENTS		
Carbohydrates		
POLYCOSE LIQD	P	OTC;QL(124 ml per fill retail)
POLYCOSE POWD	P	OTC;QL(350 gm per fill retail)
Misc. Nutritional Substances		

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
<i>omega-3 fatty acids caps</i> 12 mg-1200 mg-360 mg-360 mg, 120 mg-1200 mg-180 mg-60 mg, 1200 mg, 1200 mg-144 mg-15 unit-216 mg, 1200 mg-144 mg-180 mg, 1200 mg-144 mg-216 mg, 1200 mg-144 mg-216 mg-360 mg, 1200 mg-2 unit, 1200 mg-216 mg-324 mg-600 mg, 1200 mg-276 mg-336 mg, 1200 mg-300 mg-360 mg-60 mg, 1200 mg-360 mg, 1200 mg-600 mg, 1 gm-120 mg-180 mg-300 mg, 1 mg-1000 mg-120 mg-180 mg, 1 unit-1000 mg-1000 mg-300 mg, 1 unit-1000 mg-120 mg-180 mg, 1 unit-1000 mg-120 mg-180 mg-340 mg, 1 unit-1000 mg-200 mg-300 mg, 1 unit-1000 mg-300 mg, 1.8 unit-120 mg-180 mg, 10 unit-100 mg-1000 mg-500 mg, 100 mg-1000 mg-160 mg, 1000 mg, 1000 mg-120 mg-180 mg, 1000 mg-120 mg-180 mg-300 mg, 1000 mg-180 mg-270 mg, 1000 mg-200 mg-300 mg, 1000 mg-210 mg-75 mg-90 mg, 1000 mg-250 mg-350 mg, 1000 mg-250 mg-500 mg, 1000 mg-300 mg, 1000 mg-300 mg-400 mg, 1000 mg-350 mg, 1000 mg-360 mg-455 mg-900 mg, 1000 mg-600 mg, 120 mg-180 mg, 120 mg-180 mg-300 mg, 120 mg-180 mg-5 unit	P	OTC;QL(6 ea daily)
<i>omega-3 fatty acids cpdr</i> 1200 mg, 1200 mg-144 mg-216 mg-360 mg, 1200 mg-360 mg, 1200 mg-684 mg	P	QL(6 ea daily)
OPHTHALMIC AGENTS - Drugs to Treat the Eye		
Artificial Tears and Lubricants		

Drug Name	Drug Tier	Requirements/Limits
HYPOTEARNS SOLN	P	OTC;QL(31 ml per 30 days retail)
<i>polyvinyl alcohol soln op</i>	P	OTC;QL(31 ml per 30 days retail)
TEARS NATURALE PM OINT (<i>Use white petrolatum-mineral oil</i>)	NP	OTC;QL(30 gm per fill retail)
<i>white petrolatum-mineral oil oint</i>	P	OTC;QL(30 gm per fill retail)
Beta-blockers - Ophthalmic		
BETAGAN SOLN (<i>Use levobunolol hcl</i>)	NP	QL(15 ml per 30 days retail)
<i>betaxolol hcl (ophth) soln</i>	P	
<i>carteolol hcl (ophth) soln</i>	P	
COSOPT SOLN (<i>Use dorzolamide hcl-timolol maleate</i>)	NP	QL(10 ml per 30 days retail)
<i>dorzolamide hcl-timolol maleate soln 0.5 %-2 %, 20 mg/ml-5 mg/ml, 22.3 mg/ml-6.8 mg/ml</i>	P	QL(10 ml per 30 days retail)
<i>levobunolol hcl soln</i>	P	QL(15 ml per 30 days retail)
<i>timolol maleate (ophth) soln 0.25 %, 0.5 %</i>	P	QL(15 ml per 30 days retail)
<i>timolol maleate (ophth) soln 0.5 %</i>	P	QL(15 ea per 30 days retail)
TIMOPTIC OCUDOSE SOLN 0.25 %	P	QL(15 ea per 30 days retail)
TIMOPTIC OCUDOSE SOLN 0.5 % (<i>Use timolol maleate (ophth)</i>)	NP	QL(15 ea per 30 days retail)
TIMOPTIC SOLN (<i>Use timolol maleate (ophth)</i>)	NP	QL(15 ml per 30 days retail)
Cycloplegic Mydriatics		
ATROPINE SULFATE OINT OP 1 %	P	
ATROPINE SULFATE SOLN OP 1 %	P	
CYCLOGYL SOLN 0.5 % (<i>Use cyclopentolate hcl</i>)	NP	QL(15 ml per 30 days retail)

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
CYCLOGYL SOLN 2 %, 1 % (Use cyclopentolate hcl)	NP	
cyclopentolate hcl soln op 0.5 %	P	QL(15 ml per 30 days retail)
cyclopentolate hcl soln op 2 %, 1 %	P	
homatropine hbr soln	P	QL(15 ml per fill retail)
ISOPTO ATROPINE SOLN	P	
MYDRIACYL SOLN (Use tropicamide)	NP	
phenylephrine hcl (mydriatic) soln	P	QL(5 ml per 30 days retail)
tropicamide soln op 0.5 %, 1 %	P	
Miotics		
ISOPTO CARPINE SOLN (Use pilocarpine hcl)	NP	
pilocarpine hcl soln op 1 %, 2 %, 4 %	P	
Ophthalmic Adrenergic Agents		
apraclonidine hcl soln	P	
brimonidine tartrate soln op 0.2 %	P	
IOPIDINE SOLN 0.5 % (Use apraclonidine hcl)	NP	
IOPIDINE SOLN 1 %	P	
Ophthalmic Anti-infectives		
BACIGUENT OINT OP	P	QL(4 gm per 30 days retail)
bacitracin (ophthalmic) oint	P	QL(4 gm per 30 days retail)
bacitracin-polymyxin b (ophth) oint	P	QL(4 gm per 30 days retail)
BLEPH-10 SOLN (Use sulfacetamide sodium (ophth))	NP	QL(15 ml per 30 days retail)
CILOXAN OINT	P	
CILOXAN SOLN (Use ciprofloxacin hcl (ophth))	NP	
ciprofloxacin hcl (ophth) soln	P	

Drug Name	Drug Tier	Requirements/Limits
erythromycin (ophth) oint	P	
gentamicin sulfate (ophth) oint	P	QL(4 gm per 30 days retail)
gentamicin sulfate (ophth) soln	P	
moxifloxacin hcl (ophth) soln	P	QL(3 ml per fill retail)
neomycin-bacitracin zn-polymyxin oint	P	QL(4 gm per 30 days retail)
neomycin-polymyxin-gramicidin soln	P	QL(10 ml per 30 days retail)
OCUFLOX SOLN (Use ofloxacin (ophth))	NP	QL(10 ml per 30 days retail)
ofloxacin (ophth) soln	P	QL(10 ml per 30 days retail)
polymyxin b-trimethoprim soln	P	QL(10 ml per fill retail)
POLYTRIM SOLN (Use polymyxin b-trimethoprim)	NP	QL(10 ml per fill retail)
sulfacetamide sodium (ophth) oint	P	QL(4 gm per 30 days retail)
sulfacetamide sodium (ophth) soln	P	QL(15 ml per 30 days retail)
tobramycin (ophth) soln	P	QL(5 ml per 30 days retail)
TOBREX OINT	P	
TOBREX SOLN (Use tobramycin (ophth))	NP	QL(5 ml per 30 days retail)
trifluridine soln	P	QL(8 ml per 30 days retail)
VIGAMOX SOLN (Use moxifloxacin hcl (ophth))	NP	QL(3 ml per fill retail)
VIROPTIC SOLN (Use trifluridine)	NP	QL(8 ml per 30 days retail)
Ophthalmic Decongestants		
naphazoline w/ pheniramine soln 0.027 %-0.315 %	P	OTC;QL(15 ml per 30 days retail)
OPCON-A SOLN (Use naphazoline w/ pheniramine)	NP	OTC;QL(15 ml per 30 days retail)
tetrahydrozoline hcl (ophth) soln	P	OTC

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
VISINE RED EYE COMFORT SOLN (<i>Use tetrahydrozoline hcl (ophth)</i>)	NP	OTC
VISINE SOLN (<i>Use tetrahydrozoline hcl (ophth)</i>)	NP	OTC
Ophthalmic Local Anesthetics		
<i>tetracaine hcl (ophth) soln</i>	P	
Ophthalmic Steroids		
BLEPHAMIDE S.O.P. OINT	P	
BLEPHAMIDE SUSP	P	QL(10 ml per fill retail)
<i>dexamethasone sodium phosphate (ophth) soln</i>	P	
<i>fluorometholone (ophth) susp</i>	P	
FML LIQUIFILM SUSP (<i>Use fluorometholone (ophth)</i>)	NP	
FML OINT	P	QL(4 gm per 30 days retail)
MAXITROL OINT 0.1 %-10000 UNIT/GM-3.5 MG/GM (<i>Use neomycin-polymy-dexameth</i>)	NP	QL(4 gm per 30 days retail)
MAXITROL SUSP 0.1 %-10000 UNIT/ML-3.5 MG/ML (<i>Use neomycin-polymy-dexameth</i>)	NP	QL(10 ml per 30 days retail)
<i>neomycin-polymy-dexameth oint 0.1 %-10000 unit/gm-3.5 mg/gm</i>	P	QL(4 gm per 30 days retail)
<i>neomycin-polymy-dexameth susp 0.1 %-10000 unit/ml-3.5 mg/ml</i>	P	QL(10 ml per 30 days retail)
<i>neomycin-polymyxin-hc (ophth) susp</i>	P	QL(15 ml per 30 days retail)
OMNIPRED SUSP (<i>Use prednisolone acetate (ophth)</i>)	NF	
PRED FORTE SUSP (<i>Use prednisolone acetate (ophth)</i>)	NF	

Drug Name	Drug Tier	Requirements/Limits
PRED MILD SUSP	P	QL(10 ml per 30 days retail)
PRED-G SUSP	P	QL(5 ml per fill retail)
<i>prednisolone acetate (ophth) susp</i>	P	
PREDNISOLONE ACETATE P-F SUSP	P	
PREDNISOLONE SODIUM PHOSPHATE SOLN OP 1 %	P	QL(15 ml per 30 days retail)
<i>sulfacetamide sod-prednisolone soln</i>	P	QL(10 ml per 30 days retail)
TOBRADEX OINT	P	QL(4 gm per 30 days retail)
TOBRADEX SUSP (<i>Use tobramycin-dexamethasone</i>)	NP	QL(10 ml per fill retail)
<i>tobramycin-dexamethasone susp</i>	P	QL(10 ml per fill retail)
Ophthalmics - Misc.		
ACULAR LS SOLN (<i>Use ketorolac tromethamine (ophth)</i>)	NP	QL(5 ml per 30 days retail)
ACULAR SOLN (<i>Use ketorolac tromethamine (ophth)</i>)	NP	QL(10 ml per fill retail)
ALOCRIAL SOLN	P	PA; QL(5 ml per 30 days retail)
ALOMIDE SOLN	P	PA; QL(10 ml per 30 days retail)
<i>azelastine hcl (ophth) soln</i>	P	QL(6 ml per 30 days retail)
AZOPT SUSP	P	
<i>cromolyn sodium (ophth) soln</i>	P	QL(10 ml per fill retail)
<i>diclofenac sodium (ophth) soln</i>	P	QL(3 ml per 30 days retail)
DORZOLAMIDE HCL SOLN	P	QL(10 ml per 30 days retail)
<i>dorzolamide hcl soln</i>	P	QL(10 ml per 30 days retail)

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
<i>flurbiprofen sodium soln</i>	P	QL(5 ml per 30 days retail)
<i>ketorolac tromethamine (ophth) soln 0.4 %</i>	P	QL(5 ml per 30 days retail)
<i>ketorolac tromethamine (ophth) soln 0.5 %</i>	P	QL(10 ml per fill retail)
<i>ketotifen fumarate (ophth) soln</i>	P	
TRUSOPT SOLN (Use <i>dorzolamide hcl</i>)	NP	QL(10 ml per 30 days retail)
ZADITOR SOLN (Use <i>ketotifen fumarate (ophth)</i>)	NP	
Prostaglandins - Ophthalmic		
<i>latanoprost soln op</i>	P	QL(5 ml per 30 days retail)
XALATAN SOLN (Use <i>latanoprost</i>)	NP	QL(5 ml per 30 days retail)
OTIC AGENTS - Drugs to Treat the Ear		
Otic Agents - Miscellaneous		
<i>acetic acid (otic) soln</i>	P	QL(15 ml per 30 days retail)
<i>carbamide peroxide (otic) soln</i>	P	OTC;QL(15 ml per 30 days retail)
DEBROX SOLN (Use <i>carbamide peroxide (otic)</i>)	NP	OTC;QL(15 ml per 30 days retail)
Otic Anti-infectives		
FLOXIN OTIC SOLN (Use <i>ofloxacin (otic)</i>)	NP	QL(10 ml per fill retail)
<i>ofloxacin (otic) soln</i>	P	QL(10 ml per fill retail)
Otic Combinations		
CIPRODEX SUSP (Use <i>ciprofloxacin-dexamethasone</i>)	NP	QL(7.5 ml per fill retail)1 rtl MAX fill,30 rtl day(s) supply,
<i>ciprofloxacin-dexamethasone susp</i>	P	QL(7.5 ml per fill retail)1 rtl MAX fill,30 rtl day(s) supply,
CORTANE-B-OTIC SOLN (Use <i>pramoxine-hc-chloroxylenol</i>)	NP	QL(15 ml per fill retail)

Drug Name	Drug Tier	Requirements/Limits
<i>neomycin-polymyxin-hc (otic) soln</i>	P	QL(10 ml per fill retail)
<i>neomycin-polymyxin-hc (otic) susp</i>	P	QL(20 ml per 30 days retail)
OTICIN HC NR SOLN (Use <i>pramoxine-hc-chloroxylenol</i>)	NP	QL(15 ml per fill retail)
<i>pramoxine-hc-chloroxylenol soln</i>	P	QL(15 ml per fill retail)
Otic Steroids		
DERMOTIC OIL (Use <i>fluocinolone acetonide (otic)</i>)	NP	QL(20 ml per fill retail); AL(At least 5 yrs old)
<i>fluocinolone acetonide (otic) oil</i>	P	QL(20 ml per fill retail); AL(At least 5 yrs old)
<i>hydrocortisone w/acetic acid soln</i>	P	QL(20 ml per 30 days retail)
OXYTOCICS - Drugs to Prevent/Control Uterine Bleeding		
Oxytocics		
<i>methylergonovine maleate tabs or 0.2 mg</i>	P	
PASSIVE IMMUNIZING AND TREATMENT AGENTS - Antibody Drugs to Treat Low Immune System		
Immune Serums		
HYPERRHO S/D SOSY	P	
RHOGAM ULTRA-FILTERED PLUS SOSY	P	
PENICILLINS - Drugs to Treat Bacterial Infections		
Aminopenicillins		
<i>amoxicillin caps 250 mg, 500 mg</i>	P	
<i>amoxicillin chew 125 mg, 250 mg</i>	P	
<i>amoxicillin susr 125 mg/5ml, 200 mg/5ml, 250 mg/5ml, 400 mg/5ml</i>	P	
<i>amoxicillin tabs 875 mg</i>	P	
<i>ampicillin caps</i>	P	

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
Natural Penicillins		
<i>penicillin v potassium solr</i>	P	
<i>penicillin v potassium tabs</i>	P	
Penicillin Combinations		
<i>amoxicillin & pot clavulanate chew 200 mg-28.5 mg, 400 mg-57 mg</i>	P	QL(20 ea per fill retail)
<i>amoxicillin & pot clavulanate susr 200 mg/5ml-28.5 mg/5ml</i>	P	QL(100 ml per fill retail)
<i>amoxicillin & pot clavulanate susr 250 mg/5ml-62.5 mg/5ml</i>	P	QL(150 ml per fill retail)
<i>amoxicillin & pot clavulanate susr 400 mg/5ml-57 mg/5ml, 42.9 mg/5ml-600 mg/5ml</i>	P	QL(200 ml per fill retail)
<i>amoxicillin & pot clavulanate tabs 125 mg-250 mg, 125 mg-500 mg</i>	P	QL(30 ea per fill retail)
<i>amoxicillin & pot clavulanate tabs 125 mg-875 mg</i>	P	QL(20 ea per fill retail)
<i>amoxicillin & pot clavulanate tb12 1000 mg-62.5 mg</i>	P	QL(40 ea per 30 days retail)
AUGMENTIN ES-600 SUSR (Use <i>amoxicillin & pot clavulanate</i>)	NP	QL(200 ml per fill retail)
AUGMENTIN SUSR 125 MG/5ML-31.25 MG/5ML	P	QL(150 ml per fill retail)
AUGMENTIN SUSR 250 MG/5ML-62.5 MG/5ML (Use <i>amoxicillin & pot clavulanate</i>)	NP	QL(150 ml per fill retail)
AUGMENTIN TABS 125 MG-500 MG (Use <i>amoxicillin & pot clavulanate</i>)	NP	QL(30 ea per fill retail)
AUGMENTIN TABS 125 MG-875 MG (Use <i>amoxicillin & pot clavulanate</i>)	NP	QL(20 ea per fill retail)

Drug Name	Drug Tier	Requirements/Limits
AUGMENTIN XR TB12 (Use <i>amoxicillin & pot clavulanate</i>)	NP	QL(40 ea per 30 days retail)
Penicillinase-Resistant Penicillins		
<i>dicloxacillin sodium caps</i>	P	
PHARMACEUTICAL ADJUVANTS		
Internal Vehicle Ingredients/Agents		
SIMPLYTHICK EASY MIX GEL	P	PA; OTC;QL(1816 ml per fill retail); AL(At least 1 yrs old)
SIMPLYTHICK EASYMIX GEL	P	PA; OTC;QL(1816 ml per fill retail); AL(At least 1 yrs old)
SIMPLYTHICK GEL	P	PA; OTC;QL(1816 ml per fill retail); AL(At least 1 yrs old)
Semi Solid Vehicles		
<i>lanolin oint ex</i>	P	RX/OTC
<i>lanolin oint xx</i>	P	RX/OTC
PROGESTINS - Hormone Replacement/Modifying Drugs		
Progestins		
AYGESTIN TABS (Use <i>norethindrone acetate</i>)	NP	
<i>hydroxyprogesterone caproate oil im</i>	P	PA; QL(2 ml per fill retail,2 ml per 11 days retail); SP
MAKENA OIL (Use <i>hydroxyprogesterone caproate</i>)	NP	PA; QL(2 ml per fill retail,2 ml per 11 days retail); SP
<i>medroxyprogesterone acetate tabs or 10 mg, 2.5 mg, 5 mg</i>	P	
<i>norethindrone acetate tabs or</i>	P	

Georgia Inter-Pregnancy Care

P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Updated January 1, 2021

Drug Name	Drug Tier	Requirements/Limits
<i>progesterone micronized caps or 100 mg</i>	P	QL(30 ea per 30 days retail)
<i>progesterone micronized caps or 200 mg</i>	P	QL(20 ea per 30 days retail)
PROMETRIUM CAPS 100 MG (<i>Use progesterone micronized</i>)	NP	QL(30 ea per 30 days retail)
PROMETRIUM CAPS 200 MG (<i>Use progesterone micronized</i>)	NP	QL(20 ea per 30 days retail)
PROVERA TABS (<i>Use medroxyprogesterone acetate</i>)	NP	
PSYCHOTHERAPEUTIC AND NEUROLOGICAL AGENTS - MISC. - Drugs to Treat Mental and Emotional Conditions		
Agents for Chemical Dependency		
ANTABUSE TABS 250 MG (<i>Use disulfiram</i>)	NP	
<i>disulfiram tabs or 250 mg</i>	P	
Antidementia Agents		
ARICEPT TABS 10 MG, 5 MG (<i>Use donepezil hydrochloride</i>)	NP	QL(1 ea daily)
<i>donepezil hydrochloride tabs 10 mg, 5 mg</i>	P	QL(1 ea daily)
EXELON PT24 4.6 MG/24HR, 9.5 MG/24HR (<i>Use rivastigmine</i>)	NP	PA; QL(1 ea daily)
<i>galantamine hydrobromide cp24 16 mg, 24 mg, 8 mg</i>	P	QL(1 ea daily)
<i>galantamine hydrobromide soln 4 mg/ml</i>	P	QL(6 ml daily)
<i>galantamine hydrobromide tabs 12 mg, 4 mg, 8 mg</i>	P	QL(2 ea daily)
<i>memantine hcl soln 10 mg/5ml, 2 mg/ml</i>	P	PA; QL(2 ml daily)
<i>memantine hcl tabs</i>	P	PA; 1 rtl pack lmt amt, 28 rtl pack lmt day(s),
<i>memantine hcl tabs 10 mg, 5 mg</i>	P	PA; QL(2 ea daily)
NAMENDA TABS (<i>Use memantine hcl</i>)	NP	PA; QL(2 ea daily)

Drug Name	Drug Tier	Requirements/Limits
NAMENDA TITRATION PAK TABS (<i>Use memantine hcl</i>)	NP	PA; 1 rtl pack lmt amt, 28 rtl pack lmt day(s),
RAZADYNE ER CP24 (<i>Use galantamine hydrobromide</i>)	NP	QL(1 ea daily)
RAZADYNE TABS (<i>Use galantamine hydrobromide</i>)	NP	QL(2 ea daily)
<i>rivastigmine pt24 4.6 mg/24hr, 9.5 mg/24hr</i>	P	PA; QL(1 ea daily)
<i>rivastigmine tartrate caps</i>	P	PA; QL(2 ea daily)
Combination Psychotherapeutics		
<i>perphenazine-amitriptyline tabs</i>	P	QL(4 ea daily)
Fibromyalgia Agents		
SAVELLA TABS	P	PA; QL(2 ea daily)
SAVELLA TITRATION PACK MISC	P	PA; QL(55 ea per 365 days retail)
Multiple Sclerosis Agents		
AVONEX PEN AJKT	P	PA; SP
AVONEX PSKT	P	PA; SP
COPAXONE SOSY (<i>Use glatiramer acetate</i>)	NP	PA; SP
<i>dimethyl fumarate cpdr or 120 mg, 240 mg</i>	P	PA; SP
<i>dimethyl fumarate misc or</i>	P	PA; SP
GILENYA CAPS	P	PA; SP
<i>glatiramer acetate sosy</i>	P	PA; SP
PLEGRIDY SOPN	P	PA; SP
PLEGRIDY SOSY	P	PA; SP
PLEGRIDY STARTER PACK SOPN	P	PA; SP
PLEGRIDY STARTER PACK SOSY	P	PA; SP
TECFIDERA CPDR (<i>Use dimethyl fumarate</i>)	NP	PA; SP

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
TECFIDERA STARTER PACK MISC (Use dimethyl fumarate)	NP	PA; SP
Premenstrual Dysphoric Disorder (PMDD) Agents		
fluoxetine hcl (pmdd) caps 10 mg, 20 mg	P	QL(4 ea daily)
Smoking Deterrents		
bupropion hcl (smoking deterrent) tb12	P	QL(2 ea daily); AL(At least 18 yrs old)
CHANTIX CONTINUING MONTHPAK TABS	P	QL(2 ea daily); AL(At least 18 yrs old)
CHANTIX STARTING MONTH PAK TABS	P	QL(53 ea per fill retail); AL(At least 18 yrs old)
CHANTIX TABS	P	QL(2 ea daily); AL(At least 18 yrs old)
NICODERM CQ PT24 (Use nicotine)	NP	QL(1 ea daily)
NICORETTE GUM 2 MG, 4 MG (Use nicotine polacrilex)	NP	QL(24 ea daily)
NICORETTE LOZG 2 MG, 4 MG (Use nicotine polacrilex)	NP	QL(20 ea daily)
NICORETTE MINI LOZG (Use nicotine polacrilex)	NP	QL(20 ea daily)
NICORETTE STARTER KIT GUM (Use nicotine polacrilex)	NP	QL(24 ea daily)
nicotine polacrilex gum mt 2 mg, 4 mg	P	QL(24 ea daily)
nicotine polacrilex lozg mt 2 mg, 4 mg	P	QL(20 ea daily)
nicotine pt24	P	QL(1 ea daily)
NICOTINE TRANSDERMAL SYSTEM KIT	P	
NICOTROL INHALER INHA	P	QL(16.8 ea daily)
NICOTROL NS SOLN	P	QL(4 ml daily)

Drug Name	Drug Tier	Requirements/Limits
ZYBAN TB12 (Use bupropion hcl (smoking deterrent))	NP	QL(2 ea daily); AL(At least 18 yrs old)
RESPIRATORY AGENTS - MISC. - Drugs to Treat Lung Conditions		
Cystic Fibrosis Agents		
KALYDECO PACK	P	PA; SP
KALYDECO TABS	P	PA; SP
ORKAMBI TABS	P	PA; SP
SYMDEKO TBPK	P	PA; SP
TETRACYCLINES - Drugs to Treat Bacterial Infections		
Tetracyclines		
doxycycline (monohydrate) caps 50 mg, 100 mg	P	
doxycycline (monohydrate) tabs 100 mg, 50 mg	P	
doxycycline hyclate caps or 50 mg, 100 mg	P	
doxycycline hyclate tabs or 100 mg	P	
MINOCIN CAPS OR 50 MG (Use minocycline hcl)	NP	
minocycline hcl caps or 50 mg, 75 mg, 100 mg	P	
VIBRAMYCIN CAPS 100 MG (Use doxycycline hyclate)	NP	
THYROID AGENTS - Drugs to Regulate Thyroid Hormones		
Antithyroid Agents		
methimazole tabs or 10 mg, 5 mg	P	
propylthiouracil tabs or	P	
TAPAZOLE TABS (Use methimazole)	NP	
Thyroid Hormones		

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
ARMOUR THYROID TABS 120 MG, 15 MG, 30 MG, 60 MG, 90 MG (<i>Use thyroid</i>)	P	
ARMOUR THYROID TABS 180 MG, 240 MG, 300 MG	P	
CYTOMEL TABS (<i>Use liothyronine sodium</i>)	NP	
<i>levothyroxine sodium tabs or 300 mcg, 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i>	P	
<i>liothyronine sodium tabs or 25 mcg, 5 mcg, 50 mcg</i>	P	
SYNTHROID TABS (<i>Use levothyroxine sodium</i>)	P	
<i>thyroid tabs or 120 mg, 15 mg, 30 mg, 60 mg, 90 mg</i>	P	

TOXOIDS

Toxoid Combinations

ADACEL SUSP	P	QL(0.5 ml per fill retail); AL(At least 19 yrs old)
BOOSTRIX SUSP	P	QL(0.5 ml per fill retail); AL(At least 19 yrs old)
DIPHTHERIA/TETANUS TOXOIDS ADSORBED PEDIATRIC SUSP	P	QL(0.5 ml per fill retail); AL(At least 19 yrs old)
INFANRIX SUSP	P	QL(0.5 ml per fill retail); AL(At least 19 yrs old)
TDVAX SUSP	P	Limit 1 per 10 years;QL(0.5 ml per fill retail); AL(At least 19 yrs old)

Drug Name	Drug Tier	Requirements/Limits
TENIVAC INJ	P	Limit 1 per 10 years;QL(0.5 ml per fill retail); AL(At least 19 yrs old)
TETANUS/DIPHTHERIA TOXOIDS-ADSORBED ADULT SUSP	P	Limit 1 per 10 years;QL(0.5 ml per fill retail); AL(At least 19 yrs old)

ULCER DRUGS - Drugs to Treat Bowel, Intestine and Stomach Conditions

Proton Pump Inhibitors

<i>omeprazole 20mg tablet</i>	P	QL (1 ea daily); OTC
-------------------------------	---	----------------------

Antispasmodics

<i>dicyclomine hcl caps or 10 mg</i>	P	
<i>dicyclomine hcl soln or 10 mg/5ml</i>	P	QL(496 ml per 30 days retail)
<i>dicyclomine hcl tabs or 20 mg</i>	P	
<i>glycopyrrolate tabs or 1 mg, 2 mg</i>	P	QL(4 ea daily)
<i>hyoscyamine sulfate elix or 0.125 mg/5ml</i>	P	
HYOSCYAMINE SULFATE POWD XX	P	
<i>hyoscyamine sulfate soln ij 0.5 mg/ml</i>	P	
<i>hyoscyamine sulfate soln or 0.125 mg/ml</i>	P	
<i>hyoscyamine sulfate subl sl 0.125 mg</i>	P	
<i>hyoscyamine sulfate tabs or 0.125 mg</i>	P	
<i>hyoscyamine sulfate tb12 or 0.375 mg</i>	P	QL(4 ea daily)
<i>hyoscyamine sulfate tbdp or 0.125 mg</i>	P	
LEVBID TB12 (<i>Use hyoscyamine sulfate</i>)	NP	QL(4 ea daily)
LEVSIN SOLN (<i>Use hyoscyamine sulfate</i>)	NP	

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
SYMAX DUOTAB TBCR	P	
H-2 Antagonists		
<i>cimetidine hcl soln</i>	P	
<i>cimetidine tabs or 200 mg</i>	P	RX/OTC
<i>cimetidine tabs or 300 mg, 400 mg, 800 mg</i>	P	
<i>famotidine susr or 40 mg/5ml</i>	P	
<i>famotidine tabs or 10 mg</i>	P	OTC
<i>famotidine tabs or 20 mg</i>	P	RX/OTC
<i>famotidine tabs or 40 mg</i>	P	
PEPCID AC MAXIMUM STRENGTH TABS (<i>Use famotidine</i>)	NP	RX/OTC
PEPCID AC TABS (<i>Use famotidine</i>)	NP	OTC
PEPCID TABS 20 MG (<i>Use famotidine</i>)	NP	RX/OTC
PEPCID TABS 40 MG (<i>Use famotidine</i>)	NP	
TAGAMET HB TABS (<i>Use cimetidine</i>)	NP	RX/OTC
Misc. Anti-Ulcer		
CARAFATE SUSP 1 GM/10ML (<i>Use sucralfate</i>)	NP	QL(420 ml per fill retail)
CARAFATE TABS 1 GM (<i>Use sucralfate</i>)	NP	
<i>sucralfate susp or 1 gm/10ml</i>	P	QL(420 ml per fill retail)
<i>sucralfate tabs or 1 gm</i>	P	
Proton Pump Inhibitors		
DEXILANT CPDR	P	ST
<i>lansoprazole cpdr or 15 mg</i>	P	QL(4 ea daily); RX/OTC
<i>lansoprazole cpdr or 30 mg</i>	P	
<i>omeprazole cpdr or 10 mg, 40 mg</i>	P	QL(2 ea daily)

Drug Name	Drug Tier	Requirements/Limits
<i>omeprazole cpdr or 20 mg</i>	P	QL(2 ea daily); RX/OTC
<i>omeprazole magnesium tbec 20 mg</i>	P	OTC;QL(1 ea daily)
<i>pantoprazole sodium tbec or 20 mg</i>	P	QL(1 ea daily)
<i>pantoprazole sodium tbec or 40 mg</i>	P	QL(2 ea daily)
PREVACID 24HR CPDR (<i>Use lansoprazole</i>)	NP	QL(4 ea daily); RX/OTC
PREVACID CPDR 15 MG (<i>Use lansoprazole</i>)	NP	QL(4 ea daily); RX/OTC
PREVACID CPDR 30 MG (<i>Use lansoprazole</i>)	NP	
PRIOLOSEC OTC TBEC (<i>Use omeprazole magnesium</i>)	NP	OTC;QL(1 ea daily)
PROTONIX TBEC OR 20 MG (<i>Use pantoprazole sodium</i>)	NP	QL(1 ea daily)
PROTONIX TBEC OR 40 MG (<i>Use pantoprazole sodium</i>)	NP	QL(2 ea daily)
Ulcer Drugs - Prostaglandins		
CYTOTEC TABS (<i>Use misoprostol</i>)	NP	
<i>misoprostol tabs or 100 mcg, 200 mcg</i>	P	
URINARY ANTI-INFECTIVES - Drugs to Treat Bladder/Kidney Infections		
Urinary Anti-infectives		
<i>nitrofurantoin monohyd macro caps</i>	P	
URINARY ANTISPASMODICS - Drugs to Treat Miscellaneous Bladder Spasms		
Urinary Antispasmodic - Antimuscarinics		
DETROL LA CP24 (<i>Use tolterodine tartrate</i>)	NP	QL(1 ea daily)
DETROL TABS (<i>Use tolterodine tartrate</i>)	NP	QL(2 ea daily)
DITROPAN XL TB24 (<i>Use oxybutynin chloride</i>)	NP	QL(2 ea daily)
<i>oxybutynin chloride syrp or 5 mg/5ml</i>	P	QL(496 ml per 30 days retail)

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
<i>oxybutynin chloride tabs or 5 mg</i>	P	QL(3 ea daily)
<i>oxybutynin chloride tb24 or 10 mg, 15 mg, 5 mg</i>	P	QL(2 ea daily)
<i>tolterodine tartrate cp24 2 mg, 4 mg</i>	P	QL(1 ea daily)
<i>tolterodine tartrate tabs 1 mg, 2 mg</i>	P	QL(2 ea daily)
<i>tropium chloride tabs 20 mg</i>	P	QL(2 ea daily)
Urinary Antispasmodics - Cholinergic Agonists		
<i>bethanechol chloride tabs or 10 mg, 25 mg, 5 mg, 50 mg</i>	P	
URECHOLINE TABS (<i>Use bethanechol chloride</i>)	NP	
Urinary Antispasmodics - Direct Muscle Relaxants		
<i>flavoxate hcl tabs</i>	P	
VACCINES		
Bacterial Vaccines		
BEXSERO SUSY	P	QL(0.5 ml per fill retail)2 rtl MAX fill,999 rtl day(s) supply,; AL(At least 19 yrs old)
MENACTRA INJ	P	QL(0.5 ml per fill retail)2 rtl MAX fill,999 rtl day(s) supply,; AL(At least 19 yrs old)
MENQUADFI INJ	P	QL(0.5 ml per fill retail)2 rtl MAX fill,999 rtl day(s) supply,; AL(At least 19 yrs old)
MENVEO SOLR	P	QL(1 ea per fill retail)2 rtl MAX fill,999 rtl day(s) supply,; AL(At least 19 yrs old)

Drug Name	Drug Tier	Requirements/Limits
PNEUMOVAX 23 INJ	P	QL(0.5 ml per fill retail)2 rtl MAX fill,999 rtl day(s) supply,; AL(At least 19 yrs old)
PNEUMOVAX 23/1 DOSE INJ	P	QL(0.5 ml per fill retail)2 rtl MAX fill,999 rtl day(s) supply,; AL(At least 19 yrs old)
PREVNAR 13 SUSP	P	QL(0.5 ml per fill retail)2 rtl MAX fill,999 rtl day(s) supply,; AL(At least 19 yrs old)
TRUMENBA SUSY	P	QL(0.5 ml per fill retail)2 rtl MAX fill,999 rtl day(s) supply,; AL(At least 19 yrs old)
Viral Vaccines		
ENGERIX-B INJ IM 10 MCG/0.5ML	P	QL(0.5 ml per fill retail)3 rtl MAX fill,999 rtl day(s) supply,; AL(At least 19 yrs old)
ENGERIX-B INJ IM 20 MCG/ML	P	QL(1 ml per fill retail)3 rtl MAX fill,999 rtl day(s) supply,; AL(At least 19 yrs old)
ENGERIX-B SUSP IJ 10 MCG/0.5ML	P	QL(0.5 ml per fill retail)3 rtl MAX fill,999 rtl day(s) supply,; AL(At least 19 yrs old)
ENGERIX-B SUSP IJ 20 MCG/ML	P	QL(1 ml per fill retail)3 rtl MAX fill,999 rtl day(s) supply,; AL(At least 19 yrs old)

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
FLUAD QUADRIVALENT INFLUENZA VACCINE FOR ADULTS PRSY	P	QL(0.5 ml per fill retail); AL(At least 65 yrs old)
FLUZONE HIGH-DOSE PF 2020-2021 SUSY	P	QL(0.7 ml per fill retail); AL(At least 65 yrs old)
GARDASIL 9 SUSP	P	QL(0.5 ml per fill retail)3 rtl MAX fill,999 rtl day(s) supply,; AL(At least 19 yrs old)
GARDASIL 9 SUSY	P	QL(0.5 ml per fill retail)3 rtl MAX fill,999 rtl day(s) supply,; AL(At least 19 yrs old)
HAVRIX SUSP 1440 ELU/ML	P	QL(1 ml per fill retail)2 rtl MAX fill,999 rtl day(s) supply,; AL(At least 19 yrs old)
HAVRIX SUSP 720 ELU/0.5ML	P	QL(0.5 ml per fill retail)2 rtl MAX fill,999 rtl day(s) supply,; AL(At least 19 yrs old)
INFLUENZA VACCINE	P	AL; At least 13 years old; QL (1 ea per 180 days retail)
M-M-R II SOLR	P	QL(1 ea per fill retail)2 rtl MAX fill,999 rtl day(s) supply,; AL(At least 19 yrs old)
RECOMBIVAX HB SUSP 10 MCG/ML, 40 MCG/ML	P	QL(1 ml per fill retail)3 rtl MAX fill,999 rtl day(s) supply,; AL(At least 19 yrs old)

Drug Name	Drug Tier	Requirements/Limits
RECOMBIVAX HB SUSP 5 MCG/0.5ML	P	QL(0.5 ml per fill retail)3 rtl MAX fill,999 rtl day(s) supply,; AL(At least 19 yrs old)
VAQTA SUSP 25 UNIT/0.5ML	P	QL(0.5 ml per fill retail)2 rtl MAX fill,999 rtl day(s) supply,; AL(At least 19 yrs old)
VAQTA SUSP 50 UNIT/ML	P	QL(1 ml per fill retail)2 rtl MAX fill,999 rtl day(s) supply,; AL(At least 19 yrs old)
VARIVAX INJ	P	QL(0.5 ea per fill retail)2 rtl MAX fill,999 rtl day(s) supply,; AL(At least 19 yrs old)
ZOSTAVAX SUSR	P	QL(1 ea per fill retail)1 rtl MAX fill,999 rtl day(s) supply,; AL(At least 50 yrs old)

VAGINAL AND RELATED PRODUCTS

Vaginal Anti-infectives

CLEOCIN CREA VA 2 % (Use clindamycin phosphate vaginal)	NP	
clindamycin phosphate vaginal crea	P	
clotrimazole vaginal crea 1 %	P	OTC;QL(45 gm per 30 days retail)
clotrimazole vaginal crea 2 %	P	OTC;QL(31 gm per 30 days retail)
GYNAZOLE-1 CREA	P	
GYNE-LOTRIMIN 3 CREA (Use clotrimazole vaginal)	NP	OTC;QL(31 gm per 30 days retail)

Georgia Inter-Pregnancy Care

P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Updated January 1, 2021

Drug Name	Drug Tier	Requirements/Limits
GYNE-LOTRIMIN CREA (Use clotrimazole vaginal)	NP	OTC;QL(45 gm per 30 days retail)
METROGEL-VAGINAL GEL (Use metronidazole vaginal)	NP	QL(70 gm per fill retail)
<i>metronidazole vaginal gel</i>	P	QL(70 gm per fill retail)
<i>miconazole nitrate vaginal crea 4 %, 2 %</i>	P	OTC;QL(45 gm per 30 days retail)
<i>miconazole nitrate vaginal kit</i>	P	
<i>miconazole nitrate vaginal supp 100 mg</i>	P	OTC;QL(7 ea per 30 days retail)
<i>miconazole nitrate vaginal supp 200 mg</i>	P	QL(3 ea per 30 days retail)
MONISTAT 3 COMBINATION PACK KIT (Use miconazole nitrate vaginal)	NP	
MONISTAT 3 CREA (Use miconazole nitrate vaginal)	NP	OTC;QL(45 gm per 30 days retail)
MONISTAT 7 SIMPLY CURE CREA (Use miconazole nitrate vaginal)	NP	OTC;QL(45 gm per 30 days retail)
<i>terconazole vaginal crea</i>	P	
<i>terconazole vaginal supp</i>	P	
<i>tioconazole vaginal oint</i>	P	OTC
Vaginal Estrogens		
ESTRACE CREA VA 0.1 MG/GM (Use estradiol vaginal)	NP	QL(43 gm per 30 days retail)
<i>estradiol vaginal crea 0.1 mg/gm</i>	P	QL(43 gm per 30 days retail)
<i>estradiol vaginal tabs 10 mcg</i>	P	
PREMARIN CREA VA 0.625 MG/GM	P	QL(43 gm per fill retail)
VAGIFEM TABS (Use estradiol vaginal)	NP	

Drug Name	Drug Tier	Requirements/Limits
VASOPRESSORS - Drugs to Treat Heart and Circulation Conditions		
Anaphylaxis Therapy Agents		
AUVI-Q SOAJ 0.3 MG/0.3ML	NP	QL(2 ea per fill retail)4 rtl MAX fill,365 rtl day(s) supply,
<i>epinephrine (anaphylaxis) soaj 0.15 mg/0.15ml</i>	P	QL(2 ea per fill retail,4 ea per 365 days retail)
<i>epinephrine (anaphylaxis) soaj 0.15 mg/0.3ml, 0.3 mg/0.3ml</i>	P	QL(2 ea per fill retail)4 rtl MAX fill,365 rtl day(s) supply,
EPINEPHRINE SOAJ IJ 0.3 MG/0.3ML	NP	QL(2 ea per fill retail)4 rtl MAX fill,365 rtl day(s) supply,
EPIPEN 2-PAK SOAJ (Use epinephrine (anaphylaxis))	NP	QL(2 ea per fill retail)4 rtl MAX fill,365 rtl day(s) supply,
EPIPEN-JR 2-PAK SOAJ (Use epinephrine (anaphylaxis))	NP	QL(2 ea per fill retail)4 rtl MAX fill,365 rtl day(s) supply,
Vasopressors		
<i>midodrine hcl tabs</i>	P	
VITAMINS		
Oil Soluble Vitamins		
BABY DDROPS LIQD (Use cholecalciferol)	NP	Age limit = less than 6 months
<i>cholecalciferol caps or 1.25 mg, 50000 unit</i>	P	OTC;QL(8 ea per 30 days retail)
<i>cholecalciferol caps or 1000 unit, 25 mcg, 2000 unit, 50 mcg</i>	P	OTC;QL(100 ea per fill retail)
<i>cholecalciferol caps or 125 mcg, 5000 unit</i>	P	OTC;QL(2 ea daily)
<i>cholecalciferol liqd or 10 mcg/ml, 400 unit/ml</i>	P	
<i>cholecalciferol liqd or 400 ut/0.028ml</i>	P	Age limit = less than 6 months

Georgia Inter-Pregnancy Care Updated January 1, 2021
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
<i>cholecalciferol liqd or 5000 unit/ml</i>	P	Age limit = 6 months to 1 year
D-VI-SOL LIQD (<i>Use cholecalciferol</i>)	NP	
DRISDOL CAPS (<i>Use ergocalciferol</i>)	NP	
<i>ergocalciferol caps</i>	P	
<i>ergocalciferol soln</i>	P	
KEY-E CHEW OR	P	OTC;QL(2 ea daily)
MEPHYTON TABS (<i>Use phytonadione</i>)	NP	
<i>phytonadione tabs or</i>	P	
<i>vitamin e caps or 100 unit, 45 mg, 200 unit, 400 unit</i>	P	OTC;QL(2 ea daily)
VITAMIN E CHEW OR 400 UNIT	P	OTC;QL(2 ea daily)
Water Soluble Vitamins		
<i>ascorbic acid tabs or 250 mg, 1000 mg, 1000 mg-37 mg, 10 mg-500 mg, 14 mg-25 mg-500 mg, 25 mg-35 mg-500 mg, 37 mg-500 mg, 500 mg</i>	P	OTC;QL(100 ea per 30 days retail)
B-1 TABS	P	OTC;QL(100 ea per 30 days retail)
<i>niacin cpcr</i>	P	OTC
<i>niacin tabs</i>	P	OTC
<i>niacin tbcr</i>	P	OTC
NIACIN TR TBCR	P	OTC
<i>pyridoxine hcl tabs</i>	P	OTC
<i>riboflavin tabs or 25 mg, 50 mg, 100 mg</i>	P	OTC;QL(100 ea per 30 days retail)
SLO-NIACIN TBCR (<i>Use niacin</i>)	NP	OTC

Drug Name	Drug Tier	Requirements/ Limits
<i>thiamine hcl tabs</i>	P	OTC;QL(100 ea per 30 days retail)
<i>thiamine mononitrate tabs</i>	P	OTC;QL(100 ea per 30 days retail)

Index

abacavir sulfate	30	ALER-DRYL	22	ANUSOL-HC	7
abacavir sulfate-lamivudine	30	ALEVE	3	apraclonidine hcl	65
abacavir sulfate-lamivudine-zidovudine	30	ALEVE ARTHRITIS	3	APRISO	51
ABILIFY	30	ALKERAN	27	APTIVUS	30
ABSORICA	41	ALLEGRA ALLERGY	22	AQUORAL	61
ACCUPRIL	24	allopurinol	52	ARAVA	4
ACCURETIC	25	ALOCRIL	66	ARICEPT	69
acebutolol hcl	34	alogliptin benzoate	19	ARIMIDEX	27
acetaminophen	4	alogliptin-metformin hcl	17	aripiprazole	30
acetaminophen w/ codeine	6	alogliptin-pioglitazone	17	ARMOUR THYROID	71
acetazolamide	48	ALOMIDE	66	ARNUITY ELLIPTA	10
acetic acid (otic)	67	ALORA	50	AROMASIN	27
acetylcysteine	41	alprazolam	9	ARTHRITIS PAIN RELIEVING	46
ACNE MEDICATION 10	41	ALTACE	24	ASACOL HD	51
ACNE MEDICATION 5	41	alum & mag hydrox-simethicone	7	ascorbic acid	76
ACTIGALL	51	ALUMINUM HYDROXIDE	7	aspirin	4
ACTIVELLA	50	amantadine hcl	28	ASPIRIN	4
ACTONEL	49	AMARYL	20	aspirin	4
ACTOPLUS MET	17	AMBIEN	53	aspirin buffered (cal carb-mag carb-mag oxide)	4
ACTOS	19	AMERGE	57	ATACAND	24
ACULAR	66	AMICAR	53	ATACAND HCT	25
ACULAR LS	66	amiloride & hydrochlorothiazide	48	atazanavir sulfate	30
acyclovir	33	amiloride hcl	49	ATELVIA	49
acyclovir topical	44	aminocaproic acid	53	atenolol	34
ADACEL	71	amiodarone hcl	10	atenolol & chlorthalidone	25
ADALAT CC	34	amitriptyline hcl	17	ATIVAN	9
ADDERALL	1	amlodipine besylate	34	atomoxetine hcl	1
ADDERALL XR	1	amlodipine besylate-benazepril hcl	25	atorvastatin calcium	23
ADMELOG	19	amlodipine besylate-olmesartan	25	ATRIPLA	30
ADMELOG SOLOSTAR	19	medoxomil	25	ATROPINE SULFATE	64
ADRENALIN	63	amlodipine besylate-valsartan	25	ATROVENT HFA	10
ADVAIR DISKUS	11	amlodipine-valsartan-hydrochlorothiazide	25	AUGMENTIN	68
ADVIL	3	amoxapine	17	AUGMENTIN ES-600	68
ADVIL COLD & SINUS	38	amoxicillin	67	AUGMENTIN XR	68
AIMSCO TWIST LANCETS 32G	56	amoxicillin & pot clavulanate	68	AUVI-Q	75
AIMSCO TWIST LANCETS 33G	56	amphetamine-dextroamphetamine	1	AVALIDE	25
albuterol sulfate	11	ampicillin	67	AVAPRO	24
ALBUTEROL SULFATE	11	ANAFRANIL	17	AVONEX	69
albuterol sulfate	11	ANALPRAM-HC	7	AVONEX PEN	69
ALCOHOL PREP PADS-MISC	56	anastrozole	27	AYGESTIN	68
ALDACTAZIDE	48	ANDEXXA	21	AZASAN	59
ALDACTONE	49	ANDRODERM	7	azathioprine	59
ALDARA	45	ANTABUSE	69	azelastine hcl	62
alendronate sodium	49			azelastine hcl (ophth)	66
				azithromycin	55

AZOPT.....	66	bethanechol chloride.....	73	BYDUREON.....	19
AZOR.....	25	BEVYXXA.....	11	BYDUREON BCISE.....	19
AZULFIDINE.....	51	BEXSERO.....	73	BYDUREON PEN.....	19
AZULFIDINE EN-TABS.....	51	bicalutamide.....	27	BYETTA.....	19
b complex w/ c.....	61	BIKTARVY.....	30	CAFERGOT.....	57
B-1.....	76	BIOSPEC DMX.....	38	caffeine citrate.....	1
b-complex vitamins.....	61	BIOTENE DRY MOUTH		CAFFEINE CITRATED.....	1
b-complex w/ c & folic		MOISTURIZING SPRAY.....	61	CALAN.....	34
acid.....	61,62	bisacodyl.....	55	CALAN SR.....	34
BABY DDROPS.....	75	bisacodyl-peg 3350-pot		calcipotriene.....	43
BACIGUENT.....	42	chloride-sod bicarb-sod		calcitonin (salmon).....	49
bacitracin (ophthalmic).....	65	chloride.....	54	calcitriol.....	49
bacitracin (topical).....	42	bismuth subsalicylate.....	20	calcium acetate (phosphate	
bacitracin zinc.....	42	bisoprolol &		binder).....	51
bacitracin-polymyxin b		hydrochlorothiazide.....	25	calcium carbonate (antacid).....	8
(ophth).....	65	bisoprolol fumarate.....	34	calcium carbonate-	
baclofen.....	62	BLEPH-10.....	65	cholecalciferol.....	58
BACTRIM.....	8	BLEPHAMIDE.....	66	calcium carbonate-vitamin d.....	58
BACTRIM DS.....	8	BLEPHAMIDE S.O.P.....	66	calcium polycarbophil.....	54
BACTROBAN.....	42	BOOSTRIX.....	71	CALTRATE 600+D3.....	58
balsalazide disodium.....	51	BRILINTA.....	52	camphor & menthol.....	43
BAQSIMI ONE PACK.....	18	brimonidine tartrate.....	65	candesartan cilexetil.....	24
BAQSIMI TWO PACK.....	18	bromocriptine mesylate.....	28	candesartan cilexetil-	
BASAGLAR KWIKPEN.....	19	brompheniramine &		hydrochlorothiazide.....	25
BD GLUCOSE.....	18	phenyleph.....	38	CAPHOSOL.....	61
BELBUCA.....	7	brompheniramine &		capsaicin.....	46
BENADRYL ALLERGY.....	22	pseudoeph.....	38	captopril.....	24
BENADRYL ALLERGY		BROTAPP DM.....	38	captopril &	
CHILDRENS.....	22	budesonide (inhalation).....	10	hydrochlorothiazide.....	25
benazepril &		budesonide-formoterol		CAPZASIN-HP.....	46
hydrochlorothiazide.....	25	fumarate dihydrate.....	11	CAPZASIN-P.....	46
benazepril hcl.....	24	BUFFERIN.....	5	CARAC.....	43
BENICAR.....	24	bumetanide.....	48	CARAFATE.....	72
BENICAR HCT.....	25	BUMEX.....	48	carbamazepine.....	12
BENZAC AC WASH.....	41	BUNAVAIL.....	7	carbamide peroxide (otic).....	67
benzonatate.....	38	BUPRENEX.....	7	carbidopa.....	28
benzoyl peroxide.....	41	buprenorphine hcl.....	7	carbidopa-levodopa.....	28
BENZOYL PEROXIDE		buprenorphine hcl-naloxone hcl		CARDIZEM.....	34
CLEANSER.....	41	dihydrate.....	7	CARDIZEM CD.....	34
benztropine mesylate.....	28	bupropion hcl.....	15	CARDURA.....	24
BETAGAN.....	64	bupropion hcl (smoking		CARESENS LANCETS.....	56
betamethasone dipropionate		deterrent).....	70	CARNITOR.....	49
(topical).....	44	buspironone hcl.....	9	CARNITOR SF.....	49
betamethasone dipropionate		butalbital-acetaminophen.....	4	carteolol hcl (ophth).....	64
augmented.....	44	butalbital-acetaminophen-		carvedilol.....	33
betamethasone valerate.....	44	caffeine.....	4	carvedilol phosphate.....	33
BETAPACE.....	34	butalbital-acetaminophen-		CASODEX.....	27
BETAPACE AF.....	34	caffeine w/ codeine.....	6	CASTIVA WARMING.....	46
betaxolol hcl (ophth).....	64	butalbital-aspirin-caffeine.....	4		
		butalbital-aspirin-caffeine			
		w/cod.....	6		

CATAPRES.....	24	CIPRO.....	50	COLACE CLEAR.....	55
cefaclor.....	35	CIPRODEX.....	67	COLAZAL.....	51
cefadroxil.....	35	ciprofloxacin hcl.....	50	colchicine.....	52
cefdinir.....	36	ciprofloxacin hcl (ophth).....	65	colchicine w/ probenecid.....	52
cefprozil.....	35	ciprofloxacin-dexamethasone.....	67	COLCRYS.....	52
ceftriaxone sodium.....	36	citalopram hydrobromide.....	15	COLD & FLU RELIEF NIGHTTIME D.....	38
cefuroxime axetil.....	35	clarithromycin.....	55	COLESTID.....	23
CELEXA.....	15	CLARITIN.....	22	COLESTID FLAVORED.....	23
CELLCEPT.....	59	CLARITIN ALLERGY CHILDRENS.....	22	colestipol hcl.....	23
CENTANY.....	42	CLARITIN REDITABS.....	22	COLYTE-FLAVOR PACKS.....	54
cephalexin.....	35	CLARITIN-D 12 HOUR.....	38	COMBIPATCH.....	50
CERALYTE 70.....	58	CLARITIN-D 24 HOUR.....	38	COMBIVENT RESPIMAT.....	11
CERASPORT.....	58	CLEAR COUGH PM MULTI- SYMPTOM.....	38	COMBIVIR.....	30
CERASPORT EX1.....	58	clemastine fumarate.....	22	COMPLERA.....	30
cetirizine hcl.....	22	CLEOCIN.....	8,74	CONCERTA.....	1
cetirizine-pseudoephedrine.....	38	CLEOCIN PEDIATRIC GRANULES.....	8	CONDOMS-MISC.....	56
CHANTIX.....	70	CLEOCIN-T.....	41	COPAXONE.....	69
CHANTIX CONTINUING MONTHPAK.....	70	CLIMARA.....	50	CORDARONE.....	10
CHANTIX STARTING MONTH PAK.....	70	CLINDAGEL.....	41	COREG.....	33
CHEMET.....	21	clindamycin hcl.....	8	COREG CR.....	33
CHEMSTRIP-K.....	48	clindamycin palmitate hydrochloride.....	8	CORGARD.....	34
CHERACOL PLUS.....	38	clindamycin phosphate (topical).....	41	CORTANE-B-OTIC.....	67
CHERACOL-D COUGH.....	38	clindamycin phosphate vaginal.....	74	CORTEF.....	37
CHILDRENS ADVIL.....	3	clobetasol propionate.....	44	CORTENEMA.....	7
CHILDRENS MOTRIN.....	3	clobetasol propionate emollient base.....	44	cortisone acetate.....	37
CHLOR-TRIMETON.....	22	clomipramine hcl.....	17	COSENTYX.....	43
chlordiazepoxide hcl.....	9	clonazepam.....	12	COSENTYX SENSOREADY PEN.....	43
chlorhexidine gluconate.....	30	clonidine hcl.....	25	COSOPT.....	64
chlorhexidine gluconate (mouth- throat).....	60	clonidine hcl (adhd).....	1	COTELLIC.....	28
chloroquine phosphate.....	26	clopidogrel bisulfate.....	52	COUMADIN.....	11
chlorothiazide.....	49	clorazepate dipotassium.....	9	COZAAR.....	24
chlorpheniramine maleate.....	22	clotrimazole (topical).....	42	CREON.....	48
chlorpromazine hcl.....	30	clotrimazole vaginal.....	74	CRESTOR.....	23
chlorthalidone.....	49	clotrimazole w/ betamethasone.....	42	CRIVAN.....	30
chlorzoxazone.....	62	clozapine.....	29	CROMOLYN SODIUM.....	10
CHOLBAM.....	51	CLOZARIL.....	29	cromolyn sodium.....	10
cholecalciferol.....	75,76	coal tar extract.....	48	cromolyn sodium (nasal).....	63
cholestyramine.....	23	COARTEM.....	26	cromolyn sodium (ophth).....	66
cholestyramine light.....	23	CODEINE SULFATE.....	5	crotamiton.....	47
cilostazol.....	52	codeine sulfate.....	5	CRYSVITA.....	49
CILOXAN.....	65	COLACE.....	55	CVS DRY MOUTH SPRAY.....	61
CIMDUO.....	30			CVS GLUCOSE.....	18
cimetidine.....	72			CVS SOFT GLUCOSE.....	18
cimetidine hcl.....	72			cyanocobalamin.....	52
				cyclobenzaprine hcl.....	62

CYCLOGYL.....	64,65	DESOWEN.....	44	DIFLUCAN.....	21
cyclopentolate hcl.....	65	DESOXIMETASONE.....	44	diflunisal.....	5
cyclosporine.....	60	desoximetasono.....	44	digoxin.....	35
cyclosporine modified (for microemulsion).....	60	desvenlafaxine succinate..	16	dihydroergotamine mesylate.	57
CYMBALTA.....	16	DETROL.....	72	DILANTIN.....	14
cyproheptadine hcl.....	23	DETROL LA.....	72	DILANTIN INFATABS.....	14
CYTOMEL.....	71	DEX4.....	18	DILANTIN-125.....	14
CYTOTEC.....	72	DEX4 FAST ACTING GLUCOSE.....	18	DILAUDID.....	5
D-VI-SOL.....	76	DEX4 NATURALS.....	18	diltiazem hcl.....	34,35
D.H.E. 45.....	57	DEX4 POUCH PACK.....	18	diltiazem hcl coated beads..	34
dapsone.....	8	DEX4 QUICK DISSOLVE GLUCOSE.....	18	diltiazem hcl extended release beads.....	34,35
DAY TIME MULTI-SYMP TOM COLD/FLU RELIEF.....	39	dexamethasone.....	37	dimenhydrinate.....	21
DDAVP.....	50	dexamethasone sodium phosphate.....	37	DIMETAPP COLD & ALLERGY.....	39
DEBROX.....	67	DEXAMETHASONE SODIUM PHOSPHATE.....	37	DIMETAPP LONG ACTING COUGH PLUS COLD.....	39
deferasirox.....	21	dexamethasone sodium phosphate (ophth).....	66	dimethyl fumarate.....	69
DELSTRIGO.....	30	DEXEDRINE.....	1	DIOVAN.....	24
DELSYM.....	38	DEXILANT.....	72	DIOVAN HCT.....	25
DELSYM COUGH CHILDRENS.....	38	dexmethylphenidate hcl.....	1	diphenhydramine hcl.....	22
DELZICOL.....	51	dextroamphetamine sulfate.	1	diphenhydramine hcl (sleep).	53
DEMADEX.....	48	dextromethorphan hbr.....	38	diphenoxylate w/ atropine...	20
DEPAKENE.....	14	dextromethorphan.....		DIPH THERIA/TETANUS TOXOIDS ADSORBED PEDIATRIC.....	71
DEPAKOTE.....	14	polistirex.....	38	DIPROLENE AF.....	44
DEPAKOTE ER.....	14	dextromethorphan-doxylamine- acetaminophen.....	39	dipyridamole.....	52
DEPAKOTE SPRINKLES.....	14	dextromethorphan-guaifenesin	39	disopyramide phosphate.....	10
DEPEN TITRATABS.....	59	dextromethorphan- phenylephrine-acetaminophen	39	disulfiram.....	69
DEPO-PROVERA CONTRACEPTIVE.....	37	DHS TAR.....	48	DITROPAN XL.....	72
DEPO-SUBQ PROVERA 104.....	37	DHS TAR GEL.....	48	divalproex sodium.....	14
DEPO-TESTOSTERONE.....	7	DIABETIC TUSSIN COLD/FLU.....	39	docusate sodium.....	55
DERMA-SMOOTHIE/FS SCALP.....	44	DIACOMIT.....	12	dofetilide.....	10
DERMAREST PSORIASIS..	46	DIASTAT ACUDIAL.....	12	DOLOPHINE.....	5
DERMOTIC.....	67	DIASTAT PEDIATRIC.....	12	donepezil hydrochloride.....	69
DESCOVY.....	31	diazepam.....	9	DORZOLAMIDE HCL.....	66
desipramine hcl.....	17	diazepam (anticonvulsant).	12	dorzolamide hcl.....	66
desmopressin acetate.....	50	dibucaine.....	46	dorzolamide hcl-timolol maleate.....	64
desmopressin acetate spray.	50	diclofenac potassium.....	3	DOVATO.....	31
desmopressin acetate spray refrigerated.....	50	diclofenac sodium.....	3	DOVONEX.....	43
desogestrel & ethinyl estradiol.....	36	diclofenac sodium (ophth).	66	doxazosin mesylate.....	25
desogestrel-ethinyl estradiol (biphasic).....	36	diclofenac sodium (topical).	42	doxepin hcl.....	17
desogestrel-ethinyl estradiol (triphasic).....	36	dicloxacillin sodium.....	68	doxycycline (monohydrate)..	70
desonide.....	44	dicyclomine hcl.....	71	doxycycline hyclate.....	70
		didanosine.....	31	doxylamine succinate (sleep).....	53
				DRAMAMINE.....	21

DRISDOL.....	76	EPIFOAM.....	44	famotidine.....	72
drospirenone-ethinyl		EPINEPHRINE.....	75	FARESTON.....	27
estradiol.....	36	epinephrine (anaphylaxis).....	75	felbamate.....	14
DROXIA.....	52	epinephrine hcl (nasal).....	63	FELBATOL.....	14
DRYSOL.....	46	EPIPEN 2-PAK.....	75	FELDENE.....	3
DULCOLAX.....	55	EPIPEN-JR 2-PAK.....	75	felodipine.....	35
duloxetine hcl.....	16	EPIVIR.....	31	FEMARA.....	27
DURAGESIC.....	5	EPZICOM.....	31	FEMHRT LOW DOSE.....	50
DUTOPROL.....	25	EQL DRY MOUTH ORAL		FENOFIBRATE.....	23
DYAZIDE.....	48	RINSE.....	61	fenofibrate.....	23
E.E.S. GRANULES.....	55	EQUALYTE.....	58	fenofibrate micronized.....	23
econazole nitrate.....	42	ergocalciferol.....	76	fenoprofen calcium.....	3
ECOTRIN MAXIMUM		ergotamine w/ caffeine.....	57	fentanyl.....	5
STRENGTH.....	5	ERYGEL.....	41	FER-IN-SOL.....	52
ECOTRIN REGULAR		ERYPED 200.....	55	FERRETTS.....	52
STRENGTH.....	5	ERYPED 400.....	55	ferrous fumarate.....	52
ED BRON GP.....	39	erythromycin (acne aid).....	41	ferrous fumarate-fa-b complex-c-	
EDURANT.....	31	erythromycin (ophth).....	65	zn-mg-mn-cu.....	52
efavirenz.....	31	erythromycin base.....	55	FERROUS GLUCONATE.....	52
efavirenz-emtricitabine-tenofovir		erythromycin		ferrous sulfate.....	52,53
disoproxil fumarate.....	31	ethylsuccinate.....	56	FERROUS SULFATE.....	53
efavirenz-lamivudine-tenofovir		erythromycin stearate.....	56	ferrous sulfate.....	53
disoproxil fumarate.....	31	escitalopram oxalate.....	15	FEVERALL JUNIOR	
EFFEXOR XR.....	16	ESGIC.....	4	STRENGTH.....	4
EFFIENT.....	52	ESTRACE.....	50,75	fexofenadine hcl.....	22
EFUDEX.....	43	estradiol.....	50	FIBERCON.....	54
eletriptan hydrobromide.....	57	estradiol & norethindrone		finasteride.....	52
ELIDEL.....	46	acetate.....	50	FIORINAL.....	4
ELIMITE.....	47	estradiol vaginal.....	75	FIORINAL/CODEINE #3.....	6
ELIQUIS.....	11	ESTROSTEP FE.....	36	FIRVANQ.....	8
ELIQUIS STARTER PACK.....	11	ethambutol hcl.....	27	FLAGYL.....	8
ELIXOPHYLLIN.....	11	ethosuximide.....	14	flavoxate hcl.....	73
ELLA.....	37	ethynodiol diacet & eth		flecainide acetate.....	10
ELMIRON.....	51	estrad.....	36	FLEET ENEMA.....	54
ELOCON.....	44	etidronate disodium.....	49	FLEET ENEMA SIX PACK.....	54
EMOLLIENT LOTION-MISC.....	45	etodolac.....	3	FLEET PEDIATRIC.....	54
emtricitabine.....	31	etonogestrel-ethinyl		FLOMAX.....	52
emtricitabine-tenofovir disoproxil		estradiol.....	37	FLONASE ALLERGY	
fumarate.....	31	EURAX.....	47	RELIEF.....	63
EMTRIVA.....	31	EVAC.....	54	FLONASE ALLERGY RELIEF	
EMVERM.....	8	EVISTA.....	49	CHILDRENS.....	63
enalapril maleate.....	24	EXELON.....	69	FLOVENT HFA.....	10
enalapril maleate &		exemestane.....	27	FLOXIN OTIC.....	67
hydrochlorothiazide.....	25	EXFORGE.....	25	FLUAD QUADRIVALENT	
ENBREL.....	4	EXFORGE HCT.....	25	INFLUENZA VACCINE FOR	
ENBREL SURECLICK.....	4	ezetimibe.....	24	ADULTS.....	74
ENFAMIL ENFALYTE.....	58	ezetimibe-simvastatin.....	23	fluconazole.....	21
ENGERIX-B.....	73	famciclovir.....	33	fludrocortisone acetate.....	38
enoxaparin sodium.....	12				

flunisolide (nasal).....	63	GILENYA.....	69	HAVRIX.....	74
fluocinolone acetonide.....	44	ginger (zingiber officinalis) ..	2	HEMOCYTE.....	53
fluocinolone acetonide (otic) ..	67	glatiramer acetate.....	69	heparin sodium (porcine).....	12
fluocinonide.....	44	glimepiride.....	20	HIBICLENS.....	30
fluocinonide emulsified base.....	44	glipizide.....	20	HM GLUCOSE.....	18
fluorometholone (ophth).....	66	glipizide-metformin hcl.....	17	homatropine hbr.....	65
fluorouracil (topical).....	43	GLUCAGEN HYPOKIT.....	18	HUMALOG MIX 50/50.....	19
fluoxetine hcl.....	16	GLUCAGON EMERGENCY		HUMALOG MIX 50/50	
fluoxetine hcl (pmdd).....	70	KIT.....	18	KWIKPEN.....	19
fluphenazine decanoate.....	30	GLUCOPHAGE.....	17	HUMALOG MIX 75/25.....	19
fluphenazine hcl.....	30	GLUCOPHAGE XR.....	18	HUMALOG MIX 75/25	
flurazepam hcl.....	53	GLUCOSE.....	18	KWIKPEN.....	19
flurbiprofen.....	3	GLUCOSE INSTANT		HUMIRA.....	2
flurbiprofen sodium.....	67	ENERGY.....	18	HUMIRA PEDIATRIC CROHNS	
flutamide.....	27	GLUCOTROL.....	20	DISEASE STARTER PACK.....	2
fluticasone propionate.....	45	GLUCOTROL XL.....	20	HUMIRA PEN.....	2
fluticasone propionate		glyburide.....	20	HUMIRA PEN-CD/UC/HS	
(nasal).....	63	glyburide micronized.....	20	STARTER.....	2
fluticasone-salmeterol.....	11	glyburide-metformin.....	17	HUMIRA PEN-PS/UV	
fluvoxamine maleate.....	16	glycerin (laxative).....	54	STARTER.....	2
FLUZONE HIGH-DOSE PF 2020-		GLYCERIN ADULT.....	54	HUMULIN 70/30.....	19
2021.....	74	glycopyrrolate.....	71	HUMULIN 70/30 KWIKPEN.....	19
FML.....	66	GLYNASE.....	20	HUMULIN N.....	19
FML LIQUIFILM.....	66	GNP GLUCOSE.....	18	HUMULIN N KWIKPEN.....	19
FOCALIN.....	2	GNP QUICK DISSOLVE		HUMULIN R.....	19
folic acid.....	52	GLUCOSE.....	18	HY-VEE GLUCOSE.....	18
FORA GTEL BLOOD KETONE		GOJJI BLOOD KETONE TEST		hydralazine hcl.....	26
TEST STRIPS.....	48	STRIPS.....	48	HYDRALYTE.....	58
formaldehyde.....	30	GOJJI STERILE LANCETS		HYDRALYTE FREEZER	
FOSAMAX.....	49	30G.....	56	POPS.....	58
fosamprenavir calcium.....	31	GOLYTELY.....	54	HYDREA.....	28
fosinopril sodium.....	24	GOODSENSE GLUCOSE.....	18	HYDRO-LAN.....	46
fosinopril sodium &		griseofulvin microsize.....	21	hydrochlorothiazide.....	49
hydrochlorothiazide.....	25	griseofulvin ultramicrosize.....	21	hydrocodone w/	
FURADANTIN.....	9	guaifenesin.....	41	homatropine.....	38
furosemide.....	49	guaifenesin-codeine.....	39	hydrocodone-acetaminophen.....	6
gabapentin.....	13	guanfacine hcl.....	25	hydrocortisone.....	37
GABITRIL.....	14	guanfacine hcl (adhd).....	1	hydrocortisone (intrarectal).....	7
galantamine hydrobromide.....	69	GVOKE PFS.....	18	hydrocortisone (rectal).....	7
GARDASIL 9.....	74	GYNAZOLE-1.....	74	hydrocortisone (topical).....	45
GAS-X.....	50	GYNE-LOTRIMIN.....	75	hydrocortisone butyrate.....	45
GAUZE SPONGES.....	56	GYNE-LOTRIMIN 3.....	74	hydrocortisone w/acetic acid.....	67
gemfibrozil.....	23	HALCION.....	53	hydrocortisone-aloe vera.....	45
GENERESS FE.....	36	HALDOL DECANOATE		HYDROMORPHONE HCL.....	5
gentamicin sulfate (ophth).....	65	100.....	29	hydromorphone hcl.....	5
gentamicin sulfate (topical).....	42	HALDOL DECANOATE 50.....	29	hydroxychloroquine sulfate.....	27
GENVOYA.....	31	haloperidol.....	29	hydroxyprogesterone	
GEODON.....	29	haloperidol decanoate.....	29	caproate.....	68
		haloperidol lactate.....	29	hydroxyprogesterone caproate	
				(antineoplastic).....	27

hydroxyurea	28	irbesartan-hydrochlorothiazide	25	LAC-HYDRIN	45
hydroxyzine hcl	9	IRON CHEWS		LAC-HYDRIN TWELVE	45
hydroxyzine pamoate	9	PEDIATRIC	53	lactic acid (ammonium	
hyoscyamine sulfate	71	ISENTRESS	31	lactate)	45
HYOSCYAMINE SULFATE	71	ISENTRESS HD	31	lactulose	54
hyoscyamine sulfate	71	isoniazid	27	lactulose (encephalopathy)	51
HYPERRHO S/D	67	ISOPTO ATROPINE	65	LAMICTAL	13
HYPOTEARs	64	ISOPTO CARPINE	65	LAMICTAL CHEWABLE	
HYZAAR	25	ISORDIL TITRADOSE	9	DISPERSIBLE	13
ibuprofen	3	isosorbide dinitrate	9	LAMICTAL XR	13
ibuprofen lysine	3	isosorbide mononitrate	9	LAMISIL AT	43
imipramine hcl	17	isotretinoin	42	LAMISIL AT JOCK ITCH	43
imiquimod	45	ITCH RELIEF	43	lamivudine	31
IMITREX	57	itraconazole	21	lamivudine-zidovudine	31
IMITREX STATDOSE		JADENU	21	lamotrigine	13
REFILL	57	JULUCA	31	LANCETS SUPER THIN	
IMITREX STATDOSE		K-PHOS NEUTRAL	59	28G	56
SYSTEM	57	K-TAB	59	LANCETS-MISC	56
IMODIUM A-D	20	KALBITOR	52	LANCING DEVICE-MISC	56
IMURAN	60	KALETRA	31	lanolin	68
INCRUSE ELLIPTA	10	KALYDECO	70	lanolin (topical)	46
indapamide	49	KAPVAY	1	LANOLOR	46
INDERAL LA	34	KAZANO	17	LANOXIN	35
INDOCIN	3	KEFLEX	35	lansoprazole	72
indomethacin	3	KEPPRA	13	LASIX	49
indomethacin sodium	3	KEPPRA XR	13	latanoprost	67
INFANRIX	71	KERALYT	46	LEADER GLUCOSE	18
INFANTS ADVIL	3	ketoconazole (topical)	42,43	LEADER QUICK DISSOLVE	
INFLUENZA VACCINE	74	KETONE	48	GLUCOSE	18
INSULIN ASPART		KETONE TEST STRIPS	48	leflunomide	4
PROTAMINE/INSULIN		ketorolac tromethamine	3	letrozole	28
ASPART	19	KETOROLAC		leucovorin calcium	28
INSULIN ASPART		TROMETHAMINE	3	LEUKERAN	27
PROTAMINE/INSULIN ASPART		ketorolac tromethamine	3	LEVAQUIN	50
FLEXPEN	19	ketorolac tromethamine		LEVBID	71
INSULIN LISPRO		(ophth)	67	levetiracetam	13
PROTAMINE/INSULIN LISPRO		KETOSTIX	48	levobunolol hcl	64
KWIKPEN	19	ketotifen fumarate (ophth)	67	levocarnitine (metabolic	
INSULIN SYRINGES	56	KEY-E	76	modifiers)	49,50
INSULIN SYRINGES-MISC	56	KINDERLYTE	58	levocetirizine dihydrochloride	22
INTELENCE	31	KINDERLYTE PREMAX	58	levofloxacin	50
INTUNIV	1	KLARON	42	levonorgestrel & eth	
INVIRASE	31	KLONOPIN	12	estradiol	36
IOPIDINE	65	KONSYL DAILY FIBER	54	levonorgestrel (emergency	
ipratropium bromide	10	KRINTAFEL	27	oc)	37
ipratropium bromide (nasal)	63	KROGER GLUCOSE	18	levonorgestrel-eth estradiol	
ipratropium-albuterol	11	labetalol hcl	33	(triphasic)	36
irbesartan	24			levonorgestrel-ethinyl estradiol	
				(91-day)	36
				levothyroxine sodium	71

LEVSIN.....	71	LYSTEDA.....	53	MESTINON TIMESPAN.....	27
LEXAPRO.....	16	M-M-R II.....	74	METAMUCIL.....	54
LEXIVA.....	31	MACROBID.....	9	METAMUCIL ORIGINAL	
LIALDA.....	51	MACRODANTIN.....	9	TEXTURE.....	54
LICEMD.....	47	MAGNESIUM.....	59	metaproterenol sulfate.....	11
LICIDE TREATMENT KIT... 47		magnesium citrate.....	54	metformin hcl.....	18
lidocaine.....	46	magnesium hydroxide.....	55	methadone hcl.....	5
lidocaine hcl.....	46	magnesium oxide.....	8	methazolamide.....	48
lidocaine hcl (mouth-throat) 60		MAGNESIUM OXIDE.....	59	methenamine mandelate.....	9
lidocaine-prilocaine.....	46	magnesium oxide (mg		methenamine-hyosc-methylene	
liothyronine sodium.....	71	supplement).....	59	blue-sod phos-phenyl sal.....	8
LIPITOR.....	23	MAGOX 400.....	59	methimazole.....	70
lisinopril.....	24	MAKENA.....	68	METHITEST.....	7
lisinopril &		malathion.....	47	methocarbamol.....	62
hydrochlorothiazide.....	25	maprotiline hcl.....	15	METHOTREXATE.....	3
LITHIUM.....	29	MAVYRET.....	33	methotrexate sodium.....	27
lithium carbonate.....	28	MAXALT.....	57	methyl dopa.....	25
LITHOBID.....	29	MAXALT-MLT.....	57	methylergonovine maleate... 67	
LITTLE REMEDIES FOR		MAXI-TUSS PE.....	39	METHYLIN.....	2
COLDSMULTI SYMPTOM... 39		MAXI-TUSS PE MAX.....	39	methylphenidate hcl.....	2
LMX 4.....	46	MAXITROL.....	66	methylprednisolone.....	37
LOCOID.....	45	MAXZIDE.....	48	metoclopramide hcl.....	51
LODINE.....	3	MAXZIDE-25.....	48	metolazone.....	49
LODOSYN.....	28	meclizine hcl.....	21	metoprolol &	
LOHIST-D.....	39	MEDROL.....	37	hydrochlorothiazide.....	26
LOMOTIL.....	20	MEDROL DOSEPAK.....	37	metoprolol succinate.....	34
LONGS GLUCOSE.....	18	medroxyprogesterone		METOPROLOL SUCCINATE	
loperamide hcl.....	20,21	acetate.....	68	ER/HYDROCHLOROTHIAZIDE	
LOPID.....	23	medroxyprogesterone acetate		26
lopinavir-ritonavir.....	31	(contraceptive).....	37	metoprolol tartrate.....	34
LOPRESSOR.....	34	mefloquine hcl.....	27	METROCREAM.....	47
LOPRESSOR HCT.....	25	megestrol acetate.....	28	METROGEL-VAGINAL.....	75
loratadine.....	22	MEIJER GLUCOSE.....	18	METROLOTION.....	47
loratadine &		MELATONIN.....	2	metronidazole.....	8
pseudoephedrine.....	39	melatonin.....	2	metronidazole (topical).....	47
lorazepam.....	9	meloxicam.....	3	metronidazole vaginal.....	75
losartan potassium.....	24	melphalan.....	27	mexiletine hcl.....	10
losartan potassium &		memantine hcl.....	69	MIACALCIN.....	49
hydrochlorothiazide.....	26	MENACTRA.....	73	MICARDIS.....	24
LOTENSIN.....	24	MENQUADFI.....	73	MICARDIS HCT.....	26
LOTENSIN HCT.....	26	MENVEO.....	73	MICATIN.....	43
LOTREL.....	26	meperidine hcl.....	5	miconazole nitrate (topical) .. 43	
LOTRIMIN AF.....	43	MEPHYTON.....	76	miconazole nitrate vaginal... 75	
LOTRIMIN AF JOCK ITCH.. 43		meprobamate.....	9	MICROZIDE.....	49
LOTRISONE.....	43	mercaptopurine.....	27	midazolam hcl.....	53
lovastatin.....	23	mesalamine.....	51	midodrine hcl.....	75
LOVENOX.....	12	MESTINON.....	27	MIGRANAL.....	57
loxapine succinate.....	29			MILLIPRED.....	37

MINIPRESS.....	25	MYSOLINE.....	13	NEUTROGENA T/GEL	
MINIVELLE.....	50	nabumetone.....	3	STUBBORN ITCH	
MINOCIN.....	70	nadolol.....	34	CONTROL.....	48
minocycline hcl.....	70	NALFON.....	3	nevirapine.....	31
minoxidil.....	26	naloxone hcl.....	21	niacin.....	76
MIRALAX.....	54	naltrexone hcl.....	21	niacin (antihyperlipidemic).....	24
MIRAPEX.....	28	NAMENDA.....	69	NIACIN TR.....	76
MIRCETTE.....	36	NAMENDA TITRATION		NIASPAN.....	24
mirtazapine.....	15	PAK.....	69	nicardipine hcl.....	35
misoprostol.....	72	naphazoline w/		NICODERM CQ.....	70
MOBIC.....	3	pheniramine.....	65	NICORETTE.....	70
MOI-STIR.....	61	NAPROSYN.....	3	NICORETTE MINI.....	70
molindone hcl.....	30	naproxen.....	3	NICORETTE STARTER KIT.....	70
mometasone furoate.....	45	naproxen sodium.....	3	nicotine.....	70
MONISTAT 3.....	75	naratriptan hcl.....	57	nicotine polacrilex.....	70
MONISTAT 3 COMBINATION		NARCAN.....	21	NICOTINE TRANSDERMAL	
PACK.....	75	NARDIL.....	15	SYSTEM.....	70
MONISTAT 7 SIMPLY		NASACORT ALLERGY		NICOTROL INHALER.....	70
CURE.....	75	24HR.....	63	NICOTROL NS.....	70
MONISTAT SOOTHING CARE		NASACORT ALLERGY 24HR		nifedipine.....	35
ITCH RELIEF.....	45	CHILDRENS.....	63	NINLARO.....	28
montelukast sodium.....	10	NASAL DECONGESTANT.....	63	NITRO-BID.....	9
morphine sulfate.....	5	NASALCROM.....	63	NITRO-DUR.....	9
MOTRIN CHILDRENS.....	3	nateglinide.....	20	nitrofurantoin.....	9
MOTRIN INFANTS DROPS.....	3	NATROBA.....	47	nitrofurantoin macrocrystal.....	9
MOUTH KOTE.....	61	NAYZILAM.....	12	nitrofurantoin monohyd macro.....	9
MOUTH KOTE REMINT.....	61	nefazodone hcl.....	16	nitroglycerin.....	9
moxifloxacin hcl (ophth).....	65	neomycin sulfate.....	2	NITROSTAT.....	9
MS CONTIN.....	5	neomycin-bacitracin zn-		NIX CREME RINSE.....	47
MUCINEX.....	41	polymyxin.....	65	NIZORAL.....	43
MUCINEX D.....	39	neomycin-bacitracin-polymyxin		NORCO.....	6
MUCINEX DM.....	39	42	NORDITROPIN FLEXPRO.....	49
MUCINEX MAXIMUM		neomycin-polymy-		norelgestromin-ethinyl	
STRENGTH.....	41	dexameth.....	66	estradiol.....	37
multiple vitamins w/ minerals		neomycin-polymyxin w/		norethin acet & estrad-fe.....	36
tabs.....	62	pramoxine.....	42	norethindrone & eth estradiol.....	36
multiple vitamins w/ minerals-		neomycin-polymyxin-gramicidin		norethindrone & ethinyl estradiol-	
various.....	62	65	fe.....	36
mupirocin.....	42	neomycin-polymyxin-hc		norethindrone	
mupirocin calcium (topical).....	42	(ophth).....	66	(contraceptive).....	37
MYAMBUTOL.....	27	neomycin-polymyxin-hc		norethindrone acet & eth	
mycophenolate mofetil.....	60	(otic).....	67	estra.....	36
mycophenolate sodium.....	60	NEOPROFEN.....	3	norethindrone acetate.....	68
MYDRIACYL.....	65	NEORAL.....	60	norethindrone acetate-ethinyl	
MYFORTIC.....	60	NEOSPORIN ORIGINAL.....	42	estradiol.....	50
MYLERAN.....	27	NEOSPORIN PLUS PAIN		norethindrone acetate-ethinyl	
MYLICON INFANTS GAS		RELIEF MAXIMUM		estradiol-fe.....	36
RELIEF.....	51	STRENGTH.....	42	norethindrone-eth estradiol	
MYLICON INFANTS GAS		NEPHRO-VITE RX.....	62	(triphasic).....	36
RELIEF DYE FREE.....	50	NESINA.....	19	norgestimate-ethinyl	
		NEURONTIN.....	13	estradiol.....	36
		NEUTROGENA T/GEL.....	48		

norgestimate-ethinyl estradiol (triphasic).....	36	olmesartan medoxomil-amlodipine-hydrochlorothiazide	26	OXAYDO	5
norgestrel & ethinyl estradiol	36	olmesartan medoxomil-hydrochlorothiazide	26	oxazepam	9
NORPACE	10	omega-3 fatty acids	64	oxcarbazepine	13
NORPACE CR	10	OMEPRAZOLE	36	oxybutynin chloride	72,73
NORPRAMIN	17	omeprazole	72	oxycodone hcl	5,6
NORTEMP INFANTS	4	omeprazole 20mg tablet	71	oxycodone w/ acetaminophen	6
nortriptyline hcl	17	omeprazole magnesium	72	oxycodone-aspirin	6
NORVASC	35	OMNIPRED	66	OXYCONTIN	6
NORVIR	31	OMNITROPE	49	oyster shell	58
NOVA MAX PLUS KETONE TESTSTRIPS	48	ondansetron	21	PAMELOR	17
NOVOLIN 70/30	20	ondansetron hcl	21	PANCREAZE	48
NOVOLIN 70/30 FLEXPEN	20	ONETOUCH CLUB LANCETS FINE POINT	56	pantoprazole sodium	72
NOVOLIN 70/30 FLEXPEN RELION	19	ONETOUCH DELICA LANCETS EXTRA FINE 33G	56	PARLODEL	28
NOVOLIN 70/30 RELION	20	ONETOUCH DELICA LANCETS FINE 30G	56	PARNATE	15
NOVOLIN N	20	ONETOUCH DELICA PLUS LANCETS EXTRA FINE 33G	56	paroxetine hcl	16
NOVOLIN N FLEXPEN	20	ONETOUCH DELICA PLUS LANCETS FINE 30G	56	PARVA-CAL	58
NOVOLIN N FLEXPEN RELION	20	ONETOUCH FINEPOINT LANCETS	56	PAXIL	16
NOVOLIN N RELION	20	ONETOUCH ULTRA	48	PAXIL CR	16
NOVOLIN R	20	ONETOUCH ULTRASOFT LANCETS	56	ped multivitamins w/fl & iron	62
NOVOLIN R RELION	20	ONETOUCH VERIO TEST STRIPS	48	PEDIALYTE	59
NOVOLOG MIX 70/30	20	OPCON-A	65	PEDIALYTE ADVANCED CARE	58
NOVOLOG MIX 70/30 PREFILLED FLEXPEN	20	oral electrolytes	58	PEDIALYTE FREEZER	
NULYTELY	54	ORAL RELIEF SPRAY FOR DRYMOUTH & DISCOMFORT	61	POPS	59
NULYTELY/FLAVOR PACKS	54	ORKAMBI	70	PEDIALYTE SINGLES	59
NUMOISYN	61	orphenadrine citrate	62	PEDIAPRED	37
NUPLAZID	29	ORTHO MICRONOR	37	pediatric multiple vitamins w/ minerals-various	62
NUVARING	37	ORTHO TRI-CYCLEN	36	pediatric vitamins acid w/ fluoride	62
nystatin	21	ORTHO TRI-CYCLEN LO	36	peg 3350-kcl-sod bicarb-sod chloride-sod sulfate	54
nystatin (mouth-throat)	60	ORTHO-CYCLEN	36	peg 3350-potassium chloride-sod bicarbonate-sod chloride	54
nystatin (topical)	43	ORTHO-NOVUM 1/35	36	PEN NEEDLES-MISC	56
nystatin-triamcinolone	43	ORTHO-NOVUM 7/7/7	36	penicillamine	59
NYTOL MAXIMUM STRENGTH	53	oseltamivir phosphate	33	penicillin v potassium	68
OCEAN NASAL SPRAY	62	OSENI	17	pentoxifylline	52
OCUFLOX	65	OTICIN HC NR	67	PEPCID	72
OFF DEEP WOODS	46	OVACE PLUS WASH	43	PEPCID AC	72
OFF DEEP WOODS DRY	47	OVACE WASH	43	PEPCID AC MAXIMUM STRENGTH	72
ofloxacin	50	OVIDE	47	PEPTO-BISMOL	20
ofloxacin (ophth)	65			PEPTO-BISMOL MAX STRENGTH	20
ofloxacin (otic)	67			PEPTO-BISMOL TO-GO	20
olanzapine	29			PERCOCET	6
olmesartan medoxomil	24			PERIDEX	60
				permethrin	47
				perphenazine	30

perphenazine-amitriptyline	69	potassium citrate (alkalinizer)	51	PRISTIQ	17
phenazopyridine hcl	52	pramipexole		PROAIR HFA	11
phenelzine sulfate	15	dihydrochloride	28	PROAIR RESPICLICK	11
phenobarbital	53	pramoxine-hc-chloroxylenol	67	probenecid	52
phenylephrine hcl (mydriatic)	65	prasugrel hcl	52	PROCARDIA	35
phenylephrine hcl (oral)	63	PRAVACHOL	23	PROCARDIA XL	35
phenylephrine-chlorphen-dm	40	pravastatin sodium	23	prochlorperazine	30
phenylephrine-dm	40	prazosin hcl	25	prochlorperazine maleate	30
phenylephrine-shark liver oil- cocoa butter	7	PRECISION XTRA	48	progesterone micronized	69
phenylephrine-shark liver oil- mineral oil-petrolatum	7	PRED FORTE	66	PROGRAF	60
phenytoin	14	PRED MILD	66	promethazine & phenylephrine	40
phenytoin sodium	14	PRED-G	66	promethazine hcl	23
phenytoin sodium extended	14	PREDATOR	46	PROMETHAZINE HCL	36
phytonadione	76	prednisolone	37	promethazine w/codeine	40
PIFELTRO	32	prednisolone acetate (ophth)	66	promethazine-dm	40
pilocarpine hcl	65	PREDNISOLONE ACETATE P- F	66	promethazine-phenylephrine- codeine	40
pilocarpine hcl (oral)	61	prednisolone sodium	37	PROMETHAZINE/PHENYLEPHR INE	40
pimecrolimus	46	phosphate	37	PROMETRIUM	69
pindolol	34	PREDNISOLONE SODIUM PHOSPHATE	66	propafenone hcl	10
pioglitazone hcl	19	prednisone	37,38	propranolol & hydrochlorothiazide	26
pioglitazone hcl-metformin hcl	17	PREDNISONE INTENSOL	37	propranolol hcl	34
piroxicam	4	PREFERRED PLUS GLUCOSE	18	propylthiouracil	70
PLAN B ONE-STEP	37	PREMARIN	50,75	PROSCAR	52
PLAQUENIL	27	PREMPHASE	50	PROTONIX	72
PLAVIX	52	PREMPRO	50	PROTOPIC	46
PLEGRIDY	69	prenatal vitamins-misc	62	PROVENTIL HFA	11
PLEGRIDY STARTER PACK	69	PREVACID	72	PROVERA	69
PNEUMOVAX 23	73	PREVACID 24HR	72	PROZAC	16
PNEUMOVAX 23/1 DOSE	73	PREVIDENT 5000 BOOSTER PLUS	60	pseudoephed-bromphen-dm	40
podofilox	46	PREVIDENT 5000 DRY MOUTH	60	pseudoephedrine hcl	63
POLYCOSE	63	PREVIDENT 5000 ORTHO DEFENSE	60	pseudoephedrine w/ codeine- gg	40
polyethylene glycol 3350	54	PREVIDENT 5000 PLUS	60	pseudoephedrine w/ dm-gg	40
polymyxin b-trimethoprim	65	PREVIDENT FLUORIDE	60	pseudoephedrine-chlorphen-dm	40
polysaccharide iron complex	53	PREVNAR 13	73	pseudoephedrine-dm	40
POLYTRIM	65	PREZCOBIX	32	pseudoephedrine-guaifenesin	40
polyvinyl alcohol	64	PREZISTA	32	pseudoephedrine-ibuprofen	40
pot phosphate monobasic w/ sod phosphate dibasic & monobasic	59	PRILOSEC OTC	72	psyllium	54
potassium bicarbonate	59	primaquine phosphate	27	PTS PANELS KETONE TEST	48
potassium chloride	59	PRIMAQUINE PHOSPHATE	27	PULMICORT	10
potassium chloride microencapsulated crystals er	59	primidone	13	PURIXAN	27
		PRINIVIL	24	PX DAYTIME MULTI- SYMPTOM	40

PX GLUCOSE.....	18	REMERON SOLTAB.....	15	SEASONIQUE.....	36
PX NITETIME MULTI- SYMPTOM.....	40	REQUIP.....	28	SEGLUROMET.....	17
pyrantel pamoate.....	8	RESCRIPTOR.....	32	selegiline hcl.....	28
pyrazinamide.....	27	RESTORIL.....	53	selenium sulfide.....	43,44
pyrethrins-piperonyl butoxide	47	RETIN-A.....	42	SELSUN BLUE.....	44
pyrethrins-piperonyl butoxide- permethrin-nit remover.....	47	RETROVIR.....	32	SELSUN BLUE DAILY.....	44
PYRIDIDIUM.....	52	REYATAZ.....	32	SELSUN BLUE MEDICATED.....	44
pyridostigmine bromide.....	27	RHOGAM ULTRA-FILTERED PLUS.....	67	SELSUN BLUE MOISTURIZING.....	44
pyridoxine hcl.....	76	riboflavin.....	76	SELZENTRY.....	32
QC CALCIUM 500MG/D3.....	58	RID.....	47	sennosides.....	55
QC TRIACTING DAYTIME CHILDRENS.....	40	RID COMPLETE LICE ELIMINATION.....	47	sennosides-docusate sodium.....	54
QUESTRAN.....	23	RID ESSENTIAL LICE ELIMINATION KIT.....	47	SENOKOT.....	55
QUESTRAN LIGHT.....	23	RIFADIN.....	27	SENOKOT S.....	54
quetiapine fumarate.....	29	rifampin.....	27	SEREVENT DISKUS.....	11
quinapril hcl.....	24	RILUTEK.....	63	SEROQUEL.....	29
quinapril-hydrochlorothiazide	26	riluzole.....	63	sertraline hcl.....	16
quinidine gluconate.....	10	risedronate sodium.....	49	SFROWASA.....	51
quinidine sulfate.....	10	RISPERDAL.....	29	SIKLOS.....	52
QVAR REDIHALER.....	10	risperidone.....	29	SILVADENE.....	44
RA CALCIUM HI- CAL/VITAMIND.....	58	RITALIN.....	2	silver sulfadiazine.....	44
RA DRY MOUTH.....	61	ritonavir.....	32	simethicone.....	51
RA GLUCOSE.....	18	rivastigmine.....	69	SIMPLYTHICK.....	68
RA LICE SOLUTION KIT.....	47	rivastigmine tartrate.....	69	SIMPLYTHICK EASY MIX.....	68
RA OYSTER SHELL CALCIUM/VITAMIN D.....	58	rizatriptan benzoate.....	57	SIMPLYTHICK EASYMIX.....	68
raloxifene hcl.....	49	ROBAXIN.....	62	simvastatin.....	23
ramipril.....	24	ROBAXIN-750.....	62	SINEMET.....	28
RAPAMUNE.....	60	ROBITUSSIN PEAK COLD DM.....	40	SINEMET CR.....	28
RAZADYNE.....	69	ROCALTROL.....	50	SINGULAIR.....	10
RAZADYNE ER.....	69	ropinirole hydrochloride.....	28	sirolimus.....	60
RECOMBIVAX HB.....	74	rosuvastatin calcium.....	23	SIVEXTRO.....	8
REESES PINWORM MEDICINE.....	8	ROXICET.....	6	SLO-NIACIN.....	76
REGLAN.....	51	ROXICODONE.....	6	SM GLUCOSE.....	18,19
RELENZA DISKHALER.....	33	SALAGEN.....	61	SM IPECAC SYRUP.....	21
RELION GLUCOSE.....	18	salicylic acid.....	46	SMART SENSE GLUCOSE.....	19
RELION KETONE.....	48	saline.....	62	SMART SENSE GLUCOSE TABLETS.....	19
RELION KETONE TEST STRIPS.....	48	salsalate.....	5	sodium bicarbonate (antacid).....	8
RELION LANCETS THIN 26G.....	56	SANDIMMUNE.....	60	sodium chloride (gu irrigant).....	51
RELION ULTRA THIN LANCETS/30G.....	56	SARNA.....	43	sodium chloride (inhalant).....	41
RELPAK.....	57	SAVELLA.....	69	sodium citrate & citric acid.....	51
REMERON.....	15	SAVELLA TITRATION PACK.....	69	sodium fluoride.....	59
		SCHOOLTIME SHAMPOO.....	47	sodium fluoride (dental).....	60
		SCOT-TUSSIN DM.....	40	sodium phosphates.....	55
		SCOT-TUSSIN SENIOR.....	40	sodium polystyrene sulfonate.....	60

SODIUM		
SULFACETAMIDE/SULFUR		
.....	42	
SORBITOL	54	
sotalol hcl	34	
sotalol hcl (afib/afl)	34	
SPACER/AEROSOL-HOLDING		
CHAMBER SUPPLIES	56	
SPACER/AEROSOL-HOLDING		
CHAMBERS	56	
SPACERS AND BREATHING		
CHAMBERS-MISC	57	
spinosad	47	
spironolactone	49	
spironolactone &		
hydrochlorothiazide	48	
SPORANOX	22	
SPORANOX PULSEPAK	22	
STARLIX	20	
stavudine	32	
STEGLATRO	20	
STRATTERA	1	
STRIBILD	32	
SUBOXONE	7	
sucralfate	72	
SUDAFED CHILDRENS	63	
SUDAFED CONGESTION	63	
SUDAFED PE CHILDRENS		
NASAL DECONGESTANT	63	
SUDAFED PE SINUS		
CONGESTION	63	
SUDAFED SINUS		
CONGESTION	63	
sulfacetamide sod-		
prednisolone	66	
sulfacetamide sodium	44	
sulfacetamide sodium (acne)	42	
sulfacetamide sodium		
(ophth)	65	
sulfacetamide sodium w/		
sulfur	42	
sulfamethoxazole-		
trimethoprim	8	
sulfasalazine	51	
sulindac	4	
sumatriptan	57	
sumatriptan succinate	57	
SUSTIVA	32	
SYMAX DUOTAB	72	
SYMBICORT	11	
SYMDEKO	70	
SYMFI	32	
SYMFI LO	32	
SYMLINPEN 120	17	
SYMLINPEN 60	17	
SYMTUZA	32	
SYNTHROID	71	
tacrolimus	60	
tacrolimus (topical)	46	
TAGAMET HB	72	
TAMIFLU	33	
tamoxifen citrate	28	
tamsulosin hcl	52	
TAPAZOLE	70	
TARKA	26	
tazarotene	43	
TAZORAC	43	
TDVAX	71	
TEARS NATURALE PM	64	
TECFIDERA	69	
TECFIDERA STARTER		
PACK	70	
TEGRETOL	13	
TEGRETOL-XR	13	
telmisartan	24	
telmisartan-amlodipine	26	
telmisartan-hydrochlorothiazide	26	
temazepam	53	
TEMIXYS	32	
TEMOVATE	45	
TENIVAC	71	
tenofovir disoproxil		
fumarate	32	
TENORETIC 100	26	
TENORETIC 50	26	
TENORMIN	34	
terazosin hcl	25	
terbinafine hcl	21	
terbinafine hcl (topical)	43	
terbutaline sulfate	11	
terconazole vaginal	75	
TESSALON PERLES	38	
testosterone cypionate	7	
TETANUS/DIPHThERIA		
TOXOIDS-ADSORBED		
ADULT	71	
tetracaine hcl (ophth)	66	
tetrahydrozoline hcl		
(ophth)	65	
TGT GLUCOSE	19	
THEO-24	11	
theophylline	11	
thiamine hcl	76	
thiamine mononitrate	76	
thioridazine hcl	30	
thiothixene	30	
thyroid	71	
tiagabine hcl	14	
TIAZAC	35	
TIKOSYN	10	
timolol maleate	34	
timolol maleate (ophth)	64	
TIMOPTIC	64	
TIMOPTIC OCUDOSE	64	
TINACTIN	43	
tioconazole vaginal	75	
TIVICAY	32	
tizanidine hcl	62	
TOBRADEX	66	
tobramycin (ophth)	65	
tobramycin sulfate	2	
tobramycin-dexamethasone	66	
TOBREX	65	
TOFRANIL	17	
tolnaftate	43	
tolterodine tartrate	73	
TOPAMAX	13	
TOPAMAX SPRINKLE	13	
TOPICORT	45	
topiramate	13,14	
TOPROL XL	34	
toremifene citrate	28	
toremide	49	
tramadol hcl	6	
tramadol-acetaminophen	6	
trandolapril	24	
trandolapril-verapamil hcl	26	
tranexamic acid	53	
TRANXENE T	9	
tranylcypramine sulfate	15	
trazodone hcl	16	
TRECTOR	27	
tretinoin	42	
TREXALL	27	
TRI-NORINYL 28	36	

triamcinolone acetonide (mouth).....	61	TYLENOL INFANTS PAIN+FEVER.....	4	VICTOZA.....	19
triamcinolone acetonide (nasal).....	63	TYLENOL/CODEINE #3.....	6	VIDEX EC.....	32
triamcinolone acetonide (topical).....	45	TYLENOL/CODEINE #4.....	6	VIDEXPEDIATRIC.....	32
TRIAMINIC COLD & COUGH DAY TIME CHILDRENS.....	41	ULTRACET.....	7	VIGAMOX.....	65
TRIAMINIC LONG ACTING COUGH.....	38	ULTRAM.....	6	VIIBRYD.....	16
triamterene & hydrochlorothiazide.....	48	ULTRATHON INSECT REPELLENT.....	47	VIRACEPT.....	32
triazolam.....	53	ULTRATHON INSECT REPELLENT 8.....	47	VIRAMUNE.....	32
TRIBENZOR.....	26	UNILET LANCETS MICRO-THIN33G.....	56	VIRAMUNE XR.....	32
TRIDESILON.....	45	UNISOM SLEEPGELS.....	53	VIREAD.....	32,33
trifluoperazine hcl.....	30	UNISOM SLEEPTABS.....	53	VIROPTIC.....	65
trifluridine.....	65	UP & UP GLUCOSE.....	19	VISINE.....	66
TRIGLIDE.....	23	urea.....	45	VISINE RED EYE COMFORT.....	66
trihexyphenidyl hcl.....	28	URECHOLINE.....	73	VISTARIL.....	9
TRILEPTAL.....	14	UROCIT-K 10.....	51	VISTOGARD.....	21
trimethoprim.....	8	UROCIT-K 5.....	51	vitamin e.....	76
TRINTELLIX.....	16	URSO 250.....	51	VITAMIN E.....	76
TRIUMEQ.....	32	ursodiol.....	51	vitamins w/ lipotropics.....	62
TRIZIVIR.....	32	VAGIFEM.....	75	VIVELLE-DOT.....	50
tropicamide.....	65	valacyclovir hcl.....	33	VIVITROL.....	21
tropium chloride.....	73	VALCYTE.....	33	VOLTAREN.....	42
TRUE METRIX CONTROL SOLUTION LEVEL 1.....	56	valganciclovir hcl.....	33	VYTORIN.....	23
TRUE METRIX CONTROL SOLUTION LEVEL 2.....	56	VALIUM.....	10	VYVANSE.....	1
TRUE METRIX CONTROL SOLUTION LEVEL 3.....	56	valproate sodium.....	14	WALGREENS GLUCOSE.....	19
TRUECONTROL GLUCOSE CONTROL LEVEL 0.....	56	valproic acid.....	14	warfarin sodium.....	11
TRUECONTROL GLUCOSE CONTROL LEVEL 1.....	56	valsartan.....	24	WELLBUTRIN SR.....	15
TRUMENBA.....	73	valsartan-hydrochlorothiazide.....	26	WELLBUTRIN XL.....	15
TRUSOPT.....	67	VALTOCO.....	12	white petrolatum-mineral oil.....	64
TRUVADA.....	32	VALTREX.....	33	XALATAN.....	67
TUDORZA PRESSAIR.....	10	VALUE PLUS GLUCOSE.....	19	XANAX.....	10
TUMS.....	8	VANCOGIN.....	8	XELJANZ.....	3
TUMS LASTING EFFECTS.....	8	VANCOGIN HCL.....	8	XELJANZ XR.....	3
TWYNSTA.....	26	vancomycin hcl.....	8	XEROSTOMIA RELIEF SPRAY.....	61
TYBOST.....	32	VAQTA.....	74	XYZAL ALLERGY 24HR.....	22
TYLENOL.....	4	VARIVAX.....	74	YASMIN 28.....	36
TYLENOL CHILDRENS.....	4	VASERETIC.....	26	YAZ.....	36
TYLENOL CHILDRENS CHEWABLES/PAIN + FEVER.....	4	VASOTEC.....	24	ZADITOR.....	67
TYLENOL EXTRA STRENGTH.....	4	venlafaxine hcl.....	17	zaleplon.....	53,54
TYLENOL INFANTS.....	4	VENTOLIN HFA.....	11	ZANAFLEX.....	62
		verapamil hcl.....	35	ZARONTIN.....	14
		VERELAN.....	35	ZARXIO.....	52
		VERELAN PM.....	35	ZERIT.....	33
		VERIPRED 20.....	38	ZESTORETIC.....	26
		VIBRAMYCIN.....	70	ZESTRIL.....	24
				ZETIA.....	24
				ZIAC.....	26

ZIAGEN	33
zidovudine	33
zinc oxide (topical)	47
zinc sulfate	59
ZINC SULFATE	59
ziprasidone hcl	29
ZITHROMAX	55
ZITHROMAX TRI-PAK	55
ZITHROMAX Z-PAK	55
ZOCOR	24
ZOFRAN	21
zolmitriptan	58
ZOLOFT	16
zolpidem tartrate	54
ZOMIG	58
ZOMIG ZMT	58
ZONEGRAN	14
zonisamide	14
ZOSTAVAX	74
ZOVIRAX	33,44
ZUBSOLV	7
ZYBAN	70
ZYLOPRIM	52
ZYPREXA	29,30
ZYRTEC ALLERGY	22
ZYRTEC CHILDRENS ALLERGY	22
ZYRTEC-D ALLERGY/CONGESTION ...	41