

This Preferred Drug List is searchable. Here is how to search for a drug:

1. Press Control F to open the search tool
2. Type the drug name into the text box
3. Press enter

Pharmacy Program

Peach State Health Plan covers medicine for Medicaid and Peach Care for Kids® members. The pharmacy team works with doctors and pharmacists to be sure medicines for a lot of illnesses are covered. Peach State Health Plan pays for prescription drugs and some over-the-counter (OTC) medications. Your doctor must write a prescription for these drugs. The pharmacy program does not pay for all drugs. Some drugs need a prior authorization (PA). Some drugs have limits on age, dose, and maximum quantities.

You can call Member Services to talk to someone about the list of drugs Peach State Health Plan covers. The Member Service phone number is 1-800-704-1484 (TTY/TTD 1-800-255-0056). You can also use the “drug Lookup” Tool in the secure member webpage to see if your drug is covered. You can get to the tool by using this link <https://members.envolverx.com/>

Preferred Drug List (PDL)

The Peach State Health Plan Preferred Drug List (PDL) is the list of covered drugs. The PDL tells you the drugs you can get at local pharmacies. The list is updated every three months by the Peach State Pharmacy and Therapeutics (P&T) Committee. The group is made up of the Peach State Health Plan Medical Director, Pharmacy Director, and several Georgia doctors, pharmacists, and specialists.

Pharmacy Benefit Manager (PBM)

Peach State Health Plan works with Envolve Pharmacy Solutions to pay for pharmacy claims. Some drugs on the PDL need a prior authorization (PA). Envolve Pharmacy Solutions reviews those requests. Envolve Pharmacy Solutions is our Pharmacy Benefit Manager (PBM).

Specialty Drugs

Some drugs are only paid for when you get them from Peach State Health Plan’s specialty pharmacy. AcariaHealth is the specialty pharmacy you should use.

The Peach State Health Plan Pharmacy Director and Medical Director review the PA requests for these drugs. Approval notices are sent to AcariaHealth to fill your specialty medicine. You will receive a phone call from AcariaHealth to provide you with the following services:

- Delivery of drugs to the home or doctor’s office.
- Pharmacists who can help 24 hours a day, seven days a week to answer your questions and help with medicines.
- Help you know your medicine better. This will help you understand your health condition better.

These drugs are not usually available at local pharmacies. Be sure to call the specialty pharmacy for a refill before you run out of medicine. Drugs that AcariaHealth provides are marked in the PDL. This list is on the Peach State Health Plan website at www.pshp.com. Please contact Member Services if you have any questions about the PDL.

Dispensing Limits

The pharmacy can give you up to 31 days' supply of each new prescription or refill. 80% of the days' supply or 25 days must have passed before the medicine can be refilled for PDL drugs that are not controlled. Controlled medicines must have 90% of the supply used before the medicine can be refilled. You will need a new prescription for some controlled medicines.

Appropriate Use and Safety Edits

Your safety is very important to Peach State Health Plan. One of the ways we look out for your safety is through point-of sale (POS) edits when the medicine claim is sent by the pharmacy. These edits are based on the Food and Drug Administration (FDA) approvals. One example would be only allowing one drug in the same therapy class each month.

More information about the drugs that are part of these edits can be found in the **Appropriate Use and Safety Edits** document on the Peach State Health Plan website at www.pshp.com.

Prior Authorizations (PA)

Some drugs on the PDL may require PA. You should talk to your doctor or pharmacist if your pharmacy tells you a PA is needed. A request should be sent by the doctor or pharmacy to Envolve Pharmacy Solutions on the **Medication Prior Authorization Form**. This form is on the Peach State Health Plan website at www.pshp.com. The completed form and doctor notes to show your history should be **faxed to Envolve Pharmacy Solutions at 1-866-399-0929**.

Peach State Health Plan will cover the medicine if:

1. There is a medical reason you need that specific medication.
2. Other medications on the PDL have not worked.

All reviews are done by a Georgia licensed clinical pharmacist and will be completed in 24 hours unless more information is needed. They use the standards set by the Peach State Health Plan P&T Committee. If the request is approved, Envolve Pharmacy Solutions sends your doctor a fax. If it is not approved, Peach State Health Plan and Envolve Pharmacy Solutions will send a letter to you and a fax to your doctor. The letter will have a list of other similar medicines. It will also tell you about the appeal process.

Step Therapy

Some drugs on the PDL may require another drug to be used first. This is called Step Therapy. If you filled that required drug with Peach State Health Plan already, the step therapy medicine will be covered. If you have not tried the PDL medicine, your doctor will need to send in a PA form with other medicine you have tried. If Envolve Pharmacy Solutions does not approve the PA we will send you a letter and a fax to your doctor. The letter will tell you about the appeal process.

Quantity Limits

Peach State Health Plan may limit how much of a medicine you can get at one time. If the doctor feels you need a larger amount, a PA may be sent to Envolve Pharmacy Solutions. If Envolve Pharmacy Solutions does not approve the PA we will send you a letter and a fax to your doctor. The letter will tell you about the appeal process.

Age Limits

Some medicine on the Peach State Health Plan PDL may have age limits. These are based on the Food and Drug Administration (FDA) approved labeling and for your safety. If the doctor feels you need the drug anyway, a PA may be sent to Envolve Pharmacy Solutions. If Envolve Pharmacy Solutions does not approve the PA we will send you a letter and a fax to your doctor. The letter will tell you about the appeal process.

Medical Necessity Requests

If you need a medicine that is not on the PDL, your doctor can make a medical necessity (MN) PA request for the drug. There are medicines on the PDL to treat most conditions. For drugs not on the PDL, Peach State Health Plan requires:

- Doctor's notes to show you tried at least two PDL drugs in the same class and used for the same diagnosis; or
- Doctor's notes to show you are allergic or cannot take at least two PDL drugs in the same class; or
- Doctor's notes to show you cannot take any of the PDL agents for your diagnosis.

All reviews are done by a Georgia licensed clinical pharmacist and will be completed in 24 hours unless more information is needed. They use the standards set by the Peach State Health Plan P&T Committee. If the request is approved, Envolve Pharmacy Solutions sends your doctor a fax. If it is not approved, Peach State Health Plan and Envolve Pharmacy Solutions will send a letter to you and a fax to your doctor. The letter will have a list of other similar medicines. It will also tell you about the appeal process.

72 Hour Emergency Supply Policy

State and Federal law says a pharmacy can give you a 72 hour (3 day) supply of medicine if you are waiting on PA review. Pharmacies will be paid for the 3 day supply even if the PA is not approved. The pharmacist can use professional judgment to decide if the medicine is urgent. The 72 hour supply is not allowed for Controlled substances that need a PA. The pharmacy must **call Envolve Pharmacy Solutions at 1-866-399-0928** for an override to send the 72-hour supply for payment.

Exclusions

Below you will find a list of things that are not part of the Peach State PDL. The 72-hour emergency supply policy does not cover these drugs either.

- Drugs that are considered experimental
- Drug Efficacy Study and Implementation (DESI) drugs
- Drugs prescribed for weight loss
- Drugs prescribed for infertility
- Drugs prescribed for erectile dysfunction
- Drugs prescribed for cosmetic purposes or hair growth
- Cough and cold preparations
- Infusion therapy and supplies
- Physician administered drugs, that are not listed in the PDL, Specialty Drug Benefit, or the Physician Administered Drug Prior Authorization List

Newly Approved Products

Peach State Health Plan reviews new drugs before adding them to the PDL. These medicines will need a PA review until they are added to the PDL. If it is not approved, Peach State Health Plan and Envolve Pharmacy Solutions will send a letter to you and a fax to your doctor. The letter will have a list of other similar medicines. It will also tell you about the appeal process.

Over-the-Counter Medications

The Peach State Health Plan PDL covers some OTC medicines. These OTCs are covered when your doctor writes a prescription for one of them.

Tobacco Cessation Medications

Tobacco Cessation is when you quit smoking cigarettes. These are the medicines Peach State Health Plan covers: generic nicotine replacement products (gum, lozenges, and patches) and bupropion SR (Zyban). You will need a prescription from your doctor for these medicines.

Generic Drugs

Brand-name drugs will not be covered without PA when an acceptable generic is available. Generic drugs have the same active ingredient and work the same as brand-name drugs. If you or your doctor feels a brand-name is needed, your doctor can ask for PA. We will cover the brand-name drug if there is a medical reason you need the brand-name. If it is not approved, Peach State Health Plan and Envolve Pharmacy Solutions will send a letter to you and a fax to your doctor. The letter will have a list of other medicine. It will also tell you about the appeal process.

Drug Efficacy Study and Implementation Drugs

Drug Efficacy Study and Implementation (DESI) drugs are said to be less effective by the Food and Drug Administration. DESI products are not covered by Peach State Health Plan.

Filling a Prescription

You can have medicine filled at a Peach State Health Plan pharmacy. You can find a pharmacy by calling Peach State Health Plan Member Services. You can also look for a pharmacy close to you using the Provider-Lookup tool on the website. You will need to give the pharmacist your prescription and Peach State Health Plan ID card. Your pharmacy may ask for other forms of identification, like driver's license or state ID.

Ordering, Prescribing and Referring (OPR) Provider Requirements

Georgia Medicaid and the Center for Medicaid and Medicare Services (CMS) want your doctor to be listed with Georgia Medicaid. Peach State Health Plan and Envolve Pharmacy Solutions check pharmacy claims to be sure the pharmacy and doctor on your prescription are enrolled with Georgia Families[®]. If a non-enrolled doctor writes your prescription, the prescription will be rejected. Your pharmacy will not be able to fill prescriptions for you if it is not enrolled in Georgia Families[®].

Copayments

The table below shows co-pay amounts for the drugs. The co-pay is based on the actual cost of the medicine. Co-pays are not required for:

- children under the age of 21 who are covered under the Medicaid benefit
- PeachCare for Kids® members under age 6
- pregnant women
- family planning supplies
- members in the hospital or a nursing home
- Alaskan Eskimo members, or American Indian members
- members with breast and/or cervical cancer

Prescription	Member Copayment
Preferred Drug List (PDL) Medicine	\$0.50
Non-PDL Medicine	
Under \$10.00	\$0.50
Between \$10.01 and \$25.00	\$1.00
Between \$25.01 and \$50.00	\$2.00
More than \$50.01	\$3.00

Contact Information

Peach State Health Plan Member Services:	1-800-704-1484
	Fax: 1-800-659-7518
Peach State Health Plan Member Services TTY/TDD:	1-800-255-0056
Envolve Pharmacy Solutions Prior Authorizations:	1-866-399-0928
	Fax: 1-866-399-0929
Envolve Pharmacy Solutions – CVS/Caremark Pharmacy Help Desk:	1-844-297-0513
AcariaHealth Shipping Questions:	1-855-535-1815

Language Assistance

Do you need this book translated? Do you need help understanding this book? If you do, call Peach State Health Plan’s Member Service line at 1-800-704-1484. If you are hearing impaired, call our TDD/TTY at 1-800-255-0056. To get this information in large font or audiotape, call Member Services. Interpreter services are provided free of charge to you. Peach State Health Plan has a telephone language line available 24 hours a day, 7 days a week.

Preferred Drug List ABBREVIATIONS

PREFERRED DRUG LIST TIER ABBREVIATIONS	
Tier	Tier Definitions
P	Preferred Drug
REQUIREMENT or LIMITS	
Requirement/Limits	Requirement/Limit Description
AL	Age Limit: Drug is limited to a specific age
PA	Prior Authorization: Review required before prescription can be filled
QL	Quantity Limit: There is a limit on the amount covered per prescription or within a set time frame.
Rx/OTC	Product has both prescription and over the counter coverage
SP	Specialty Drug: High-cost drugs used to treat complex conditions, such as multiple sclerosis, rheumatoid arthritis, hepatitis C, and hemophilia and may be limited to a specific pharmacy.
ST	Step Therapy: Requires trial and failure of one or more preferred products prior to coverage.
CLINICAL EDIT DESCRIPTIONS	
Edit Name	Edit Description
<i>Opioid</i>	Short-acting opioid medicines can only be filled for 7-days at a time when no opioids are filled in the past 180 days (Treatment-Naïve). This limit is extended to 30-day fills when a member has a medical history of cancer, sickle cell, or palliative care in their records. Treatment-Naïve* Limits: <ul style="list-style-type: none"> • Daily Dose Max = 50 MME** • Day Supply Max = 7 days • Must use Short-acting opioids before Long-acting opioids *Treatment-Naïve means no opioid fill in last 180 days **MME = Morphine Milligram Equivalent
<i>ADHD</i>	First fill of ADHD medicines are limited to max 20 day supply for members age 6 to 12, after 30 days can be filled. Edit resets if no fills in 4 months.
<i>Test Strips</i>	Insulin users are limited to 150 strips per 30 days; Non-insulin users are limited to 100 strips per 90 days
STANDARD ABBREVIATIONS	

Dose Form	Dose Form Description	Dose Form	Dose Form Description
AEPB	Aerosol Powder Breath Activated	DEVI	Device
AERB	Aerosol, breath activated	ELIX	Elixir
AERO	Aerosol	EMUL	Emulsion
AJKT	Auto-injector Kit	ENEM	Enema
AUIJ	Auto-injector	EX	External
CAPS	Capsule	GRAN	Granules
CHEW	Tablet Chewable	IJ	Injection
CONC	Concentrate	IMPL	Implant
CP12	Capsule ER 12 HR	INHA	Inhaler
CP24	Capsule ER 24 HR	INJ	Injectable
CPCR	Capsule ER	IUD	Intrauterine Device
CPDR	Capsule Delayed Release	IV	Intravenous
CPEP	Capsule Enteric Coated Particles	LIQD	Liquid
CPSP	Capsule Sprinkle	LOTN	Lotion
CREA	Cream	LOZG	Lozenge
CSDR	Capsule Delayed Release Sprinkle	LPOP	Lollipop

Peach State Health Plan: Preferred Drug List (PDL)



Dose Form	Dose Form Description	Dose Form	Dose Form Description
MISC	Miscellaneous	SOSY	Solution Prefilled Syringe
NA	Nasal	SRER	Suspension Reconstituted ER
NEBU	Nebulization solution	STRP	Strip
OINT	Ointment	SUBL	Tablet Sublingual
OP	Ophthalmic	SUER	Suspension Extended Release
OPHT	Ophthalmic	SUPN	Suspension Pen-injector
OR	Oral	SUPP	Suppository
PACK	Packet	SUSP	Suspension
PEN	Pen-injector	SUSR	Suspension Reconstituted
PNKT	Pen-injector Kit	SUSY	Suspension Prefilled Syringe
POT	Potassium	SYRP	Syrup
POWD	Powder	T12A	Tablet ER 12 Hour Abuse-Deterrent
PRSY	Prefilled Syringe	TABS	Tablets
PSKT	Prefilled Syringe Kit	TB12	Tablet ER 12 Hour
PSTE	Paste	TB24	Tablet ER 24 Hour
PT24	Patch 24 Hour	TBCR	Tablet ER
PT72	Patch 72 Hour	TBDP	Tablet Dispersible
PTCH	Patch	TBEC	Tablet Enteric Coated
PTTW	Patch Biweekly	TBEF	Tablet Effervescent
PTWK	Patch Weekly	TBPK	Tablet Therapy Pack
RE	Rectal	TBSO	Tablet Soluble
S.O.P.	Sterile Ophthalmic Preparation	TEST	Diagnostic Test
SHAM	Shampoo	TINC	Tincture
SOAJ	Solution Auto-injector	TROC	Troche
SOCT	Solution Cartridge	VA	Vaginal
SOLN	Solution	VI	Visual Indicator
SOLR	Solution Reconstituted	WAFR	Wafer
SOPN	Solution Pen-injector	XR	Extended Release

Drug Name	Drug Tier	Requirements/Limits
ADHD/ANTI-NARCOLEPSY/ANTI-OBESITY/ANOREXIANTS - Drugs to Treat ADHD, Sleep and Eating Disorders		
Amphetamines		
ADDERALL TABS (<i>Use amphetamine-dextroamphetamine</i>)	NP	Clinical Edit: ADHD;QL(2 ea daily); AL(At least 3 yrs old)
ADDERALL XR CP24 (<i>Use amphetamine-dextroamphetamine</i>)	NP	Clinical Edit: ADHD;QL(1 ea daily); AL(At least 6 yrs old)
<i>amphetamine-dextroamphetamine cp24 5 mg-5 mg-5 mg-5 mg, 2.5 mg-2.5 mg-2.5 mg-2.5 mg, 7.5 mg-7.5 mg-7.5 mg-7.5 mg, 1.25 mg-1.25 mg-1.25 mg-1.25 mg, 3.75 mg-3.75 mg-3.75 mg-3.75 mg, 6.25 mg-6.25 mg-6.25 mg-6.25 mg</i>	P	Clinical Edit: ADHD;QL(1 ea daily); AL(At least 6 yrs old)
<i>amphetamine-dextroamphetamine tabs 5 mg-5 mg-5 mg-5 mg, 2.5 mg-2.5 mg-2.5 mg-2.5 mg, 7.5 mg-7.5 mg-7.5 mg-7.5 mg, 1.25 mg-1.25 mg-1.25 mg-1.25 mg, 3.75 mg-3.75 mg-3.75 mg-3.75 mg, 1.875 mg-1.875 mg-1.875 mg-1.875 mg, 3.125 mg-3.125 mg-3.125 mg-3.125 mg</i>	P	Clinical Edit: ADHD;QL(2 ea daily); AL(At least 3 yrs old)
DEXEDRINE CP24 (<i>Use dextroamphetamine sulfate</i>)	NP	Clinical Edit: ADHD;QL(2 ea daily); AL(At least 6 yrs old)
<i>dextroamphetamine sulfate cp24 5 mg, 10 mg, 15 mg</i>	P	Clinical Edit: ADHD;QL(2 ea daily); AL(At least 6 yrs old)
<i>dextroamphetamine sulfate tabs 5 mg, 10 mg</i>	P	Clinical Edit: ADHD;QL(2 ea daily); AL(At least 3 yrs old)

Drug Name	Drug Tier	Requirements/Limits
VYVANSE CAPS 10 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG, 70 MG	P	ST; try methylphenidate ER and Adderall XR; Clinical Edit: ADHD;;QL(1 ea daily)
Analeptics		
<i>caffeine citrate soln or 20 mg/ml, 60 mg/3ml</i>	P	QL(45 ml per fill retail)
CAFFEINE CITRATED POWD	P	QL(45 gm per fill retail)
Attention-Deficit/Hyperactivity Disorder (ADHD)		
<i>atomoxetine hcl caps</i>	P	ST; Clinical Edit: ADHD;QL(1 ea daily); AL(At least 6 yrs old)
<i>clonidine hcl (adhd) tb12</i>	P	
<i>guanfacine hcl (adhd) tb24</i>	P	QL(1 ea daily); AL(At least 6 yrs old)
INTUNIV TB24 (<i>Use guanfacine hcl (adhd)</i>)	NP	QL(1 ea daily); AL(At least 6 yrs old)
KAPVAY TB12 (<i>Use clonidine hcl (adhd)</i>)	NP	
STRATTERA CAPS (<i>Use atomoxetine hcl</i>)	NP	ST; Clinical Edit: ADHD;QL(1 ea daily); AL(At least 6 yrs old)
Stimulants - Misc.		
CONCERTA TBCR 18 MG, 27 MG, 54 MG (<i>Use methylphenidate hcl</i>)	NP	Clinical Edit: ADHD;QL(1 ea daily); AL(At least 6 yrs old)
CONCERTA TBCR 36 MG (<i>Use methylphenidate hcl</i>)	NP	Clinical Edit: ADHD;QL(2 ea daily); AL(At least 6 yrs old)
<i>dexmethylphenidate hcl tabs 5 mg, 10 mg, 2.5 mg</i>	P	Clinical Edit: ADHD;QL(2 ea daily); AL(At least 6 yrs old)

Drug Name	Drug Tier	Requirements/Limits
FOCALIN TABS (<i>Use dexamethylphenidate hcl</i>)	NP	Clinical Edit: ADHD;QL(2 ea daily); AL(At least 6 yrs old)
METHYLIN SOLN 10 MG/5ML (<i>Use methylphenidate hcl</i>)	NP	QL(900 ml per 30 days retail); AL(At least 3 yrs old)
METHYLIN SOLN 5 MG/5ML (<i>Use methylphenidate hcl</i>)	NP	QL(1800 ml per 30 days retail); AL(At least 3 yrs old)
<i>methylphenidate hcl cpcr or 10 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg</i>	P	Clinical Edit: ADHD;QL(1 ea daily); AL(At least 6 yrs old)
<i>methylphenidate hcl soln or 10 mg/5ml</i>	P	QL(900 ml per 30 days retail); AL(At least 3 yrs old)
<i>methylphenidate hcl soln or 5 mg/5ml</i>	P	QL(1800 ml per 30 days retail); AL(At least 3 yrs old)
<i>methylphenidate hcl tabs or 10 mg, 20 mg</i>	P	Clinical Edit: ADHD;QL(3 ea daily); AL(At least 3 yrs old)
<i>methylphenidate hcl tabs or 5 mg</i>	P	Clinical Edit: ADHD;QL(6 ea daily); AL(At least 3 yrs old)
<i>methylphenidate hcl tb24 or 18 mg, 27 mg, 54 mg</i>	P	Clinical Edit: ADHD;QL(1 ea daily); AL(At least 6 yrs old)
<i>methylphenidate hcl tb24 or 36 mg</i>	P	Clinical Edit: ADHD;QL(2 ea daily); AL(At least 6 yrs old)
<i>methylphenidate hcl tbcr or 10 mg, 20 mg, 36 mg</i>	P	Clinical Edit: ADHD;QL(2 ea daily); AL(At least 6 yrs old)
<i>methylphenidate hcl tbcr or 18 mg, 27 mg, 54 mg</i>	P	Clinical Edit: ADHD;QL(1 ea daily); AL(At least 6 yrs old)

Drug Name	Drug Tier	Requirements/Limits
RITALIN TABS 10 MG, 20 MG (<i>Use methylphenidate hcl</i>)	NP	Clinical Edit: ADHD;QL(3 ea daily); AL(At least 3 yrs old)
RITALIN TABS 5 MG (<i>Use methylphenidate hcl</i>)	NP	Clinical Edit: ADHD;QL(6 ea daily); AL(At least 3 yrs old)
ALTERNATIVE MEDICINES		
Alternative Medicine - G's		
<i>ginger (zingiber officinalis) caps 250 mg</i>	P	OTC;QL(4 ea daily)
Alternative Medicine - M's		
MELATONIN SUBL SL 3 MG	P	QL(1 ea daily)
<i>melatonin tabs or 3 mg, 5 mg</i>	P	OTC;QL(1 ea daily)
<i>melatonin tbdp or 3 mg</i>	P	QL(1 ea daily)
AMINOGLYCOSIDES - Drugs to Treat Bacterial Infections		
Aminoglycosides		
<i>neomycin sulfate tabs or</i>	P	
<i>tobramycin sulfate soln ij 10 mg/ml, 40 mg/ml, 80 mg/2ml, 1.2 gm/30ml</i>	P	PA
<i>tobramycin sulfate solr ij 1.2 gm</i>	P	PA
ANALGESICS - ANTI-INFLAMMATORY - Drugs to Treat Pain, Swelling, Muscle and Joint Conditions		
Anti-TNF-alpha - Monoclonal Antibodies		
HUMIRA PEDIATRIC CROHNS DISEASE STARTER PACK PSKT	P	PA; SP
HUMIRA PEN PNKT	P	PA; SP
HUMIRA PEN-CD/UC/HS STARTER PNKT	P	PA; SP
HUMIRA PEN-PS/UV STARTER PNKT	P	PA; SP
HUMIRA PSKT	P	PA; SP

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
Antirheumatic - Enzyme Inhibitors		
XELJANZ TABS	P	PA; SP
XELJANZ XR TB24	P	PA; SP
Antirheumatic Antimetabolites		
METHOTREXATE SODIUM TABS OR 2.5 MG	P	
METHOTREXATE TABS OR	P	
Nonsteroidal Anti-inflammatory Agents (NSAIDs)		
ADVIL TABS (Use <i>ibuprofen</i>)	NP	OTC
ALEVE ARTHRITIS TABS (Use <i>naproxen sodium</i>)	NP	OTC;QL(2 ea daily)
ALEVE TABS (Use <i>naproxen sodium</i>)	NP	OTC;QL(2 ea daily)
ANAPROX DS TABS (Use <i>naproxen sodium</i>)	NP	
CHILDRENS ADVIL SUSP (Use <i>ibuprofen</i>)	NP	RX/OTC
CHILDRENS MOTRIN SUSP (Use <i>ibuprofen</i>)	NP	RX/OTC
<i>diclofenac potassium tabs</i>	P	
<i>diclofenac sodium tbec or 25 mg, 50 mg, 75 mg</i>	P	
<i>etodolac caps 200 mg, 300 mg</i>	P	
<i>etodolac tabs 400 mg, 500 mg</i>	P	
FELDENE CAPS (Use <i>piroxicam</i>)	NP	
<i>fenoprofen calcium caps or 400 mg</i>	P	
FLURBIPROFEN TABS OR 50 MG	P	
<i>flurbiprofen tabs or 50 mg, 100 mg</i>	P	
<i>ibuprofen chew or 100 mg</i>	P	OTC
<i>ibuprofen lysine soln</i>	P	
<i>ibuprofen susp or 100 mg/5ml</i>	P	RX/OTC

Drug Name	Drug Tier	Requirements/Limits
<i>ibuprofen susp or 40 mg/ml, 50 mg/1.25ml</i>	P	OTC
<i>ibuprofen tabs or 200 mg</i>	P	OTC
<i>ibuprofen tabs or 400 mg, 600 mg, 800 mg</i>	P	
INDOCIN SUPP	P	
INDOCIN SUSP	P	
<i>indomethacin caps or 25 mg, 50 mg</i>	P	
<i>indomethacin sodium solr</i>	P	
INFANTS ADVIL SUSP (Use <i>ibuprofen</i>)	NP	OTC
<i>ketorolac tromethamine soln ij 15 mg/ml, 30 mg/ml</i>	P	
KETOROLAC TROMETHAMINE SOLN IJ 30 MG/ML	P	
<i>ketorolac tromethamine tabs or 10 mg</i>	P	QL(20 ea per 30 days retail); AL(At least 17 yrs old)
LODINE TABS (Use <i>etodolac</i>)	NP	
<i>meloxicam tabs or 15 mg, 7.5 mg</i>	P	
MOBIC TABS (Use <i>meloxicam</i>)	NP	
MOTRIN CHILDRENS CHEW (Use <i>ibuprofen</i>)	NP	OTC
MOTRIN INFANTS DROPS SUSP (Use <i>ibuprofen</i>)	NP	OTC
<i>nabumetone tabs or 500 mg, 750 mg</i>	P	
NALFON CAPS 400 MG	P	
NAPROSYN SUSP (Use <i>naproxen</i>)	NP	
NAPROSYN TABS (Use <i>naproxen</i>)	NP	
<i>naproxen sodium tabs or 220 mg</i>	P	OTC;QL(2 ea daily)

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
<i>naproxen sodium tabs or 275 mg, 550 mg</i>	P	
<i>naproxen susp or 125 mg/5ml</i>	P	
<i>naproxen tabs or 250 mg, 375 mg, 500 mg</i>	P	
NEOPROFEN SOLN (Use <i>ibuprofen lysine</i>)	NP	
<i>piroxicam caps or 10 mg, 20 mg</i>	P	
<i>sulindac tabs or 150 mg, 200 mg</i>	P	
Pyrimidine Synthesis Inhibitors		
ARAVA TABS (Use <i>leflunomide</i>)	NP	QL(1 ea daily)
<i>leflunomide tabs or 10 mg, 20 mg</i>	P	QL(1 ea daily)
Soluble Tumor Necrosis Factor Receptor Agents		
ENBREL SOLR	P	PA; SP
ENBREL SOSY	P	PA; SP
ENBREL SURECLICK SOAJ	P	PA; SP
ANALGESICS - NonNarcotic - Drugs to Treat Pain, Muscle and Joint Conditions		
Analgesic Combinations		
<i>butalbital-acetaminophen tabs 325 mg-50 mg</i>	P	QL(4 ea daily); AL(At least 12 yrs old)
<i>butalbital-acetaminophen-caffeine caps 325 mg-40 mg-50 mg</i>	P	QL(4 ea daily); AL(At least 12 yrs old)
<i>butalbital-acetaminophen-caffeine tabs 325 mg-40 mg-50 mg</i>	P	QL(4 ea daily); AL(At least 12 yrs old)
<i>butalbital-aspirin-caffeine caps</i>	P	QL(4 ea daily); AL(At least 18 yrs old)
ESGIC TABS (Use <i>butalbital-acetaminophen-caffeine</i>)	NP	QL(4 ea daily); AL(At least 12 yrs old)
FIORINAL CAPS (Use <i>butalbital-aspirin-caffeine</i>)	NP	QL(4 ea daily); AL(At least 18 yrs old)

Drug Name	Drug Tier	Requirements/Limits
Analgesics Other		
<i>acetaminophen chew or 80 mg, 160 mg</i>	P	OTC
<i>acetaminophen elix or 160 mg/5ml, 80 mg/2.5ml</i>	P	OTC
<i>acetaminophen liqd or 160 mg/5ml</i>	P	OTC
<i>acetaminophen soln or 100 mg/ml</i>	P	QL(30 ml per fill retail)
<i>acetaminophen soln or 160 mg/5ml, 650 mg/20.3ml, 325 mg/10.15ml</i>	P	OTC
<i>acetaminophen supp re 120 mg, 650 mg</i>	P	OTC;QL(12 ea per 30 days retail)
<i>acetaminophen susp or 160 mg/5ml, 80 mg/2.5ml, 650 mg/20.3ml</i>	P	OTC
<i>acetaminophen tabs or 325 mg, 500 mg</i>	P	OTC
FEVERALL JUNIOR STRENGTH SUPP	P	OTC;QL(12 ea per 30 days retail)
NORTEMP INFANTS SUSP	P	OTC
TYLENOL CHILDRENS CHEWABLES/PAIN + FEVER CHEW (Use <i>acetaminophen</i>)	NP	OTC
TYLENOL CHILDRENS SUSP (Use <i>acetaminophen</i>)	NP	OTC
TYLENOL EXTRA STRENGTH TABS (Use <i>acetaminophen</i>)	NP	OTC
TYLENOL INFANTS PAIN+FEVER SUSP (Use <i>acetaminophen</i>)	NP	OTC
TYLENOL INFANTS SUSP (Use <i>acetaminophen</i>)	NP	OTC
TYLENOL TABS (Use <i>acetaminophen</i>)	NP	OTC
Salicylates		
<i>aspirin buffered (cal carb-mag carb-mag oxide) tabs</i>	P	OTC

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
<i>aspirin chew or 81 mg</i>	P	OTC
ASPIRIN SUPP RE 300 MG, 600 MG	P	OTC;QL(12 ea per 30 days retail)
<i>aspirin tabs or 325 mg</i>	P	OTC
<i>aspirin tbec or 81 mg, 324 mg, 325 mg, 500 mg</i>	P	OTC
BUFFERIN TABS (<i>Use aspirin buffered (cal carb-mag carb-mag oxide)</i>)	NP	OTC
<i>diflunisal tabs</i>	P	
ECOTRIN MAXIMUM STRENGTH TBEC (<i>Use aspirin</i>)	NP	OTC
ECOTRIN REGULAR STRENGTH TBEC (<i>Use aspirin</i>)	NP	OTC
<i>salsalate tabs or 500 mg, 750 mg</i>	P	
ANALGESICS - OPIOID - Drugs to Treat Pain, Muscle and Joint Conditions		
Opioid Agonists		
CODEINE SULFATE TABS 15 MG, 60 MG	P	Clinical Edit: Opioids;QL(2 ea daily); AL(At least 12 yrs old)
CODEINE SULFATE TABS 30 MG (<i>Use codeine sulfate</i>)	NP	Clinical Edit: Opioids;QL(2 ea daily); AL(At least 12 yrs old)
<i>codeine sulfate tabs 30 mg, 60 mg</i>	P	Clinical Edit: Opioids;QL(2 ea daily); AL(At least 12 yrs old)
DILAUDID TABS OR 2 MG, 4 MG (<i>Use hydromorphone hcl</i>)	NP	Clinical Edit: Opioids;QL(6 ea daily)
DILAUDID TABS OR 8 MG (<i>Use hydromorphone hcl</i>)	NP	Clinical Edit: Opioids;QL(4 ea daily)

Drug Name	Drug Tier	Requirements/Limits
DOLOPHINE TABS 10 MG (<i>Use methadone hcl</i>)	NP	PA; QL(10 ea daily)
DOLOPHINE TABS 5 MG (<i>Use methadone hcl</i>)	NP	PA; QL(6 ea daily)
DURAGESIC PT72 (<i>Use fentanyl</i>)	NP	QL(0.34 ea daily)
<i>fentanyl pt72 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr, 100 mcg/hr</i>	P	QL(0.34 ea daily)
HYDROMORPHONE HCL SUPP RE 3 MG	P	Clinical Edit: Opioids;QL(2 ea daily)
<i>hydromorphone hcl tabs or 2 mg, 4 mg</i>	P	Clinical Edit: Opioids;QL(6 ea daily)
<i>hydromorphone hcl tabs or 8 mg</i>	P	Clinical Edit: Opioids;QL(4 ea daily)
<i>meperidine hcl soln or 50 mg/5ml</i>	P	Clinical Edit: Opioids;QL(30 ml daily)
<i>meperidine hcl tabs or 50 mg, 100 mg</i>	P	Clinical Edit: Opioids;QL(6 ea daily)
<i>methadone hcl tabs or 10 mg</i>	P	PA; QL(10 ea daily)
<i>methadone hcl tabs or 5 mg</i>	P	PA; QL(6 ea daily)
<i>morphine sulfate soln or 10 mg/5ml, 20 mg/5ml</i>	P	Clinical Edit: Opioids;QL(21.4 ml daily)
<i>morphine sulfate soln or 20 mg/ml, 100 mg/5ml</i>	P	Clinical Edit: Opioids;QL(240 ml per fill retail)
<i>morphine sulfate supp re 5 mg, 10 mg, 20 mg, 30 mg</i>	P	Clinical Edit: Opioids;QL(18 ea per fill retail)
<i>morphine sulfate tabs or 15 mg, 30 mg</i>	P	Clinical Edit: Opioids;QL(6 ea daily)
<i>morphine sulfate tbc or 15 mg, 30 mg, 60 mg, 100 mg, 200 mg</i>	P	QL(3 ea daily)
MS CONTIN TBCR (<i>Use morphine sulfate</i>)	NP	QL(3 ea daily)

Drug Name	Drug Tier	Requirements/Limits
OXAYDO TABS 5 MG	P	Clinical Edit: Opioids; QL(6 ea daily)
<i>oxycodone hcl caps or 5 mg</i>	P	Clinical Edit: Opioids; QL(6 ea daily)
<i>oxycodone hcl conc or 100 mg/5ml</i>	P	Clinical Edit: Opioids; QL(90 ml per fill retail)
<i>oxycodone hcl soln or 5 mg/5ml</i>	P	Clinical Edit: Opioids; QL(30 ml daily)
<i>oxycodone hcl t12a or 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 60 mg, 80 mg</i>	P	PA; QL(2 ea daily)
<i>oxycodone hcl tabs or 30 mg</i>	P	Clinical Edit: Opioids; QL(4 ea daily)
<i>oxycodone hcl tabs or 5 mg, 10 mg, 15 mg, 20 mg</i>	P	Clinical Edit: Opioids; QL(6 ea daily)
OXYCONTIN T12A	P	PA; QL(2 ea daily)
ROXICODONE TABS 30 MG (Use <i>oxycodone hcl</i>)	NP	Clinical Edit: Opioids; QL(4 ea daily)
ROXICODONE TABS 5 MG, 15 MG (Use <i>oxycodone hcl</i>)	NP	Clinical Edit: Opioids; QL(6 ea daily)
<i>tramadol hcl tabs or 50 mg</i>	P	Clinical Edit: Opioids; QL(4 ea daily); AL(At least 18 yrs old)
ULTRAM TABS (Use <i>tramadol hcl</i>)	NP	Clinical Edit: Opioids; QL(4 ea daily); AL(At least 18 yrs old)
Opioid Combinations		
<i>acetaminophen w/ codeine soln 12 mg/5ml-120 mg/5ml</i>	P	Clinical Edit: Opioids; QL(30 ml daily); AL(At least 12 yrs old)

Drug Name	Drug Tier	Requirements/Limits
<i>acetaminophen w/ codeine tabs 15 mg-300 mg, 30 mg-300 mg, 300 mg-60 mg</i>	P	Clinical Edit: Opioids; QL(6 ea daily); AL(At least 12 yrs old)
<i>butalbital-acetaminophen-caffeine w/ codeine caps 30 mg-325 mg-40 mg-50 mg</i>	P	Clinical Edit: Opioids; QL(4 ea daily); AL(At least 12 yrs old)
<i>butalbital-aspirin-caffeine w/cod caps</i>	P	Clinical Edit: Opioids; QL(4 ea daily); AL(At least 12 yrs old)
FIORINAL/CODEINE #3 CAPS (Use <i>butalbital-aspirin-caffeine w/cod</i>)	NP	Clinical Edit: Opioids; QL(4 ea daily); AL(At least 12 yrs old)
<i>hydrocodone-acetaminophen soln 108 mg/5ml-2.5 mg/5ml, 217 mg/10ml-5 mg/10ml, 325 mg/15ml-7.5 mg/15ml</i>	P	Clinical Edit: Opioids; QL(180 ml daily)
<i>hydrocodone-acetaminophen tabs 325 mg-5 mg, 10 mg-325 mg, 325 mg-7.5 mg</i>	P	Clinical Edit: Opioids; QL(6 ea daily)
NORCO TABS (Use <i>hydrocodone-acetaminophen</i>)	NP	Clinical Edit: Opioids; QL(6 ea daily)
<i>oxycodone w/ acetaminophen tabs 325 mg-5 mg, 10 mg-325 mg, 325 mg-7.5 mg</i>	P	Clinical Edit: Opioids; QL(6 ea daily)
<i>oxycodone-aspirin tabs</i>	P	Clinical Edit: Opioids; QL(6 ea daily)
PERCOCET TABS 325 MG-5 MG, 10 MG-325 MG, 325 MG-7.5 MG (Use <i>oxycodone w/ acetaminophen</i>)	NP	Clinical Edit: Opioids; QL(6 ea daily)
ROXICET SOLN	P	Clinical Edit: Opioids; QL(30 ml daily)

Drug Name	Drug Tier	Requirements/ Limits
<i>tramadol-acetaminophen tabs</i>	P	Clinical Edit: Opioids;QL(4 ea daily); AL(At least 18 yrs old)
TYLENOL/CODEINE #3 TABS (<i>Use acetaminophen w/ codeine</i>)	NP	Clinical Edit: Opioids;QL(6 ea daily); AL(At least 12 yrs old)
TYLENOL/CODEINE #4 TABS (<i>Use acetaminophen w/ codeine</i>)	NP	Clinical Edit: Opioids;QL(6 ea daily); AL(At least 12 yrs old)
ULTRACET TABS (<i>Use tramadol-acetaminophen</i>)	NP	Clinical Edit: Opioids;QL(4 ea daily); AL(At least 18 yrs old)
Opioid Partial Agonists		
BELBUCA FILM	P	PA
BUNAVAIL FILM	P	PA
BUPRENEX SOLN (<i>Use buprenorphine hcl</i>)	NP	PA
<i>buprenorphine hcl soln ij 0.3 mg/ml</i>	P	PA
<i>buprenorphine hcl subl sl 2 mg, 8 mg</i>	P	PA
<i>buprenorphine hcl-naloxone hcl dihydrate film 0.5 mg-2 mg, 1 mg-4 mg</i>	P	PA; QL(1 ea daily)
<i>buprenorphine hcl-naloxone hcl dihydrate film 2 mg-8 mg, 12 mg-3 mg</i>	P	PA; QL(2 ea daily)
<i>buprenorphine hcl-naloxone hcl dihydrate subl 0.5 mg-2 mg, 2 mg-8 mg</i>	P	QL(3 ea daily)
SUBOXONE FILM 0.5 MG-2 MG, 1 MG-4 MG (<i>Use buprenorphine hcl-naloxone hcl dihydrate</i>)	NP	PA; QL(1 ea daily)
SUBOXONE FILM 12 MG-3 MG (<i>Use buprenorphine hcl-naloxone hcl dihydrate</i>)	NP	PA; QL(2 ea daily)

Drug Name	Drug Tier	Requirements/ Limits
SUBOXONE FILM 2 MG-8 MG (<i>Use buprenorphine hcl-naloxone hcl dihydrate</i>)	P	PA; QL(2 ea daily)
ZUBSOLV SUBL	P	PA
ANDROGENS-ANABOLIC - Drugs to Regulate Hormones		
Androgens		
ANDRODERM PT24	P	QL(1 ea daily)
DEPO-TESTOSTERONE SOLN 200 MG/ML (<i>Use testosterone cypionate</i>)	NP	QL(4 ml per 30 days retail)
METHITEST TABS	P	
<i>testosterone cypionate soln im 200 mg/ml</i>	P	QL(4 ml per 30 days retail)
ANORECTAL AND RELATED PRODUCTS - Rectal Drugs to Treat Pain, Swelling and Itching		
Intrarectal Steroids		
CORTENEMA ENEM (<i>Use hydrocortisone (intrarectal)</i>)	NP	
<i>hydrocortisone (intrarectal) enem</i>	P	
Rectal Combinations		
ANALPRAM-HC LOTN 1 %-2.5 %	P	QL(62 ml per 30 days retail)
<i>phenylephrine-shark liver oil-cocoa butter supp</i>	P	OTC;QL(12 ea per 30 days retail)
<i>phenylephrine-shark liver oil-mineral oil-petrolatum oint</i>	P	OTC;QL(31 gm per 30 days retail)
Rectal Steroids		
ANUSOL-HC CREA (<i>Use hydrocortisone (rectal)</i>)	NP	
<i>hydrocortisone (rectal) crea 2.5 %</i>	P	
ANTACIDS		
Antacid Combinations		
<i>alum & mag hydrox-simethicone liqd 20 mg/5ml-200 mg/5ml-200 mg/5ml</i>	P	QL(744 ml per 30 days retail)

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
<i>alum & mag hydrox-simethicone susp 0.2 %-40 mg/10ml-400 mg/10ml-400 mg/10ml, 20 mg/5ml-200 mg/5ml-200 mg/5ml, 120 mg/30ml-1200 mg/30ml-1200 mg/30ml, 20 mg/5ml-20 mg/5ml-200 mg/5ml-200 mg/5ml-200 mg/5ml</i>	P	QL(744 ml per 30 days retail)
Antacids - Aluminum Salts		
ALUMINUM HYDROXIDE SUSP OR	P	OTC
Antacids - Bicarbonate		
<i>sodium bicarbonate (antacid) tabs</i>	P	OTC;QL(100 ea per 30 days retail)
Antacids - Calcium Salts		
<i>calcium carbonate (antacid) chew 500 mg</i>	P	OTC
TUMS CHEW (Use calcium carbonate (antacid))	NP	OTC
TUMS LASTING EFFECTS CHEW (Use calcium carbonate (antacid))	NP	OTC
Antacids - Magnesium Salts		
<i>magnesium oxide tabs 400 mg</i>	P	OTC
ANTHELMINTICS - Drugs to Treat Worm Infections		
Anthelmintics		
EMVERM CHEW	P	QL(1 ea per 14 days retail)
<i>pyrantel pamoate susp or</i>	P	OTC;QL(60 ml per fill retail)
REESSES PINWORM MEDICINE TABS	P	OTC;QL(3 ea per fill retail)
ANTI-INFECTIVE AGENTS - MISC. - Drugs to Treat Bacterial Infections		
Anti-infective Agents - Misc.		
FLAGYL TABS 250 MG, 500 MG (Use metronidazole)	NP	
<i>metronidazole tabs or 250 mg, 500 mg</i>	P	

Drug Name	Drug Tier	Requirements/Limits
<i>trimethoprim tabs or</i>	P	
<i>vancomycin hcl solr iv 1000 mg</i>	P	QL(14 ea per fill retail)
Anti-infective Misc. - Combinations		
BACTRIM DS TABS (Use sulfamethoxazole-trimethoprim)	NP	
BACTRIM TABS (Use sulfamethoxazole-trimethoprim)	NP	
<i>methenamine-hyosc-methylene blue-sod phospheryl sal tabs 0.12 mg-10.8 mg-36.2 mg-40.8 mg-81.6 mg</i>	P	
<i>sulfamethoxazole-trimethoprim susp or 200 mg/5ml-40 mg/5ml</i>	P	
<i>sulfamethoxazole-trimethoprim tabs or 400 mg-80 mg, 160 mg-800 mg</i>	P	
Glycopeptides		
FIRVANQ SOLR	P	QL(300 ml per fill retail)
VANCOCIN CAPS (Use vancomycin hcl)	NP	QL(8 ea daily)
VANCOCIN HCL CAPS (Use vancomycin hcl)	NP	QL(4 ea daily)
<i>vancomycin hcl caps or 125 mg</i>	P	QL(4 ea daily)
<i>vancomycin hcl caps or 250 mg</i>	P	QL(8 ea daily)
<i>vancomycin hcl solr iv 1 gm, 1000 mg</i>	P	QL(14 ea per fill retail)
<i>vancomycin hcl solr iv 500 mg</i>	P	QL(14 ea per 30 days retail)
Leprostatics		
<i>dapsone tabs or 25 mg, 100 mg</i>	P	
Lincosamides		
CLEOCIN CAPS OR 150 MG, 300 MG (Use clindamycin hcl)	NP	

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
CLEOCIN PEDIATRIC GRANULES SOLR (Use clindamycin palmitate hydrochloride)	NP	QL(300 ml per fill retail)
clindamycin hcl caps or 150 mg, 300 mg	P	
clindamycin palmitate hydrochloride solr	P	QL(300 ml per fill retail)
Oxazolidinones		
SIVEXTRO TABS OR	P	PA; QL(6 ea per fill retail)
Urinary Anti-infectives		
FURADANTIN SUSP (Use nitrofurantoin)	NP	QL(40 ml daily)
MACROBID CAPS (Use nitrofurantoin monohyd macro)	NP	
MACRODANTIN CAPS 50 MG, 100 MG (Use nitrofurantoin macrocrystal)	NP	
methenamine mandelate tabs or 0.5 gm, 1 gm, 500 mg	P	
nitrofurantoin macrocrystal caps or 50 mg, 100 mg	P	
nitrofurantoin monohyd macro caps	P	
nitrofurantoin susp or	P	QL(40 ml daily)
ANTIANGINAL AGENTS - Drugs to Treat Chest Pain		
Nitrates		
ISORDIL TITRADOSE TABS 5 MG (Use isosorbide dinitrate)	NP	
isosorbide dinitrate tabs 5 mg, 10 mg, 20 mg, 30 mg	P	
isosorbide dinitrate tbcr 40 mg	P	
isosorbide mononitrate tabs 10 mg, 20 mg	P	QL(2 ea daily)
isosorbide mononitrate tb24 30 mg, 60 mg, 120 mg	P	QL(1 ea daily)
NITRO-BID OINT	P	

Drug Name	Drug Tier	Requirements/Limits
NITRO-DUR PT24 0.1 MG/HR, 0.2 MG/HR, 0.4 MG/HR, 0.6 MG/HR (Use nitroglycerin)	NP	
nitroglycerin cpcr or 9 mg, 2.5 mg, 6.5 mg	P	
nitroglycerin pt24 td 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr	P	
nitroglycerin subl sl 0.3 mg, 0.4 mg, 0.6 mg	P	
NITROSTAT SUBL (Use nitroglycerin)	NP	
ANTIANGIETY AGENTS - Drugs to Treat Anxiety		
Antianxiety Agents - Misc.		
bupirone hcl tabs or 15 mg	P	QL(4 ea daily)
bupirone hcl tabs or 30 mg, 7.5 mg	P	QL(3 ea daily)
bupirone hcl tabs or 5 mg, 10 mg	P	QL(6 ea daily)
hydroxyzine hcl syrp or 10 mg/5ml	P	
hydroxyzine hcl tabs or 10 mg, 25 mg, 50 mg	P	
hydroxyzine pamoate caps or 25 mg, 50 mg, 100 mg	P	
meprobamate tabs	P	
VISTARIL CAPS (Use hydroxyzine pamoate)	NP	
Benzodiazepines		
alprazolam tabs or 0.25 mg, 0.5 mg, 1 mg, 2 mg	P	QL(3 ea daily); AL(At least 18 yrs old)
ATIVAN TABS OR 0.5 MG, 1 MG, 2 MG (Use lorazepam)	NP	QL(3 ea daily); AL(At least 18 yrs old)
chlordiazepoxide hcl caps	P	QL(4 ea daily); AL(At least 18 yrs old)
clorazepate dipotassium tabs	P	QL(3 ea daily); AL(At least 18 yrs old)

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
<i>diazepam soln or 5 mg/5ml</i>	P	AL (6 months to 12 years old)
<i>diazepam tabs or 2 mg, 5 mg, 10 mg</i>	P	QL(4 ea daily); AL(At least 18 yrs old)
<i>lorazepam tabs or 0.5 mg, 1 mg, 2 mg</i>	P	QL(3 ea daily); AL(At least 18 yrs old)
<i>oxazepam caps</i>	P	QL(4 ea daily); AL(At least 18 yrs old)
TRANXENE T TABS (<i>Use clorazepate dipotassium</i>)	NP	QL(3 ea daily); AL(At least 18 yrs old)
VALIUM TABS (<i>Use diazepam</i>)	NP	QL(4 ea daily); AL(At least 18 yrs old)
XANAX TABS (<i>Use alprazolam</i>)	NP	QL(3 ea daily); AL(At least 18 yrs old)
ANTIARRHYTHMICS - Drugs to treat abnormal heart rhythms		
Antiarrhythmics Type I-A		
<i>disopyramide phosphate caps</i>	P	
NORPACE CAPS (<i>Use disopyramide phosphate</i>)	P	
NORPACE CR CP12 150 MG	P	
<i>quinidine gluconate tbcr or 324 mg</i>	P	
<i>quinidine sulfate tabs or 200 mg, 300 mg</i>	P	
Antiarrhythmics Type I-B		
<i>mexiletine hcl caps</i>	P	
Antiarrhythmics Type I-C		
<i>flecainide acetate tabs</i>	P	
<i>propafenone hcl tabs 150 mg, 225 mg, 300 mg</i>	P	
Antiarrhythmics Type III		
<i>amiodarone hcl tabs or 200 mg</i>	P	

Drug Name	Drug Tier	Requirements/Limits
CORDARONE TABS (<i>Use amiodarone hcl</i>)	NP	
<i>dofetilide caps</i>	P	
TIKOSYN CAPS (<i>Use dofetilide</i>)	NP	
ANTIASTHMATIC AND BRONCHODILATOR AGENTS - Drugs to Treat Lung Conditions		
Anti-Inflammatory Agents		
<i>cromolyn sodium nebu in</i>	P	QL(8 ml daily)
CROMOLYN SODIUM NEBU IN	P	QL(8 ml daily)
Bronchodilators - Anticholinergics		
ATROVENT HFA AERS	P	QL(25.8 gm per fill retail)
INCRUSE ELLIPTA AEPB	P	QL(1 ea daily)
<i>ipratropium bromide soln in</i>	P	QL(375 ml per 20 days retail)
TUDORZA PRESSAIR AEPB	P	QL(1 ea per 30 days retail)
Leukotriene Modulators		
<i>montelukast sodium chew or 4 mg, 5 mg</i>	P	QL(1 ea daily)
<i>montelukast sodium pack or 4 mg</i>	P	QL(1 ea daily)
<i>montelukast sodium tabs or 10 mg</i>	P	QL(1 ea daily)
SINGULAIR CHEW (<i>Use montelukast sodium</i>)	NP	QL(1 ea daily)
SINGULAIR PACK (<i>Use montelukast sodium</i>)	NP	QL(1 ea daily)
SINGULAIR TABS (<i>Use montelukast sodium</i>)	NP	QL(1 ea daily)
Steroid Inhalants		
<i>budesonide (inhalation) susp</i>	P	QL(120 ml per fill retail); AL(At least 1 yrs old - Up to 8 yrs old)
FLOVENT DISKUS AEPB 100 MCG/BLIST, 250 MCG/BLIST	P	QL(2 ea daily)
FLOVENT DISKUS AEPB 50 MCG/BLIST	P	

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
FLOVENT HFA AERO 110 MCG/ACT, 220 MCG/ACT	P	QL(12 gm per fill retail)
FLOVENT HFA AERO 44 MCG/ACT	P	QL(10.6 gm per fill retail)
PULMICORT FLEXHALER AEPB	P	QL(1 ea per fill retail)
PULMICORT SUSP (Use budesonide (inhalation))	NP	QL(120 ml per fill retail); AL(At least 1 yrs old - Up to 8 yrs old)
QVAR REDIHALER AERB	P	2 rtl pack lmt amt,30 rtl pack lmt day(s),2 rtl pack lmt per fill,
Sympathomimetics		
ADVAIR DISKUS AEPB (Use fluticasone-salmeterol)	NP	QL(2 ea daily,60 ea per 30 days retail)
<i>albuterol sulfate aers in 108 mcg/act</i>	P	QL(6.7 gm per fill retail,13.4 gm per 30 days retail);Refill 4%
<i>albuterol sulfate aers in 108 mcg/act</i>	P	QL(8.5 gm per fill retail,17 gm per 30 days retail);Refill 4%
<i>albuterol sulfate aers in 108 mcg/act</i>	P	QL(18 gm per fill retail,36 gm per 30 days retail);Refill 4%
<i>albuterol sulfate nebu in 0.083 %</i>	P	QL(12.5 ml daily)
ALBUTEROL SULFATE NEBU IN 0.5 %	P	
<i>albuterol sulfate nebu in 0.5 %, 2.5 mg/0.5ml</i>	P	
<i>albuterol sulfate nebu in 0.63 mg/3ml, 1.25 mg/3ml</i>	P	QL(375 ml per 30 days retail)
<i>albuterol sulfate syrup or 2 mg/5ml</i>	P	
<i>albuterol sulfate tabs or 2 mg, 4 mg</i>	P	
<i>albuterol sulfate tb12 or 4 mg, 8 mg</i>	P	
<i>budesonide-formoterol fumarate dihydrate aero</i>	P	QL(11 gm per fill retail)

Drug Name	Drug Tier	Requirements/Limits
COMBIVENT RESPIMAT AERS	P	QL(4 gm per 30 days retail)
<i>fluticasone-salmeterol aepb 100 mcg/dose-50 mcg/dose, 250 mcg/dose-50 mcg/dose, 50 mcg/dose-500 mcg/dose</i>	P	QL(2 ea daily,60 ea per 30 days retail)
<i>ipratropium-albuterol soln</i>	P	QL(12 ml daily)
<i>metaproterenol sulfate syrup or 10 mg/5ml</i>	P	QL(30 ml daily)
<i>metaproterenol sulfate tabs or 10 mg, 20 mg</i>	P	
PROAIR HFA AERS (Use albuterol sulfate)	NP	
PROAIR RESPICLICK AEPB	P	QL(1 ea per fill retail,2 ea per 30 days retail);Refill 4%;; AL(At least 4 yrs old - Up to 18 yrs old)
PROVENTIL HFA AERS (Use albuterol sulfate)	NP	
SEREVENT DISKUS AEPB	P	QL(60 ea per fill retail)
SYMBICORT AERO (Use budesonide-formoterol fumarate dihydrate)	NP	
<i>terbutaline sulfate tabs or 5 mg, 2.5 mg</i>	P	
VENTOLIN HFA AERS (Use albuterol sulfate)	NP	
Xanthines		
ELIXOPHYLLIN ELIX	P	
THEO-24 CP24	P	
<i>theophylline soln 80 mg/15ml</i>	P	QL(475 ml per fill retail)
<i>theophylline tb12 100 mg, 200 mg, 300 mg, 450 mg</i>	P	
<i>theophylline tb24 400 mg, 600 mg</i>	P	

ANTICOAGULANTS - Blood Thinners

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
Coumarin Anticoagulants		
COUMADIN TABS (<i>Use warfarin sodium</i>)	P	
<i>warfarin sodium tabs</i>	P	
Direct Factor Xa Inhibitors		
BEVYXXA CAPS	P	QL(42 ea per 42 days retail)
ELIQUIS STARTER PACK TBPK	P	QL(4 ea daily)
ELIQUIS TABS	P	QL(4 ea daily)
XARELTO TABS 10 MG	P	QL(35 ea per 180 days retail)
XARELTO TABS 15 MG	P	QL(2 ea daily)
XARELTO TABS 20 MG	P	QL(1 ea daily)
Heparins And Heparinoid-Like Agents		
<i>enoxaparin sodium soln ij 300 mg/3ml</i>	P	QL(42 ml per 7 days retail)3 rti MAX fill,180 rti day(s) supply,
<i>enoxaparin sodium soln sc 100 mg/ml, 150 mg/ml</i>	P	QL(14 ml per 7 days retail)3 rti MAX fill,180 rti day(s) supply,
<i>enoxaparin sodium soln sc 30 mg/0.3ml</i>	P	QL(5 ml per 7 days retail)3 rti MAX fill,180 rti day(s) supply,
<i>enoxaparin sodium soln sc 40 mg/0.4ml</i>	P	QL(6 ml per 7 days retail)3 rti MAX fill,180 rti day(s) supply,
<i>enoxaparin sodium soln sc 60 mg/0.6ml</i>	P	QL(9 ml per 7 days retail)3 rti MAX fill,180 rti day(s) supply,
<i>enoxaparin sodium soln sc 80 mg/0.8ml, 120 mg/0.8ml</i>	P	QL(12 ml per 7 days retail)3 rti MAX fill,180 rti day(s) supply,
<i>heparin sodium (porcine) soln</i>	P	

Drug Name	Drug Tier	Requirements/Limits
LOVENOX SOLN IJ 300 MG/3ML (<i>Use enoxaparin sodium</i>)	NP	QL(42 ml per 7 days retail)3 rti MAX fill,180 rti day(s) supply,
LOVENOX SOLN SC 100 MG/ML, 150 MG/ML (<i>Use enoxaparin sodium</i>)	NP	QL(14 ml per 7 days retail)3 rti MAX fill,180 rti day(s) supply,
LOVENOX SOLN SC 30 MG/0.3ML (<i>Use enoxaparin sodium</i>)	NP	QL(5 ml per 7 days retail)3 rti MAX fill,180 rti day(s) supply,
LOVENOX SOLN SC 40 MG/0.4ML (<i>Use enoxaparin sodium</i>)	NP	QL(6 ml per 7 days retail)3 rti MAX fill,180 rti day(s) supply,
LOVENOX SOLN SC 60 MG/0.6ML (<i>Use enoxaparin sodium</i>)	NP	QL(9 ml per 7 days retail)3 rti MAX fill,180 rti day(s) supply,
LOVENOX SOLN SC 80 MG/0.8ML, 120 MG/0.8ML (<i>Use enoxaparin sodium</i>)	NP	QL(12 ml per 7 days retail)3 rti MAX fill,180 rti day(s) supply,
ANTICONVULSANTS - Drugs to Treat Seizures		
Anticonvulsants - Benzodiazepines		
<i>clonazepam tabs or 0.5 mg, 1 mg, 2 mg</i>	P	QL(3 ea daily); AL(At least 18 yrs old)
DIASTAT ACUDIAL GEL 10 MG (<i>Use diazepam (anticonvulsant)</i>)	P	QL(1 ea per fill retail); AL(At least 2 yrs old)
DIASTAT ACUDIAL GEL 20 MG (<i>Use diazepam (anticonvulsant)</i>)	NP	QL(1 ea per fill retail); AL(At least 2 yrs old)
DIASTAT PEDIATRIC GEL (<i>Use diazepam (anticonvulsant)</i>)	NP	QL(1 ea per fill retail); AL(At least 2 yrs old)
<i>diazepam (anticonvulsant) gel</i>	P	QL(1 ea per fill retail); AL(At least 2 yrs old)
KLONOPIN TABS (<i>Use clonazepam</i>)	NP	QL(3 ea daily); AL(At least 18 yrs old)
NAYZILAM SOLN	P	PA; QL(10 ea per 30 days retail)

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
VALTOCO LIQD	P	PA; QL(10 ea per 30 days retail)
VALTOCO LQPK	P	PA; QL(10 ea per 30 days retail)
Anticonvulsants - Misc.		
<i>carbamazepine chew or 100 mg</i>	P	
<i>carbamazepine susp or 100 mg/5ml</i>	P	
<i>carbamazepine tabs or 200 mg</i>	P	
<i>carbamazepine tb12 or 100 mg, 200 mg, 400 mg</i>	P	
DIACOMIT CAPS 250 MG	P	PA; QL(12 ea daily)
DIACOMIT CAPS 500 MG	P	PA; QL(6 ea daily)
DIACOMIT PACK 250 MG	P	PA; QL(12 ea daily)
DIACOMIT PACK 500 MG	P	PA; QL(6 ea daily)
<i>gabapentin caps or 100 mg, 300 mg, 400 mg</i>	P	QL(9 ea daily)
<i>gabapentin soln or 250 mg/5ml, 300 mg/6ml</i>	P	
<i>gabapentin tabs or 600 mg</i>	P	QL(6 ea daily)
<i>gabapentin tabs or 800 mg</i>	P	QL(4 ea daily)
KEPPRA SOLN OR 100 MG/ML (<i>Use levetiracetam</i>)	NP	QL(16 ml daily)
KEPPRA TABS OR 1000 MG (<i>Use levetiracetam</i>)	NP	
KEPPRA TABS OR 250 MG, 750 MG (<i>Use levetiracetam</i>)	NP	QL(4 ea daily)
KEPPRA TABS OR 500 MG (<i>Use levetiracetam</i>)	NP	QL(6 ea daily)
KEPPRA XR TB24 (<i>Use levetiracetam</i>)	NP	ST; Use levetiracetam IR
LAMICTAL CHEWABLE DISPERSIBLE CHEW (<i>Use lamotrigine</i>)	NP	

Drug Name	Drug Tier	Requirements/Limits
LAMICTAL TABS (<i>Use lamotrigine</i>)	NP	
LAMICTAL XR TB24 25 MG, 50 MG, 100 MG, 200 MG, 250 MG, 300 MG (<i>Use lamotrigine</i>)	NP	ST; Use lamotrigine IR
<i>lamotrigine chew or 5 mg, 25 mg</i>	P	
<i>lamotrigine tabs or 25 mg, 100 mg, 150 mg, 200 mg</i>	P	
<i>lamotrigine tb24 or 25 mg, 50 mg, 100 mg, 200 mg, 250 mg, 300 mg</i>	P	ST; Use lamotrigine IR
<i>levetiracetam soln or 100 mg/ml, 500 mg/5ml</i>	P	QL(16 ml daily)
<i>levetiracetam tabs or 1000 mg</i>	P	
<i>levetiracetam tabs or 250 mg, 750 mg</i>	P	QL(4 ea daily)
<i>levetiracetam tabs or 500 mg</i>	P	QL(6 ea daily)
<i>levetiracetam tb24 or 500 mg, 750 mg</i>	P	ST; Use levetiracetam IR
MYSOLINE TABS (<i>Use primidone</i>)	NP	
NEURONTIN CAPS 100 MG, 300 MG, 400 MG (<i>Use gabapentin</i>)	NP	QL(9 ea daily)
NEURONTIN SOLN 250 MG/5ML (<i>Use gabapentin</i>)	NP	
NEURONTIN TABS 600 MG (<i>Use gabapentin</i>)	NP	QL(6 ea daily)
NEURONTIN TABS 800 MG (<i>Use gabapentin</i>)	NP	QL(4 ea daily)
<i>oxcarbazepine susp</i>	P	
<i>oxcarbazepine tabs</i>	P	
<i>primidone tabs or 50 mg, 250 mg</i>	P	
TEGRETOL SUSP (<i>Use carbamazepine</i>)	NP	
TEGRETOL TABS (<i>Use carbamazepine</i>)	NP	
TEGRETOL-XR TB12 (<i>Use carbamazepine</i>)	NP	

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
TOPAMAX SPRINKLE CPSP 15 MG (<i>Use topiramate</i>)	NP	QL(6 ea daily)
TOPAMAX SPRINKLE CPSP 25 MG (<i>Use topiramate</i>)	NP	QL(8 ea daily)
TOPAMAX TABS 100 MG (<i>Use topiramate</i>)	NP	QL(4 ea daily)
TOPAMAX TABS 200 MG (<i>Use topiramate</i>)	NP	QL(3 ea daily)
TOPAMAX TABS 25 MG, 50 MG (<i>Use topiramate</i>)	NP	QL(6 ea daily)
<i>topiramate cpsp or 15 mg</i>	P	QL(6 ea daily)
<i>topiramate cpsp or 25 mg</i>	P	QL(8 ea daily)
<i>topiramate tabs or 100 mg</i>	P	QL(4 ea daily)
<i>topiramate tabs or 200 mg</i>	P	QL(3 ea daily)
<i>topiramate tabs or 25 mg, 50 mg</i>	P	QL(6 ea daily)
TRILEPTAL SUSP (<i>Use oxcarbazepine</i>)	NP	
TRILEPTAL TABS (<i>Use oxcarbazepine</i>)	NP	
ZONEGRAN CAPS (<i>Use zonisamide</i>)	NP	
<i>zonisamide caps or 25 mg, 50 mg, 100 mg</i>	P	
Carbamates		
<i>felbamate susp</i>	P	
<i>felbamate tabs</i>	P	
FELBATOL SUSP (<i>Use felbamate</i>)	NP	
FELBATOL TABS (<i>Use felbamate</i>)	NP	
GABA Modulators		
GABITRIL TABS (<i>Use tiagabine hcl</i>)	NP	
<i>tiagabine hcl tabs</i>	P	
Hydantoins		

Drug Name	Drug Tier	Requirements/ Limits
DILANTIN CAPS 100 MG (<i>Use phenytoin sodium extended</i>)	P	
DILANTIN CAPS 30 MG	P	
DILANTIN INFATABS CHEW (<i>Use phenytoin</i>)	P	
DILANTIN-125 SUSP (<i>Use phenytoin</i>)	P	
<i>phenytoin chew or 50 mg</i>	P	
<i>phenytoin sodium extended caps 100 mg</i>	P	
<i>phenytoin sodium soln ij</i>	P	
<i>phenytoin susp or 100 mg/4ml, 125 mg/5ml</i>	P	
Succinimides		
<i>ethosuximide caps or 250 mg</i>	P	
<i>ethosuximide soln or 250 mg/5ml</i>	P	
ZARONTIN CAPS (<i>Use ethosuximide</i>)	NP	
ZARONTIN SOLN (<i>Use ethosuximide</i>)	NP	
Valproic Acid		
DEPAKENE CAPS (<i>Use valproic acid</i>)	P	
DEPAKENE SOLN (<i>Use valproate sodium</i>)	P	
DEPAKOTE ER TB24 250 MG (<i>Use divalproex sodium</i>)	NP	QL(3 ea daily)
DEPAKOTE ER TB24 500 MG (<i>Use divalproex sodium</i>)	NP	QL(7 ea daily)
DEPAKOTE SPRINKLES CSDR (<i>Use divalproex sodium</i>)	NP	QL(8 ea daily)
DEPAKOTE TBEC 125 MG (<i>Use divalproex sodium</i>)	NP	QL(2 ea daily)
DEPAKOTE TBEC 250 MG (<i>Use divalproex sodium</i>)	NP	QL(3 ea daily)
DEPAKOTE TBEC 500 MG (<i>Use divalproex sodium</i>)	NP	QL(7 ea daily)

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
<i>divalproex sodium csdr or 125 mg</i>	P	QL(8 ea daily)
<i>divalproex sodium tb24 or 250 mg</i>	P	QL(3 ea daily)
<i>divalproex sodium tb24 or 500 mg</i>	P	QL(7 ea daily)
<i>divalproex sodium tbec or 125 mg</i>	P	QL(2 ea daily)
<i>divalproex sodium tbec or 250 mg</i>	P	QL(3 ea daily)
<i>divalproex sodium tbec or 500 mg</i>	P	QL(7 ea daily)
<i>valproate sodium soln or 250 mg/5ml</i>	P	
<i>valproic acid caps or</i>	P	
ANTIDEPRESSANTS - Drugs to Treat Depression		
Alpha-2 Receptor Antagonists (Tetracyclics)		
<i>mirtazapine tabs or 15 mg</i>	P	QL(3 ea daily)
<i>mirtazapine tabs or 30 mg</i>	P	QL(1.5 ea daily)
<i>mirtazapine tabs or 45 mg, 7.5 mg</i>	P	QL(1 ea daily)
<i>mirtazapine tbdp or 15 mg</i>	P	QL(3 ea daily)
<i>mirtazapine tbdp or 30 mg</i>	P	QL(1.5 ea daily)
<i>mirtazapine tbdp or 45 mg</i>	P	QL(1 ea daily)
REMERON SOLTAB TBDP 15 MG (<i>Use mirtazapine</i>)	NP	QL(3 ea daily)
REMERON SOLTAB TBDP 30 MG (<i>Use mirtazapine</i>)	NP	QL(1.5 ea daily)
REMERON SOLTAB TBDP 45 MG (<i>Use mirtazapine</i>)	NP	QL(1 ea daily)
REMERON TABS 15 MG (<i>Use mirtazapine</i>)	NP	QL(3 ea daily)
REMERON TABS 30 MG (<i>Use mirtazapine</i>)	NP	QL(1.5 ea daily)
Antidepressants - Misc.		
<i>bupropion hcl tabs or 75 mg, 100 mg</i>	P	QL(3 ea daily)
<i>bupropion hcl tb12 or 100 mg</i>	P	QL(4 ea daily)

Drug Name	Drug Tier	Requirements/Limits
<i>bupropion hcl tb12 or 150 mg</i>	P	QL(3 ea daily)
<i>bupropion hcl tb12 or 200 mg</i>	P	QL(2 ea daily)
<i>bupropion hcl tb24 or 150 mg</i>	P	QL(3 ea daily)
<i>bupropion hcl tb24 or 300 mg</i>	P	QL(1 ea daily)
<i>maprotiline hcl tabs</i>	P	
WELLBUTRIN SR TB12 100 MG (<i>Use bupropion hcl</i>)	NP	QL(4 ea daily)
WELLBUTRIN SR TB12 150 MG (<i>Use bupropion hcl</i>)	NP	QL(3 ea daily)
WELLBUTRIN SR TB12 200 MG (<i>Use bupropion hcl</i>)	NP	QL(2 ea daily)
WELLBUTRIN XL TB24 150 MG (<i>Use bupropion hcl</i>)	NP	QL(3 ea daily)
WELLBUTRIN XL TB24 300 MG (<i>Use bupropion hcl</i>)	NP	QL(1 ea daily)
Monoamine Oxidase Inhibitors (MAOIs)		
NARDIL TABS (<i>Use phenelzine sulfate</i>)	NP	
PARNATE TABS (<i>Use tranylcypromine sulfate</i>)	NP	
<i>phenelzine sulfate tabs or</i>	P	
<i>tranylcypromine sulfate tabs</i>	P	
Selective Serotonin Reuptake Inhibitors (SSRIs)		
CELEXA TABS 10 MG (<i>Use citalopram hydrobromide</i>)	NP	QL(4 ea daily)
CELEXA TABS 20 MG (<i>Use citalopram hydrobromide</i>)	NP	QL(2 ea daily)
CELEXA TABS 40 MG (<i>Use citalopram hydrobromide</i>)	NP	QL(1 ea daily)
<i>citalopram hydrobromide soln 10 mg/5ml</i>	P	

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
<i>citalopram hydrobromide tabs 10 mg</i>	P	QL(4 ea daily)
<i>citalopram hydrobromide tabs 20 mg</i>	P	QL(2 ea daily)
<i>citalopram hydrobromide tabs 40 mg</i>	P	QL(1 ea daily)
<i>escitalopram oxalate tabs 10 mg</i>	P	QL(2 ea daily); AL(At least 12 yrs old)
<i>escitalopram oxalate tabs 20 mg</i>	P	QL(1 ea daily); AL(At least 12 yrs old)
<i>escitalopram oxalate tabs 5 mg</i>	P	QL(4 ea daily); AL(At least 12 yrs old)
<i>fluoxetine hcl caps or 10 mg, 20 mg</i>	P	QL(4 ea daily)
<i>fluoxetine hcl caps or 40 mg</i>	P	QL(2 ea daily); AL(At least 7 yrs old)
<i>fluoxetine hcl soln or 20 mg/5ml</i>	P	QL(600 ml per 30 days retail); AL(Up to 6 yrs old)
<i>fluoxetine hcl tabs or 10 mg</i>	P	QL(1 ea daily); AL(At least 7 yrs old)
<i>fluoxetine hcl tabs or 20 mg</i>	P	QL(4 ea daily)
<i>fluvoxamine maleate tabs 100 mg</i>	P	QL(3 ea daily)
<i>fluvoxamine maleate tabs 25 mg, 50 mg</i>	P	QL(2 ea daily)
LEXAPRO TABS 10 MG (Use <i>escitalopram oxalate</i>)	NP	QL(2 ea daily); AL(At least 12 yrs old)
LEXAPRO TABS 20 MG (Use <i>escitalopram oxalate</i>)	NP	QL(1 ea daily); AL(At least 12 yrs old)
LEXAPRO TABS 5 MG (Use <i>escitalopram oxalate</i>)	NP	QL(4 ea daily); AL(At least 12 yrs old)
<i>paroxetine hcl tabs 10 mg</i>	P	QL(6 ea daily)
<i>paroxetine hcl tabs 20 mg</i>	P	QL(3 ea daily)

Drug Name	Drug Tier	Requirements/ Limits
<i>paroxetine hcl tabs 30 mg, 40 mg</i>	P	QL(2 ea daily)
<i>paroxetine hcl tb24 25 mg, 12.5 mg, 37.5 mg</i>	P	
PAXIL CR TB24 (Use <i>paroxetine hcl</i>)	NP	
PAXIL SUSP 10 MG/5ML	P	PA; QL(40 ml daily)
PAXIL TABS 10 MG (Use <i>paroxetine hcl</i>)	NP	QL(6 ea daily)
PAXIL TABS 20 MG (Use <i>paroxetine hcl</i>)	NP	QL(3 ea daily)
PAXIL TABS 30 MG, 40 MG (Use <i>paroxetine hcl</i>)	NP	QL(2 ea daily)
PROZAC CAPS 10 MG, 20 MG (Use <i>fluoxetine hcl</i>)	NP	QL(4 ea daily)
PROZAC CAPS 40 MG (Use <i>fluoxetine hcl</i>)	NP	QL(2 ea daily); AL(At least 7 yrs old)
<i>sertraline hcl conc or 20 mg/ml</i>	P	QL(6 ml daily)
<i>sertraline hcl tabs or 100 mg</i>	P	QL(2 ea daily)
<i>sertraline hcl tabs or 25 mg, 50 mg</i>	P	QL(4 ea daily)
ZOLOFT CONC 20 MG/ML (Use <i>sertraline hcl</i>)	NP	QL(6 ml daily)
ZOLOFT TABS 100 MG (Use <i>sertraline hcl</i>)	NP	QL(2 ea daily)
ZOLOFT TABS 25 MG, 50 MG (Use <i>sertraline hcl</i>)	NP	QL(4 ea daily)
Serotonin Modulators		
<i>nefazodone hcl tabs</i>	P	
<i>trazodone hcl tabs or 300 mg</i>	P	QL(2 ea daily)
<i>trazodone hcl tabs or 50 mg, 100 mg, 150 mg</i>	P	
TRINTELLIX TABS	P	PA; QL(1 ea daily); AL(At least 18 yrs old)
VIIBRYD TABS	P	PA; QL(1 ea daily)
Serotonin-Norepinephrine Reuptake Inhibitors		

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
CYMBALTA CPEP (Use duloxetine hcl)	NP	QL(1 ea daily); AL(At least 7 yrs old)
desvenlafaxine succinate tb24 100 mg	P	ST; QL(4 ea daily)
desvenlafaxine succinate tb24 25 mg, 50 mg	P	ST; QL(1 ea daily)
duloxetine hcl cpep or 20 mg, 30 mg, 60 mg	P	QL(1 ea daily); AL(At least 7 yrs old)
EFFEXOR XR CP24 150 MG (Use venlafaxine hcl)	NP	QL(2 ea daily)
EFFEXOR XR CP24 37.5 MG (Use venlafaxine hcl)	NP	QL(4 ea daily)
EFFEXOR XR CP24 75 MG (Use venlafaxine hcl)	NP	QL(5 ea daily)
PRISTIQ TB24 100 MG (Use desvenlafaxine succinate)	NP	ST; QL(4 ea daily)
PRISTIQ TB24 25 MG, 50 MG (Use desvenlafaxine succinate)	NP	ST; QL(1 ea daily)
venlafaxine hcl cp24 150 mg	P	QL(2 ea daily)
venlafaxine hcl cp24 37.5 mg	P	QL(4 ea daily)
venlafaxine hcl cp24 75 mg	P	QL(5 ea daily)
venlafaxine hcl tabs 25 mg, 50 mg, 75 mg, 100 mg, 37.5 mg	P	
venlafaxine hcl tb24 150 mg	P	QL(2 ea daily)
venlafaxine hcl tb24 75 mg, 225 mg, 37.5 mg	P	QL(1 ea daily)
Tricyclic Agents		
amitriptyline hcl tabs or 10 mg, 25 mg, 50 mg, 75 mg, 100 mg, 150 mg	P	
amoxapine tabs	P	
ANAFRANIL CAPS 75 MG (Use clomipramine hcl)	NP	
clomipramine hcl caps or 75 mg	P	

Drug Name	Drug Tier	Requirements/ Limits
desipramine hcl tabs or 10 mg, 50 mg, 75 mg, 100 mg, 150 mg	P	
desipramine hcl tabs or 25 mg	P	QL(2 ea daily)
doxepin hcl caps or 10 mg, 25 mg, 50 mg, 75 mg, 100 mg, 150 mg	P	
doxepin hcl conc or 10 mg/ml	P	
imipramine hcl tabs or 10 mg, 25 mg, 50 mg	P	
NORPRAMIN TABS 10 MG (Use desipramine hcl)	NP	
NORPRAMIN TABS 25 MG (Use desipramine hcl)	NP	QL(2 ea daily)
nortriptyline hcl caps or 10 mg, 25 mg, 50 mg, 75 mg	P	
nortriptyline hcl soln or 10 mg/5ml	P	QL(20 ml daily)
PAMELOR CAPS (Use nortriptyline hcl)	NP	
TOFRANIL TABS (Use imipramine hcl)	NP	
ANTIDIABETICS - Drugs to Regulate Blood Sugar		
Antidiabetic - Amylin Analogs		
SYMLINPEN 120 SOPN	P	PA; QL(11 ml per 30 days retail)
SYMLINPEN 60 SOPN	P	PA; QL(6 ml per 30 days retail)
Antidiabetic Combinations		
ACTOPLUS MET TABS (Use pioglitazone hcl-metformin hcl)	NP	QL(2 ea daily)
alogliptin-metformin hcl tabs	P	QL(2 ea daily)
alogliptin-pioglitazone tabs	P	
glipizide-metformin hcl tabs	P	
glyburide-metformin tabs	P	

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
KAZANO TABS (<i>Use alogliptin-metformin hcl</i>)	NP	
OSENI TABS (<i>Use alogliptin-pioglitazone</i>)	NP	
<i>pioglitazone hcl-metformin hcl tabs</i>	P	QL(2 ea daily)
SEGLUROMET TABS	P	ST; try Metformin 90 days QL(2 ea daily)
Biguanides		
GLUCOPHAGE TABS 500 MG (<i>Use metformin hcl</i>)	NP	QL(4 ea daily)
GLUCOPHAGE TABS 850 MG, 1000 MG (<i>Use metformin hcl</i>)	NP	
GLUCOPHAGE XR TB24 500 MG (<i>Use metformin hcl</i>)	NP	QL(4 ea daily)
GLUCOPHAGE XR TB24 750 MG (<i>Use metformin hcl</i>)	NP	QL(3 ea daily)
<i>metformin hcl tabs or 500 mg</i>	P	QL(4 ea daily)
<i>metformin hcl tabs or 850 mg, 1000 mg</i>	P	
<i>metformin hcl tb24 or 500 mg</i>	P	QL(4 ea daily)
<i>metformin hcl tb24 or 750 mg</i>	P	QL(3 ea daily)
Diabetic Other		
BAQSIMI ONE PACK POWD	P	QL(0.69 ea daily)
BAQSIMI TWO PACK POWD	P	QL(0.69 ea daily)
BD GLUCOSE CHEW	P	OTC;QL(50 ea per 30 days retail)
CVS GLUCOSE CHEW 4 GM	P	OTC;QL(50 ea per 30 days retail)
CVS GLUCOSE CHEW 4 GM-6 MG	P	QL(50 ea per 30 days retail)
CVS SOFT GLUCOSE CHEW	P	OTC;QL(50 ea per 30 days retail)

Drug Name	Drug Tier	Requirements/ Limits
DEX4 CHEW	P	QL(50 ea per 30 days retail)
DEX4 FAST ACTING GLUCOSE CHEW 4 GM-6 MG	P	QL(50 ea per 30 days retail)
DEX4 NATURALS CHEW	P	QL(50 ea per 30 days retail)
DEX4 POUCH PACK CHEW	P	QL(50 ea per 30 days retail)
DEX4 QUICK DISSOLVE GLUCOSE CHEW	P	OTC;QL(50 ea per 30 days retail)
GLUCAGEN HYPOKIT SOLR	P	
GLUCAGON EMERGENCY KIT KIT	P	QL(1 ea per fill retail)
GLUCOSE CHEW 4 GM	P	OTC;QL(50 ea per 30 days retail)
GLUCOSE CHEW 4 GM-6 MG, 4 GM-4 GM-6 MG	P	QL(50 ea per 30 days retail)
GLUCOSE INSTANT ENERGY CHEW	P	QL(50 ea per 30 days retail)
GNP GLUCOSE CHEW 4 GM	P	OTC;QL(50 ea per 30 days retail)
GNP GLUCOSE CHEW 4 GM-6 MG	P	QL(50 ea per 30 days retail)
GNP QUICK DISSOLVE GLUCOSE CHEW	P	OTC;QL(50 ea per 30 days retail)
GOODSENSE GLUCOSE CHEW	P	QL(50 ea per 30 days retail)
GVOKE PFS SOSY	P	QL(0.02 ml daily)
HM GLUCOSE CHEW	P	QL(50 ea per 30 days retail)
HY-VEE GLUCOSE CHEW	P	QL(50 ea per 30 days retail)
KROGER GLUCOSE CHEW	P	QL(50 ea per 30 days retail)
LEADER GLUCOSE CHEW	P	QL(50 ea per 30 days retail)
LEADER QUICK DISSOLVE GLUCOSE CHEW	P	OTC;QL(50 ea per 30 days retail)

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
LONGS GLUCOSE CHEW	P	QL(50 ea per 30 days retail)
MEIJER GLUCOSE CHEW	P	QL(50 ea per 30 days retail)
PREFERRED PLUS GLUCOSE CHEW	P	QL(50 ea per 30 days retail)
PX GLUCOSE CHEW	P	QL(50 ea per 30 days retail)
RA GLUCOSE CHEW	P	QL(50 ea per 30 days retail)
RELION GLUCOSE CHEW	P	QL(50 ea per 30 days retail)
SM GLUCOSE CHEW 4 GM	P	OTC;QL(50 ea per 30 days retail)
SM GLUCOSE CHEW 4 GM-6 MG	P	QL(50 ea per 30 days retail)
SMART SENSE GLUCOSE CHEW	P	QL(50 ea per 30 days retail)
SMART SENSE GLUCOSE TABLETS CHEW	P	QL(50 ea per 30 days retail)
TGT GLUCOSE CHEW	P	QL(50 ea per 30 days retail)
UP & UP GLUCOSE CHEW	P	QL(50 ea per 30 days retail)
VALUE PLUS GLUCOSE CHEW	P	QL(50 ea per 30 days retail)
WALGREENS GLUCOSE CHEW 4 GM	P	OTC;QL(50 ea per 30 days retail)
WALGREENS GLUCOSE CHEW 4 GM-6 MG	P	QL(50 ea per 30 days retail)
Dipeptidyl Peptidase-4 (DPP-4) Inhibitors		
<i>alogliptin benzoate tabs</i>	P	
NESINA TABS (<i>Use alogliptin benzoate</i>)	NP	
Incretin Mimetic Agents (GLP-1 Receptor)		
BYDUREON BCISE AUJ	P	PA; QL(3.4 ml per 28 days retail)

Drug Name	Drug Tier	Requirements/Limits
BYDUREON PEN PEN	P	PA; QL(4 ea per 28 days retail); AL(At least 18 yrs old)
BYDUREON SRER	P	PA; QL(4 ea per 28 days retail); AL(At least 18 yrs old)
BYETTA SOPN 10 MCG/0.04ML	P	PA; QL(2.4 ml per 30 days retail); AL(At least 18 yrs old)
BYETTA SOPN 5 MCG/0.02ML	P	PA; QL(1.2 ml per 30 days retail); AL(At least 18 yrs old)
VICTOZA SOPN	P	PA; QL(1.8 ml daily)
Insulin Sensitizing Agents		
ACTOS TABS (<i>Use pioglitazone hcl</i>)	NP	QL(1 ea daily)
<i>pioglitazone hcl tabs</i>	P	QL(1 ea daily)
Insulin		
ADMELOG SOLN	P	QL(40 ml per 30 days retail)
ADMELOG SOLOSTAR SOPN	P	QL(1 ml daily)
BASAGLAR KWIKPEN SOPN	P	QL(1 ml daily)
HUMALOG MIX 50/50 KWIKPEN SUPN	P	QL(1 ml daily)
HUMALOG MIX 50/50 SUSP	P	QL(40 ml per 30 days retail)
HUMALOG MIX 75/25 KWIKPEN SUPN	P	QL(1 ml daily)
HUMALOG MIX 75/25 SUSP	P	QL(40 ml per 30 days retail)
HUMULIN 70/30 KWIKPEN SUPN	P	OTC;QL(1 ml daily)
HUMULIN 70/30 SUSP	P	OTC;QL(40 ml per 30 days retail)

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
HUMULIN N KWIKPEN SUPN	P	OTC;QL(1 ml daily)
HUMULIN N SUSP	P	OTC;QL(40 ml per 30 days retail)
HUMULIN R SOLN	P	OTC;QL(40 ml per 30 days retail)
INSULIN ASPART PROTAMINE/INSULIN ASPART FLEXPEN SUPN	P	QL(1 ml daily)
INSULIN ASPART PROTAMINE/INSULIN ASPART SUSP	P	QL(40 ml per 30 days retail)
INSULIN LISPRO KWIKPEN SOPN	NP	
INSULIN LISPRO PROTAMINE/INSULIN LISPRO KWIKPEN SUPN	P	QL(1 ml daily)
INSULIN LISPRO SOLN	NP	
LANTUS SOLOSTAR SOPN	NP	
NOVOLIN 70/30 FLEXPEN RELION SUPN	P	OTC;QL(1 ml daily)
NOVOLIN 70/30 FLEXPEN SUPN	P	OTC;QL(1 ml daily)
NOVOLIN 70/30 RELION SUSP	P	OTC;QL(40 ml per 30 days retail)
NOVOLIN 70/30 SUSP	P	OTC;QL(40 ml per 30 days retail)
NOVOLIN N FLEXPEN RELION SUPN	P	OTC;QL(1 ml daily)
NOVOLIN N FLEXPEN SUPN	P	OTC;QL(1 ml daily)
NOVOLIN N RELION SUSP	P	OTC;QL(40 ml per 30 days retail)
NOVOLIN N SUSP	P	OTC;QL(40 ml per 30 days retail)
NOVOLIN R RELION SOLN	P	OTC;QL(40 ml per 30 days retail)

Drug Name	Drug Tier	Requirements/Limits
NOVOLIN R SOLN	P	OTC;QL(40 ml per 30 days retail)
NOVOLOG MIX 70/30 PREFILLED FLEXPEN SUPN	P	QL(1 ml daily)
NOVOLOG MIX 70/30 SUSP	P	QL(40 ml per 30 days retail)
SEMGLEE SOPN	NP	
Meglitinide Analogues		
<i>nateglinide tabs</i>	P	QL(3 ea daily)
STARLIX TABS (<i>Use nateglinide</i>)	NP	QL(3 ea daily)
Sodium-Glucose Co-Transporter 2 (SGLT2)		
STEGLATRO TABS	P	ST; try Metformin 90 days QL(1 ea daily)
Sulfonylureas		
AMARYL TABS 1 MG, 2 MG (<i>Use glimepiride</i>)	NP	QL(4 ea daily)
AMARYL TABS 4 MG (<i>Use glimepiride</i>)	NP	QL(2 ea daily)
<i>glimepiride tabs 1 mg, 2 mg</i>	P	QL(4 ea daily)
<i>glimepiride tabs 4 mg</i>	P	QL(2 ea daily)
<i>glipizide tabs or 5 mg, 10 mg</i>	P	
<i>glipizide tb24 or 5 mg, 10 mg, 2.5 mg</i>	P	
GLUCOTROL TABS (<i>Use glipizide</i>)	NP	
GLUCOTROL XL TB24 (<i>Use glipizide</i>)	NP	
<i>glyburide micronized tabs</i>	P	
<i>glyburide tabs or 5 mg, 2.5 mg, 1.25 mg</i>	P	
GLYNASE TABS (<i>Use glyburide micronized</i>)	NP	
ANTIDIARRHEAL/PROBIOTIC AGENTS - Drugs to Treat Diarrhea		
Antidiarrheal/Probiotic Agents - Misc.		

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
<i>bismuth subsalicylate chew or 262 mg</i>	P	OTC
<i>bismuth subsalicylate susp or 525 mg/15ml, 1050 mg/30ml</i>	P	OTC
PEPTO-BISMOL CHEW 262 MG (Use <i>bismuth subsalicylate</i>)	NP	OTC
PEPTO-BISMOL MAX STRENGTH SUSP (Use <i>bismuth subsalicylate</i>)	NP	OTC
PEPTO-BISMOL TO-GO CHEW (Use <i>bismuth subsalicylate</i>)	NP	OTC
Antiperistaltic Agents		
<i>diphenoxylate w/ atropine liqd</i>	P	
<i>diphenoxylate w/ atropine tabs</i>	P	
IMODIUM A-D CAPS 2 MG (Use <i>loperamide hcl</i>)	NP	OTC;QL(8 ea daily); RX/OTC
IMODIUM A-D TABS 2 MG (Use <i>loperamide hcl</i>)	NP	OTC;QL(8 ea daily)
LOMOTIL TABS (Use <i>diphenoxylate w/ atropine</i>)	NP	
<i>loperamide hcl caps or 2 mg</i>	P	OTC;QL(8 ea daily); RX/OTC
<i>loperamide hcl liqd or 1 mg/5ml</i>	P	OTC;QL(40 ml daily)
<i>loperamide hcl tabs or 2 mg</i>	P	OTC;QL(8 ea daily)
ANTIDOTES AND SPECIFIC ANTAGONISTS		
Antidotes - Chelating Agents		
CHEMET CAPS	P	
<i>deferasirox tabs</i>	P	PA; SP
JADENU TABS (Use <i>deferasirox</i>)	NP	PA; SP
Antidotes and Specific Antagonists		
ANDEXXA SOLR	P	PA; SP
SM IPECAC SYRUP SYRP	P	

Drug Name	Drug Tier	Requirements/Limits
VISTOGARD PACK	P	
Opioid Antagonists		
<i>naloxone hcl soct ij 0.4 mg/ml</i>	P	QL(2 ml per 90 days retail)
<i>naloxone hcl soln ij 0.4 mg/ml, 4 mg/10ml</i>	P	QL(2 ml per 90 days retail)
<i>naloxone hcl sosy ij 2 mg/2ml</i>	P	QL(4 ml per 90 days retail)
<i>naltrexone hcl tabs or</i>	P	
NARCAN LIQD	P	QL(4 ea per 90 days retail)
VIVITROL SUSR	P	
ANTIEMETICS - Drugs to Treat Nausea and Vomiting		
5-HT3 Receptor Antagonists		
<i>ondansetron hcl soln or 4 mg/5ml</i>	P	QL(50 ml per 30 days retail)
<i>ondansetron hcl tabs or 24 mg</i>	P	QL(1 ea per 14 days retail)
<i>ondansetron hcl tabs or 4 mg, 8 mg</i>	P	QL(2 ea daily)
<i>ondansetron tbdp</i>	P	QL(2 ea daily)
ZOFRAN ODT TBDP (Use <i>ondansetron</i>)	NP	QL(2 ea daily)
ZOFRAN SOLN 4 MG/5ML (Use <i>ondansetron hcl</i>)	NP	QL(50 ml per 30 days retail)
ZOFRAN TABS 4 MG, 8 MG (Use <i>ondansetron hcl</i>)	NP	QL(2 ea daily)
Antiemetics - Anticholinergic		
<i>dimenhydrinate tabs or 50 mg</i>	P	OTC;QL(24 ea per fill retail)
DRAMAMINE CHEW	P	OTC;QL(24 ea per fill retail)
DRAMAMINE TABS (Use <i>dimenhydrinate</i>)	NP	OTC;QL(24 ea per fill retail)
<i>meclizine hcl chew or 25 mg</i>	P	OTC
<i>meclizine hcl tabs or 25 mg, 12.5 mg</i>	P	RX/OTC
ANTIFUNGALS - Drugs to Treat Fungal Infections		

Drug Name	Drug Tier	Requirements/Limits
Antifungals		
<i>griseofulvin microsize susp</i>	P	
<i>griseofulvin microsize tabs</i>	P	
<i>griseofulvin ultramicrosize tabs</i>	P	
<i>nystatin tabs or</i>	P	QL(6 ea daily)
<i>terbinafine hcl tabs or</i>	P	QL(90 ea per 120 days retail)
Imidazole-Related Antifungals		
DIFLUCAN SUSR 10 MG/ML, 40 MG/ML (<i>Use fluconazole</i>)	NP	QL(70 ml per fill retail)
DIFLUCAN TABS 100 MG, 200 MG (<i>Use fluconazole</i>)	NP	
DIFLUCAN TABS 150 MG (<i>Use fluconazole</i>)	NP	QL(2 ea per fill retail)
DIFLUCAN TABS 50 MG (<i>Use fluconazole</i>)	NP	QL(3 ea per 14 days retail)
<i>fluconazole susr or 10 mg/ml, 40 mg/ml</i>	P	QL(70 ml per fill retail)
<i>fluconazole tabs or 100 mg, 200 mg</i>	P	
<i>fluconazole tabs or 150 mg</i>	P	QL(2 ea per fill retail)
<i>fluconazole tabs or 50 mg</i>	P	QL(3 ea per 14 days retail)
<i>itraconazole caps or 100 mg</i>	P	PA; QL(1 ea daily)
SPORANOX CAPS 100 MG (<i>Use itraconazole</i>)	NP	PA; QL(1 ea daily)
SPORANOX PULSEPAK CAPS (<i>Use itraconazole</i>)	NP	PA; QL(1 ea daily)
ANTIHISTAMINES - Drugs to Treat Allergies		
Antihistamines - Alkylamines		
CHLOR-TRIMETON SYRP 2 MG/5ML (<i>Use chlorpheniramine maleate</i>)	NP	OTC
CHLOR-TRIMETON TABS 4 MG (<i>Use chlorpheniramine maleate</i>)	NP	OTC;QL(120 ea per fill retail)
<i>chlorpheniramine maleate syrp or 2 mg/5ml</i>	P	OTC

Drug Name	Drug Tier	Requirements/Limits
<i>chlorpheniramine maleate tabs or 4 mg</i>	P	OTC;QL(120 ea per fill retail)
Antihistamines - Ethanolamines		
ALER-DRYL TABS	P	QL(4 ea daily)
BENADRYL ALLERGY CAPS (<i>Use diphenhydramine hcl</i>)	NP	QL(4 ea daily)
BENADRYL ALLERGY CHILDRENS LIQD 12.5 MG/5ML (<i>Use diphenhydramine hcl</i>)	NP	OTC;QL(240 ml per fill retail); RX/OTC
BENADRYL ALLERGY TABS (<i>Use diphenhydramine hcl</i>)	NP	OTC;QL(4 ea daily)
<i>clemastine fumarate tabs or 1.34 mg</i>	P	OTC;QL(2 ea daily)
<i>diphenhydramine hcl caps or 25 mg, 50 mg</i>	P	QL(4 ea daily)
<i>diphenhydramine hcl elix or 12.5 mg/5ml</i>	P	QL(240 ml per fill retail); RX/OTC
<i>diphenhydramine hcl liqd or 25 mg/10ml, 50 mg/20ml, 12.5 mg/5ml</i>	P	OTC;QL(240 ml per fill retail); RX/OTC
<i>diphenhydramine hcl tabs or 25 mg</i>	P	OTC;QL(4 ea daily)
Antihistamines - Non-Sedating		
ALLEGRA ALLERGY TABS 180 MG (<i>Use fexofenadine hcl</i>)	NP	QL(1 ea daily)
ALLEGRA ALLERGY TABS 60 MG (<i>Use fexofenadine hcl</i>)	NP	QL(2 ea daily)
<i>cetirizine hcl chew 5 mg, 10 mg</i>	P	QL(1 ea daily)
<i>cetirizine hcl soln 1 mg/ml, 5 mg/5ml</i>	P	QL(240 ml per fill retail); RX/OTC
<i>cetirizine hcl syrp 1 mg/ml, 5 mg/5ml</i>	P	QL(240 ml per fill retail); RX/OTC
<i>cetirizine hcl tabs 5 mg, 10 mg</i>	P	QL(1 ea daily)
CLARITIN ALLERGY CHILDRENS SYRP (<i>Use loratadine</i>)	NP	OTC;QL(240 ml per fill retail)

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
CLARITIN REDITABS TBDP 10 MG (<i>Use loratadine</i>)	NP	OTC;QL(1 ea daily)
CLARITIN SYRP 5 MG/5ML (<i>Use loratadine</i>)	NP	OTC;QL(240 ml per fill retail)
CLARITIN TABS 10 MG (<i>Use loratadine</i>)	NP	OTC;QL(1 ea daily)
<i>fexofenadine hcl tabs or 180 mg</i>	P	QL(1 ea daily)
<i>fexofenadine hcl tabs or 60 mg</i>	P	QL(2 ea daily)
<i>levocetirizine dihydrochloride tabs or 5 mg</i>	P	RX/OTC
<i>loratadine soln or 5 mg/5ml</i>	P	OTC;QL(240 ml per fill retail)
<i>loratadine syrp or 5 mg/5ml</i>	P	OTC;QL(240 ml per fill retail)
<i>loratadine tabs or 10 mg</i>	P	OTC;QL(1 ea daily)
<i>loratadine tbdp or 10 mg</i>	P	OTC;QL(1 ea daily)
XYZAL ALLERGY 24HR TABS (<i>Use levocetirizine dihydrochloride</i>)	NP	RX/OTC
ZYRTEC ALLERGY TABS (<i>Use cetirizine hcl</i>)	NP	QL(1 ea daily)
ZYRTEC CHILDRENS ALLERGY SOLN (<i>Use cetirizine hcl</i>)	NP	QL(240 ml per fill retail); RX/OTC
Antihistamines - Phenothiazines		
<i>promethazine hcl soln or 6.25 mg/5ml</i>	P	AL(At least 2 yrs old)
<i>promethazine hcl supp re 25 mg, 50 mg, 12.5 mg</i>	P	QL(12 ea per fill retail); AL(At least 2 yrs old)
<i>promethazine hcl syrp or 6.25 mg/5ml</i>	P	AL(At least 2 yrs old)
<i>promethazine hcl tabs or 25 mg, 50 mg, 12.5 mg</i>	P	AL(At least 2 yrs old)
Antihistamines - Piperidines		
<i>cyproheptadine hcl syrp or 2 mg/5ml</i>	P	
<i>cyproheptadine hcl tabs or 4 mg</i>	P	

Drug Name	Drug Tier	Requirements/Limits
ANTIHYPERLIPIDEMICS - Drugs to Treat High Cholesterol		
Antihyperlipidemics - Combinations		
<i>ezetimibe-simvastatin tabs</i>	P	ST; QL(1 ea daily)
VYTORIN TABS (<i>Use ezetimibe-simvastatin</i>)	NP	ST; QL(1 ea daily)
Bile Acid Sequestrants		
<i>cholestyramine light pack</i>	P	
<i>cholestyramine light powd</i>	P	
<i>cholestyramine pack or 4 gm</i>	P	
<i>cholestyramine powd or 4 gm/dose</i>	P	
COLESTID FLAVORED GRAN 5 GM (<i>Use colestipol hcl</i>)	NP	
COLESTID GRAN 5 GM (<i>Use colestipol hcl</i>)	NP	
COLESTID TABS 1 GM (<i>Use colestipol hcl</i>)	NP	
<i>colestipol hcl gran 5 gm</i>	P	
<i>colestipol hcl tabs 1 gm</i>	P	
QUESTRAN LIGHT POWD (<i>Use cholestyramine light</i>)	NP	
QUESTRAN PACK (<i>Use cholestyramine</i>)	NP	
QUESTRAN POWD (<i>Use cholestyramine</i>)	NP	
Fibric Acid Derivatives		
<i>fenofibrate micronized caps 134 mg, 200 mg</i>	P	QL(1 ea daily)
<i>fenofibrate micronized caps 67 mg</i>	P	QL(2 ea daily)
FENOFIBRATE TABS OR 160 MG	P	QL(1 ea daily)
<i>fenofibrate tabs or 160 mg</i>	P	QL(1 ea daily)
<i>fenofibrate tabs or 54 mg</i>	P	QL(3 ea daily)
<i>gemfibrozil tabs or</i>	P	QL(2 ea daily)

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
LOPID TABS (<i>Use gemfibrozil</i>)	NP	QL(2 ea daily)
TRIGLIDE TABS	P	QL(1 ea daily)
HMG CoA Reductase Inhibitors		
<i>atorvastatin calcium tabs or 10 mg, 20 mg, 40 mg, 80 mg</i>	P	QL(1 ea daily)
CRESTOR TABS (<i>Use rosuvastatin calcium</i>)	NP	ST; Try simvastatin or atorvastatin;QL (1 ea daily)
LIPITOR TABS (<i>Use atorvastatin calcium</i>)	NP	QL(1 ea daily)
<i>lovastatin tabs 10 mg, 20 mg</i>	P	QL(1 ea daily)
<i>lovastatin tabs 40 mg</i>	P	QL(2 ea daily)
PRAVACHOL TABS (<i>Use pravastatin sodium</i>)	NP	QL(1 ea daily)
<i>pravastatin sodium tabs</i>	P	QL(1 ea daily)
<i>rosuvastatin calcium tabs</i>	P	ST; Try simvastatin or atorvastatin;QL (1 ea daily)
<i>simvastatin tabs or 5 mg, 10 mg, 20 mg, 40 mg</i>	P	QL(1 ea daily)
ZOCOR TABS 5 MG, 10 MG, 20 MG, 40 MG (<i>Use simvastatin</i>)	NP	QL(1 ea daily)
Intestinal Cholesterol Absorption Inhibitors		
<i>ezetimibe tabs</i>	P	ST
ZETIA TABS (<i>Use ezetimibe</i>)	NP	ST
Nicotinic Acid Derivatives		
<i>niacin (antihyperlipidemic) tabs</i>	P	
<i>niacin (antihyperlipidemic) tbc</i>	P	
NIASPAN TBCR (<i>Use niacin (antihyperlipidemic)</i>)	NP	
ANTIHYPERTENSIVES - Drugs to Treat High Blood Pressure		
ACE Inhibitors		

Drug Name	Drug Tier	Requirements/Limits
ACCUPRIL TABS (<i>Use quinapril hcl</i>)	NP	
ALTACE CAPS (<i>Use ramipril</i>)	NP	QL(2 ea daily)
<i>benazepril hcl tabs or 40 mg</i>	P	QL(2 ea daily)
<i>benazepril hcl tabs or 5 mg, 10 mg, 20 mg</i>	P	QL(1 ea daily)
<i>captopril tabs or 25 mg, 50 mg, 100 mg, 12.5 mg</i>	P	QL(3 ea daily)
<i>enalapril maleate tabs or 5 mg, 10 mg, 20 mg, 2.5 mg</i>	P	QL(2 ea daily)
<i>fosinopril sodium tabs</i>	P	QL(1 ea daily)
<i>lisinopril tabs or 2.5 mg</i>	P	QL(1 ea daily)
<i>lisinopril tabs or 5 mg, 10 mg, 20 mg, 30 mg, 40 mg</i>	P	QL(2 ea daily)
LOTENSIN TABS 10 MG, 20 MG (<i>Use benazepril hcl</i>)	NP	QL(1 ea daily)
LOTENSIN TABS 40 MG (<i>Use benazepril hcl</i>)	NP	QL(2 ea daily)
PRINIVIL TABS (<i>Use lisinopril</i>)	NP	QL(2 ea daily)
<i>quinapril hcl tabs</i>	P	
<i>ramipril caps</i>	P	QL(2 ea daily)
<i>trandolapril tabs 1 mg, 2 mg</i>	P	QL(1 ea daily)
<i>trandolapril tabs 4 mg</i>	P	QL(2 ea daily)
VASOTEC TABS (<i>Use enalapril maleate</i>)	NP	QL(2 ea daily)
ZESTRIL TABS 2.5 MG (<i>Use lisinopril</i>)	NP	QL(1 ea daily)
ZESTRIL TABS 5 MG, 10 MG, 20 MG, 30 MG, 40 MG (<i>Use lisinopril</i>)	NP	QL(2 ea daily)
Angiotensin II Receptor Antagonists		
ATACAND TABS (<i>Use candesartan cilexetil</i>)	NP	
AVAPRO TABS (<i>Use irbesartan</i>)	NP	QL(1 ea daily)

Georgia Medicaid

Updated November 1, 2020

P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
BENICAR TABS (<i>Use olmesartan medoxomil</i>)	NP	ST; Use losartan or irbesartan; QL(1 ea daily)
<i>candesartan cilexetil tabs</i>	P	
COZAAR TABS (<i>Use losartan potassium</i>)	NP	QL(1 ea daily)
DIOVAN TABS (<i>Use valsartan</i>)	NP	QL(1 ea daily)
<i>irbesartan tabs</i>	P	QL(1 ea daily)
<i>losartan potassium tabs</i>	P	QL(1 ea daily)
MICARDIS TABS (<i>Use telmisartan</i>)	NP	QL(1 ea daily)
<i>olmesartan medoxomil tabs or 5 mg, 20 mg, 40 mg</i>	P	ST; Use losartan or irbesartan; QL(1 ea daily)
<i>telmisartan tabs</i>	P	QL(1 ea daily)
<i>valsartan tabs</i>	P	QL(1 ea daily)
Antiadrenergic Antihypertensives		
CARDURA TABS (<i>Use doxazosin mesylate</i>)	NP	
CATAPRES TABS (<i>Use clonidine hcl</i>)	NP	
<i>clonidine hcl tabs or 0.1 mg, 0.2 mg, 0.3 mg</i>	P	
<i>doxazosin mesylate tabs or 1 mg, 2 mg, 4 mg, 8 mg</i>	P	
<i>guanfacine hcl tabs</i>	P	
<i>methyldopa tabs</i>	P	
MINIPRESS CAPS (<i>Use prazosin hcl</i>)	NP	
<i>prazosin hcl caps</i>	P	
<i>terazosin hcl caps</i>	P	
Antihypertensive Combinations		

Drug Name	Drug Tier	Requirements/ Limits
ACCURETIC TABS 10 MG-12.5 MG (<i>Use quinapril-hydrochlorothiazide</i>)	NP	QL(3 ea daily)
ACCURETIC TABS 12.5 MG-20 MG (<i>Use quinapril-hydrochlorothiazide</i>)	NP	QL(4 ea daily)
ACCURETIC TABS 20 MG-25 MG (<i>Use quinapril-hydrochlorothiazide</i>)	NP	QL(2 ea daily)
<i>amlodipine besylate-benazepril hcl caps</i>	P	QL(1 ea daily)
<i>amlodipine besylate-olmesartan medoxomil tabs</i>	P	ST; Use losartan or irbesartan
<i>amlodipine besylate-valsartan tabs</i>	P	ST; Use losartan or irbesartan
<i>amlodipine-valsartan-hydrochlorothiazide tabs</i>	P	ST; Use losartan or irbesartan
ATACAND HCT TABS (<i>Use candesartan cilexetil-hydrochlorothiazide</i>)	NP	
<i>atenolol & chlorthalidone tabs</i>	P	QL(2 ea daily)
AVALIDE TABS (<i>Use irbesartan-hydrochlorothiazide</i>)	NP	QL(1 ea daily)
AZOR TABS (<i>Use amlodipine besylate-olmesartan medoxomil</i>)	NP	ST; Use losartan or irbesartan
<i>benazepril & hydrochlorothiazide tabs</i>	P	QL(1 ea daily)
BENICAR HCT TABS (<i>Use olmesartan medoxomil-hydrochlorothiazide</i>)	NP	ST; Use losartan or irbesartan; QL(1 ea daily)
<i>bisoprolol & hydrochlorothiazide tabs</i>	P	QL(1 ea daily)
<i>candesartan cilexetil-hydrochlorothiazide tabs</i>	P	
<i>captopril & hydrochlorothiazide tabs 15 mg-25 mg, 15 mg-50 mg, 25 mg-25 mg</i>	P	QL(2 ea daily)

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
<i>captopril & hydrochlorothiazide tabs 25 mg-50 mg</i>	P	QL(3 ea daily)
DIOVAN HCT TABS (<i>Use valsartan-hydrochlorothiazide</i>)	NP	QL(1 ea daily)
DUTOPROL TB24	P	QL(1 ea daily)
<i>enalapril maleate & hydrochlorothiazide tabs</i>	P	QL(2 ea daily)
EXFORGE HCT TABS (<i>Use amlodipine-valsartan-hydrochlorothiazide</i>)	NP	ST; Use losartan or irbesartan
EXFORGE TABS (<i>Use amlodipine besylate-valsartan</i>)	NP	ST; Use losartan or irbesartan
<i>fosinopril sodium & hydrochlorothiazide tabs</i>	P	QL(1 ea daily)
HYZAAR TABS (<i>Use losartan potassium & hydrochlorothiazide</i>)	NP	QL(1 ea daily)
<i>irbesartan-hydrochlorothiazide tabs</i>	P	QL(1 ea daily)
<i>lisinopril & hydrochlorothiazide tabs 10 mg-12.5 mg, 12.5 mg-20 mg</i>	P	QL(2 ea daily)
<i>lisinopril & hydrochlorothiazide tabs 20 mg-25 mg</i>	P	QL(1 ea daily)
LOPRESSOR HCT TABS (<i>Use metoprolol & hydrochlorothiazide</i>)	NP	QL(2 ea daily)
<i>losartan potassium & hydrochlorothiazide tabs</i>	P	QL(1 ea daily)
LOTENSIN HCT TABS (<i>Use benazepril & hydrochlorothiazide</i>)	NP	QL(1 ea daily)
LOTREL CAPS (<i>Use amlodipine besylate-benazepril hcl</i>)	NP	QL(1 ea daily)
<i>metoprolol & hydrochlorothiazide tabs 100 mg-50 mg</i>	P	QL(1 ea daily)
<i>metoprolol & hydrochlorothiazide tabs 25 mg-50 mg, 100 mg-25 mg</i>	P	QL(2 ea daily)

Drug Name	Drug Tier	Requirements/Limits
METOPROLOL SUCCINATE ER/HYDROCHLOROTHIAZIDE TB24	P	QL(1 ea daily)
MICARDIS HCT TABS (<i>Use telmisartan-hydrochlorothiazide</i>)	NP	QL(1 ea daily)
<i>olmesartan medoxomil-amlodipine-hydrochlorothiazide tabs</i>	P	ST; Use losartan or irbesartan
<i>olmesartan medoxomil-hydrochlorothiazide tabs</i>	P	ST; Use losartan or irbesartan;QL(1 ea daily)
<i>propranolol & hydrochlorothiazide tabs</i>	P	QL(2 ea daily)
<i>quinapril-hydrochlorothiazide tabs 10 mg-12.5 mg</i>	P	QL(3 ea daily)
<i>quinapril-hydrochlorothiazide tabs 12.5 mg-20 mg</i>	P	QL(4 ea daily)
<i>quinapril-hydrochlorothiazide tabs 20 mg-25 mg</i>	P	QL(2 ea daily)
TARKA TBCR (<i>Use trandolapril-verapamil hcl</i>)	NP	
<i>telmisartan-amlodipine tabs</i>	P	
<i>telmisartan-hydrochlorothiazide tabs</i>	P	QL(1 ea daily)
TENORETIC 100 TABS (<i>Use atenolol & chlorthalidone</i>)	NP	QL(2 ea daily)
TENORETIC 50 TABS (<i>Use atenolol & chlorthalidone</i>)	NP	QL(2 ea daily)
<i>trandolapril-verapamil hcl tbc</i>	P	
TRIBENZOR TABS (<i>Use olmesartan medoxomil-amlodipine-hydrochlorothiazide</i>)	NP	ST; Use losartan or irbesartan
TWYNSTA TABS (<i>Use telmisartan-amlodipine</i>)	NP	
<i>valsartan-hydrochlorothiazide tabs</i>	P	QL(1 ea daily)

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
VASERETIC TABS (<i>Use enalapril maleate & hydrochlorothiazide</i>)	NP	QL(2 ea daily)
ZESTORETIC TABS 10 MG-12.5 MG, 12.5 MG-20 MG (<i>Use lisinopril & hydrochlorothiazide</i>)	NP	QL(2 ea daily)
ZESTORETIC TABS 20 MG-25 MG (<i>Use lisinopril & hydrochlorothiazide</i>)	NP	QL(1 ea daily)
ZIAC TABS (<i>Use bisoprolol & hydrochlorothiazide</i>)	NP	QL(1 ea daily)
Vasodilators		
<i>hydralazine hcl tabs or 10 mg, 25 mg, 50 mg, 100 mg</i>	P	
<i>minoxidil tabs or 10 mg</i>	P	QL(10 ea daily)
<i>minoxidil tabs or 2.5 mg</i>	P	QL(3 ea daily)
ANTIMALARIALS - Drugs to Treat Malaria (Parasitic Infections)		
Antimalarial Combinations		
COARTEM TABS	P	QL(24 ea per fill retail)
Antimalarials		
<i>chloroquine phosphate tabs or 250 mg</i>	P	
<i>chloroquine phosphate tabs or 500 mg</i>	P	QL(1 ea daily)
<i>hydroxychloroquine sulfate tabs or</i>	P	
KRINTAFEL TABS	P	QL(2 ea per 30 days retail)
<i>mefloquine hcl tabs</i>	P	
PLAQUENIL TABS (<i>Use hydroxychloroquine sulfate</i>)	NP	
<i>primaquine phosphate tabs</i>	P	
PRIMAQUINE PHOSPHATE TABS (<i>Use primaquine phosphate</i>)	NP	
ANTIMYASTHENIC/CHOLINERGIC AGENTS		
Antimyasthenic/Cholinergic Agents		

Drug Name	Drug Tier	Requirements/Limits
MESTINON TABS (<i>Use pyridostigmine bromide</i>)	NP	
MESTINON TIMESPAN TBCR (<i>Use pyridostigmine bromide</i>)	NP	
<i>pyridostigmine bromide tabs or 60 mg</i>	P	
<i>pyridostigmine bromide tbc or 180 mg</i>	P	
ANTIMYCOBACTERIAL AGENTS - Drugs to Treat Tuberculosis (Bacterial Infections)		
Antimycobacterial Agents		
<i>ethambutol hcl tabs or 100 mg, 400 mg</i>	P	
<i>isoniazid syrpl or 50 mg/5ml</i>	P	
ISONIAZID TABS OR 100 MG	P	
<i>isoniazid tabs or 100 mg, 300 mg</i>	P	
MYAMBUTOL TABS (<i>Use ethambutol hcl</i>)	NP	
<i>pyrazinamide tabs or</i>	P	
RIFADIN CAPS OR 150 MG, 300 MG (<i>Use rifampin</i>)	NP	
<i>rifampin caps or 150 mg, 300 mg</i>	P	
TRECTOR TABS	P	
ANTINEOPLASTICS AND ADJUNCTIVE THERAPIES - Drugs to Treat Cancer		
Alkylating Agents		
ALKERAN TABS (<i>Use melphalan</i>)	NP	
LEUKERAN TABS	P	
<i>melphalan tabs</i>	P	
MYLERAN TABS	P	
Antimetabolites		
<i>mercaptopurine tabs or</i>	P	

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
<i>methotrexate sodium soln ij 1 gm/40ml, 50 mg/2ml, 50 mg/2ml, 250 mg/10ml, 250 mg/10ml</i>	P	
<i>methotrexate sodium tabs or 2.5 mg</i>	P	
PURIXAN SUSP	P	
TREXALL TABS	P	
Antineoplastic - Hormonal and Related Agents		
<i>anastrozole tabs or</i>	P	
ARIMIDEX TABS (<i>Use anastrozole</i>)	NP	
AROMASIN TABS (<i>Use exemestane</i>)	NP	
<i>bicalutamide tabs</i>	P	QL(1 ea daily)
CASODEX TABS (<i>Use bicalutamide</i>)	NP	QL(1 ea daily)
<i>exemestane tabs</i>	P	
FARESTON TABS (<i>Use toremifene citrate</i>)	NP	PA
FEMARA TABS (<i>Use letrozole</i>)	NP	
<i>flutamide caps</i>	P	
<i>hydroxyprogesterone caproate (antineoplastic) soln</i>	P	PA; SP
<i>letrozole tabs or</i>	P	
<i>megestrol acetate susp or 40 mg/ml, 400 mg/10ml</i>	P	
<i>megestrol acetate tabs or 20 mg, 40 mg</i>	P	
<i>tamoxifen citrate tabs or 10 mg, 20 mg</i>	P	
<i>toremifene citrate tabs</i>	P	PA
Antineoplastic Enzyme Inhibitors		
COTELLIC TABS	P	PA; SP
NINLARO CAPS	P	PA; SP

Drug Name	Drug Tier	Requirements/ Limits
Antineoplastics Misc.		
HYDREA CAPS (<i>Use hydroxyurea</i>)	NP	
<i>hydroxyurea caps or</i>	P	
Chemotherapy Rescue/Antidote Agents		
<i>leucovorin calcium tabs or 5 mg, 10 mg, 15 mg, 25 mg</i>	P	
ANTIPARKINSON AND RELATED THERAPY AGENTS - Drugs to Treat Parkinson's Disease		
Antiparkinson Adjunctive Therapy		
<i>carbidopa tabs or</i>	P	
LODOSYN TABS (<i>Use carbidopa</i>)	NP	
Antiparkinson Anticholinergics		
<i>benztropine mesylate tabs or 0.5 mg, 1 mg, 2 mg</i>	P	
<i>trihexyphenidyl hcl tabs</i>	P	
Antiparkinson Dopaminergics		
<i>amantadine hcl caps or 100 mg</i>	P	
<i>amantadine hcl syrp or 50 mg/5ml</i>	P	
<i>bromocriptine mesylate caps or 5 mg</i>	P	
<i>bromocriptine mesylate tabs or 2.5 mg</i>	P	
<i>carbidopa-levodopa tabs 10 mg-100 mg, 100 mg-25 mg, 25 mg-250 mg</i>	P	
<i>carbidopa-levodopa tbcr 100 mg-25 mg, 200 mg-50 mg</i>	P	
MIRAPEX TABS (<i>Use pramipexole dihydrochloride</i>)	NP	QL(3 ea daily); AL(At least 18 yrs old)
PARLODEL CAPS (<i>Use bromocriptine mesylate</i>)	NP	
PARLODEL TABS (<i>Use bromocriptine mesylate</i>)	NP	

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
<i>pramipexole dihydrochloride tabs 0.125 mg, 0.25 mg, 0.75 mg, 0.5 mg, 1 mg, 1.5 mg</i>	P	QL(3 ea daily); AL(At least 18 yrs old)
REQUIP TABS 0.25 MG, 3 MG, 4 MG (<i>Use ropinirole hydrochloride</i>)	NP	QL(6 ea daily)
REQUIP TABS 0.5 MG, 1 MG, 2 MG, 5 MG (<i>Use ropinirole hydrochloride</i>)	NP	QL(3 ea daily)
<i>ropinirole hydrochloride tabs 0.25 mg, 3 mg, 4 mg</i>	P	QL(6 ea daily)
<i>ropinirole hydrochloride tabs 0.5 mg, 1 mg, 2 mg, 5 mg</i>	P	QL(3 ea daily)
SINEMET CR TBCR (<i>Use carbidopa-levodopa</i>)	NP	
SINEMET TABS (<i>Use carbidopa-levodopa</i>)	NP	
Antiparkinson Monoamine Oxidase Inhibitors		
<i>selegiline hcl caps or</i>	P	
<i>selegiline hcl tabs or</i>	P	
ANTIPSYCHOTICS/ANTIMANIC AGENTS - Drugs to Treat Mood Disorders		
Antimanic Agents		
<i>lithium carbonate caps or 150 mg, 300 mg, 600 mg</i>	P	
<i>lithium carbonate tabs or 300 mg</i>	P	
<i>lithium carbonate tbcr or 300 mg, 450 mg</i>	P	
LITHIUM SOLN	P	
LITHOBID TBCR (<i>Use lithium carbonate</i>)	P	
Antipsychotics - Misc.		
GEODON CAPS OR 20 MG, 40 MG, 60 MG, 80 MG (<i>Use ziprasidone hcl</i>)	NP	QL(2 ea daily); AL(At least 18 yrs old)
NUPLAZID CAPS 34 MG	P	PA; QL(1 ea daily)
NUPLAZID TABS 10 MG	P	PA; QL(1 ea daily)

Drug Name	Drug Tier	Requirements/Limits
NUPLAZID TABS 17 MG	P	PA; QL(2 ea daily)
<i>ziprasidone hcl caps</i>	P	QL(2 ea daily); AL(At least 18 yrs old)
Benzisoxazoles		
RISPERDAL SOLN 1 MG/ML (<i>Use risperidone</i>)	NP	QL(4 ml daily); AL(At least 5 yrs old)
RISPERDAL TABS 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG (<i>Use risperidone</i>)	NP	QL(4 ea daily); AL(At least 5 yrs old)
<i>risperidone soln 1 mg/ml</i>	P	QL(4 ml daily); AL(At least 5 yrs old)
<i>risperidone tabs 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i>	P	QL(4 ea daily); AL(At least 5 yrs old)
<i>risperidone tbdp 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i>	P	QL(2 ea daily); AL(At least 5 yrs old)
Butyrophenones		
HALDOL DECANOATE 100 SOLN (<i>Use haloperidol decanoate</i>)	NP	
HALDOL DECANOATE 50 SOLN (<i>Use haloperidol decanoate</i>)	NP	
<i>haloperidol decanoate soln im 50 mg/ml, 100 mg/ml</i>	P	
<i>haloperidol lactate conc or 2 mg/ml</i>	P	
<i>haloperidol tabs or 0.5 mg, 1 mg, 2 mg, 5 mg, 10 mg</i>	P	QL(3 ea daily)
<i>haloperidol tabs or 20 mg</i>	P	
Dibenzapines		
<i>clozapine tabs 25 mg, 50 mg, 100 mg, 200 mg</i>	P	QL(3 ea daily); AL(At least 18 yrs old)
CLOZARIL TABS (<i>Use clozapine</i>)	NP	QL(3 ea daily); AL(At least 18 yrs old)
<i>loxapine succinate caps</i>	P	QL(4 ea daily)

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
<i>olanzapine tabs or 10 mg, 7.5 mg</i>	P	QL(2 ea daily); AL(At least 10 yrs old)
<i>olanzapine tabs or 15 mg, 20 mg</i>	P	QL(1 ea daily); AL(At least 10 yrs old)
<i>olanzapine tabs or 5 mg, 2.5 mg</i>	P	QL(4 ea daily); AL(At least 10 yrs old)
<i>quetiapine fumarate tabs 100 mg, 200 mg</i>	P	QL(4 ea daily); AL(At least 10 yrs old)
<i>quetiapine fumarate tabs 25 mg, 50 mg</i>	P	QL(4 ea daily); AL(At least 10 yrs old - Up to 17 yrs old)
<i>quetiapine fumarate tabs 300 mg, 400 mg</i>	P	QL(2 ea daily); AL(At least 10 yrs old)
SEROQUEL TABS 100 MG, 200 MG (Use <i>quetiapine fumarate</i>)	NP	QL(4 ea daily); AL(At least 10 yrs old)
SEROQUEL TABS 25 MG, 50 MG (Use <i>quetiapine fumarate</i>)	NP	QL(4 ea daily); AL(At least 10 yrs old - Up to 17 yrs old)
SEROQUEL TABS 300 MG, 400 MG (Use <i>quetiapine fumarate</i>)	NP	QL(2 ea daily); AL(At least 10 yrs old)
ZYPREXA TABS OR 10 MG, 7.5 MG (Use <i>olanzapine</i>)	NP	QL(2 ea daily); AL(At least 10 yrs old)
ZYPREXA TABS OR 15 MG, 20 MG (Use <i>olanzapine</i>)	NP	QL(1 ea daily); AL(At least 10 yrs old)
ZYPREXA TABS OR 5 MG, 2.5 MG (Use <i>olanzapine</i>)	NP	QL(4 ea daily); AL(At least 10 yrs old)
Dihydroindolones		
<i>molindone hcl tabs</i>	P	QL(4 ea daily)
Phenothiazines		
<i>chlorpromazine hcl tabs or 10 mg</i>	P	QL(10 ea daily)
<i>chlorpromazine hcl tabs or 25 mg, 50 mg, 100 mg, 200 mg</i>	P	QL(3 ea daily)

Drug Name	Drug Tier	Requirements/ Limits
<i>fluphenazine decanoate soln ij</i>	P	
<i>fluphenazine hcl tabs or 1 mg, 5 mg, 10 mg, 2.5 mg</i>	P	
<i>perphenazine tabs or 2 mg, 4 mg, 8 mg, 16 mg</i>	P	QL(4 ea daily)
<i>prochlorperazine maleate tabs or 5 mg, 10 mg</i>	P	
<i>prochlorperazine supp</i>	P	
<i>thioridazine hcl tabs or 10 mg, 25 mg, 50 mg, 100 mg</i>	P	QL(3 ea daily)
<i>trifluoperazine hcl tabs</i>	P	QL(2 ea daily)
Quinolinone Derivatives		
ABILIFY TABS (Use <i>aripiprazole</i>)	NP	QL(1 ea daily); AL(At least 6 yrs old)
<i>aripiprazole soln 1 mg/ml</i>	P	QL(750 ml per fill retail); AL(At least 6 yrs old)
<i>aripiprazole tabs 2 mg, 5 mg, 10 mg, 15 mg, 20 mg, 30 mg</i>	P	QL(1 ea daily); AL(At least 6 yrs old)
<i>aripiprazole tbdp 10 mg, 15 mg</i>	P	QL(1 ea daily); AL(At least 6 yrs old)
Thioxanthenes		
<i>thiothixene caps</i>	P	QL(3 ea daily)
ANTISEPTICS & DISINFECTANTS		
Antiseptics & Disinfectants		
<i>formaldehyde soln 10 %</i>	P	QL(90 ml per fill retail)
Chlorine Antiseptics		
<i>chlorhexidine gluconate liqd ex 4 %</i>	P	OTC;QL(946 ml per fill retail)
HIBICLENS LIQD (Use <i>chlorhexidine gluconate</i>)	NP	OTC;QL(946 ml per fill retail)
ANTIVIRALS - Drugs to Treat Viral Infections		
Antiretrovirals		
<i>abacavir sulfate soln 20 mg/ml</i>	P	QL(30 ml daily)

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
<i>abacavir sulfate tabs 300 mg</i>	P	QL(2 ea daily)
<i>abacavir sulfate-lamivudine tabs</i>	P	QL(1 ea daily)
<i>abacavir sulfate-lamivudine-zidovudine tabs</i>	P	QL(2 ea daily)
APTIVUS CAPS 250 MG	P	ST; QL(4 ea daily)
APTIVUS SOLN 100 MG/ML	P	ST; QL(10 ml daily)
<i>atazanavir sulfate caps 150 mg, 200 mg</i>	P	QL(2 ea daily)
<i>atazanavir sulfate caps 300 mg</i>	P	
ATRIPLA TABS (<i>Use efavirenz-emtricitabine-tenofovir disoproxil fumarate</i>)	NP	ST; try Symfi;;QL(1 ea daily)
BIKTARVY TABS	P	QL(1 ea daily)
CIMDUO TABS	P	ST; QL(1 ea daily)
COMBIVIR TABS (<i>Use lamivudine-zidovudine</i>)	NP	QL(2 ea daily)
COMPLERA TABS	P	ST; try Symfi;;QL(1 ea daily)
CRIXIVAN CAPS 200 MG	P	QL(9 ea daily)
CRIXIVAN CAPS 400 MG	P	QL(6 ea daily)
DELSTRIGO TABS	P	ST; try Symfi;QL(1 ea daily)
DESCOVY TABS	P	PA; QL(1 ea daily)
<i>didanosine cpdr</i>	P	QL(1 ea daily)
DOVATO TABS	P	
EDURANT TABS	P	QL(1 ea daily)
<i>efavirenz caps 200 mg</i>	P	QL(1 ea daily)
<i>efavirenz caps 50 mg</i>	P	QL(2 ea daily)
<i>efavirenz tabs 600 mg</i>	P	QL(1 ea daily)

Drug Name	Drug Tier	Requirements/Limits
<i>efavirenz-emtricitabine-tenofovir disoproxil fumarate tabs</i>	P	ST; try Symfi;;QL(1 ea daily)
<i>efavirenz-lamivudine-tenofovir disoproxil fumarate tabs</i>	P	QL(1 ea daily)
<i>emtricitabine caps</i>	P	QL(1 ea daily)
<i>emtricitabine-tenofovir disoproxil fumarate tabs</i>	P	QL(1 ea daily)
EMTRIVA CAPS 200 MG (<i>Use emtricitabine</i>)	NP	QL(1 ea daily)
EMTRIVA SOLN 10 MG/ML	P	QL(24 ml daily)
EPIVIR SOLN 10 MG/ML (<i>Use lamivudine</i>)	NP	QL(30 ml daily)
EPIVIR TABS 150 MG (<i>Use lamivudine</i>)	NP	QL(2 ea daily)
EPIVIR TABS 300 MG (<i>Use lamivudine</i>)	NP	QL(1 ea daily)
EPZICOM TABS (<i>Use abacavir sulfate-lamivudine</i>)	NP	QL(1 ea daily)
<i>fosamprenavir calcium tabs</i>	P	QL(4 ea daily)
GENVOYA TABS	P	QL(1 ea daily)
INTELENCE TABS 200 MG	P	QL(2 ea daily)
INTELENCE TABS 25 MG, 100 MG	P	QL(4 ea daily)
INVIRASE CAPS 200 MG	P	ST; QL(10 ea daily)
INVIRASE TABS 500 MG	P	ST; QL(4 ea daily)
ISENTRESS CHEW 100 MG	P	QL(6 ea daily)
ISENTRESS CHEW 25 MG	P	QL(12 ea daily)
ISENTRESS HD TABS	P	QL(2 ea daily)
ISENTRESS PACK 100 MG	P	QL(2 ea daily)
ISENTRESS TABS 400 MG	P	QL(2 ea daily)
JULUCA TABS	P	QL(1 ea daily)

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
KALETRA SOLN 100 MG/5ML-400 MG/5ML (Use lopinavir-ritonavir)	NP	QL(480 ml per 30 days retail)
KALETRA TABS 100 MG-25 MG	P	QL(4 ea daily)
KALETRA TABS 200 MG-50 MG	P	QL(6 ea daily)
lamivudine soln 10 mg/ml	P	QL(30 ml daily)
lamivudine tabs 150 mg	P	QL(2 ea daily)
lamivudine tabs 300 mg	P	QL(1 ea daily)
lamivudine-zidovudine tabs	P	QL(2 ea daily)
LEXIVA SUSP 50 MG/ML	P	QL(56 ml daily)
LEXIVA TABS 700 MG (Use fosamprenavir calcium)	NP	QL(4 ea daily)
lopinavir-ritonavir soln	P	QL(480 ml per 30 days retail)
nevirapine susp 50 mg/5ml	P	QL(40 ml daily)
nevirapine tabs 200 mg	P	QL(2 ea daily)
nevirapine tb24 100 mg	P	QL(3 ea daily)
nevirapine tb24 400 mg	P	QL(1 ea daily)
NORVIR SOLN 80 MG/ML	P	QL(15 ml daily)
NORVIR TABS 100 MG (Use ritonavir)	NP	QL(12 ea daily)
PIFELTRO TABS	P	QL(1 ea daily)
PREZCOBIX TABS	P	QL(1 ea daily)
PREZISTA SUSP 100 MG/ML	P	ST; QL(12 ml daily)
PREZISTA TABS 150 MG	P	ST; QL(3 ea daily)
PREZISTA TABS 75 MG, 600 MG	P	ST; QL(2 ea daily)
PREZISTA TABS 800 MG	P	ST; QL(1 ea daily)
RESCRIPTOR TABS 100 MG	P	QL(12 ea daily)

Drug Name	Drug Tier	Requirements/Limits
RESCRIPTOR TABS 200 MG	P	QL(6 ea daily)
RETROVIR CAPS 100 MG (Use zidovudine)	NP	QL(6 ea daily)
RETROVIR SYRP 50 MG/5ML (Use zidovudine)	NP	QL(60 ml daily)
REYATAZ CAPS 150 MG, 200 MG (Use atazanavir sulfate)	NP	QL(2 ea daily)
REYATAZ CAPS 300 MG (Use atazanavir sulfate)	NP	
REYATAZ PACK 50 MG	P	QL(6 ea daily)
ritonavir tabs	P	QL(12 ea daily)
SELZENTRY SOLN 20 MG/ML	P	QL(35 ml daily)
SELZENTRY TABS 25 MG, 75 MG, 150 MG	P	QL(2 ea daily)
SELZENTRY TABS 300 MG	P	QL(4 ea daily)
stavudine caps	P	QL(2 ea daily)
STRIBILD TABS	P	QL(1 ea daily)
SUSTIVA CAPS 200 MG (Use efavirenz)	NP	QL(1 ea daily)
SUSTIVA CAPS 50 MG (Use efavirenz)	NP	QL(2 ea daily)
SUSTIVA TABS 600 MG (Use efavirenz)	NP	QL(1 ea daily)
SYMFI LO TABS (Use efavirenz-lamivudine-tenofovir disoproxil fumarate)	NP	QL(1 ea daily)
SYMFI TABS (Use efavirenz-lamivudine-tenofovir disoproxil fumarate)	NP	QL(1 ea daily)
SYMPTUZA TABS	P	ST; try Symfi; QL(1 ea daily)
TEMIXYS TABS	P	ST; QL(1 ea daily)
tenofovir disoproxil fumarate tabs	P	QL(1 ea daily)

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
TIVICAY TABS 50 MG	P	QL(2 ea daily)
TRIUMEQ TABS	P	QL(1 ea daily); AL(At least 18 yrs old)
TRIZIVIR TABS (<i>Use abacavir sulfate-lamivudine-zidovudine</i>)	NP	QL(2 ea daily)
TRUVADA TABS 200 MG-300 MG (<i>Use emtricitabine-tenofovir disoproxil fumarate</i>)	NP	QL(1 ea daily)
TYBOST TABS	P	QL(1 ea daily); AL(At least 18 yrs old)
VIDEX EC CPDR 125 MG	P	QL(1 ea daily)
VIDEX EC CPDR 200 MG, 250 MG, 400 MG (<i>Use didanosine</i>)	NP	QL(1 ea daily)
VIDEXPEDIATRIC SOLR	P	QL(20 ml daily)
VIRACEPT TABS 250 MG	P	QL(9 ea daily)
VIRACEPT TABS 625 MG	P	QL(4 ea daily)
VIRAMUNE SUSP 50 MG/5ML (<i>Use nevirapine</i>)	NP	QL(40 ml daily)
VIRAMUNE TABS 200 MG (<i>Use nevirapine</i>)	NP	QL(2 ea daily)
VIRAMUNE XR TB24 100 MG (<i>Use nevirapine</i>)	NP	QL(3 ea daily)
VIRAMUNE XR TB24 400 MG (<i>Use nevirapine</i>)	NP	QL(1 ea daily)
VIREAD POWD 40 MG/GM	P	QL(240 gm per 30 days retail)
VIREAD TABS 150 MG, 200 MG, 250 MG	P	QL(1 ea daily)
VIREAD TABS 300 MG (<i>Use tenofovir disoproxil fumarate</i>)	NP	QL(1 ea daily)
ZERIT CAPS (<i>Use stavudine</i>)	NP	QL(2 ea daily)
ZIAGEN SOLN 20 MG/ML (<i>Use abacavir sulfate</i>)	NP	QL(30 ml daily)
ZIAGEN TABS 300 MG (<i>Use abacavir sulfate</i>)	NP	QL(2 ea daily)

Drug Name	Drug Tier	Requirements/Limits
<i>zidovudine caps 100 mg</i>	P	QL(6 ea daily)
<i>zidovudine syrps 50 mg/5ml</i>	P	QL(60 ml daily)
<i>zidovudine tabs 300 mg</i>	P	QL(2 ea daily)
CMV Agents		
VALCYTE TABS 450 MG (<i>Use valganciclovir hcl</i>)	NP	QL(2 ea daily)
<i>valganciclovir hcl tabs 450 mg</i>	P	QL(2 ea daily)
Hepatitis Agents		
MAVYRET TABS	P	PA; QL(3 ea daily); SP
Herpes Agents		
<i>acyclovir caps or 200 mg</i>	P	QL(50 ea per 30 days retail)
<i>acyclovir susp or 200 mg/5ml</i>	P	QL(400 ml per 30 days retail)
<i>acyclovir tabs or 400 mg</i>	P	QL(3 ea daily)
<i>acyclovir tabs or 800 mg</i>	P	QL(50 ea per 30 days retail)
<i>famciclovir tabs or 125 mg, 250 mg, 500 mg</i>	P	
<i>valacyclovir hcl tabs or 1 gm, 1000 mg</i>	P	QL(42 ea per 21 days retail)
<i>valacyclovir hcl tabs or 500 mg</i>	P	QL(2 ea daily)
VALTREX TABS 1 GM (<i>Use valacyclovir hcl</i>)	NP	QL(42 ea per 21 days retail)
VALTREX TABS 500 MG (<i>Use valacyclovir hcl</i>)	NP	QL(2 ea daily)
ZOVIRAX CAPS OR 200 MG (<i>Use acyclovir</i>)	NP	QL(50 ea per 30 days retail)
ZOVIRAX SUSP OR 200 MG/5ML (<i>Use acyclovir</i>)	NP	QL(400 ml per 30 days retail)
ZOVIRAX TABS OR 400 MG (<i>Use acyclovir</i>)	NP	QL(3 ea daily)
ZOVIRAX TABS OR 800 MG (<i>Use acyclovir</i>)	NP	QL(50 ea per 30 days retail)
Influenza Agents		
<i>oseltamivir phosphate caps or 30 mg</i>	P	QL(20 ea per 30 days retail)

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
<i>oseltamivir phosphate caps or 45 mg, 75 mg</i>	P	QL(10 ea per 30 days retail)
<i>oseltamivir phosphate susr or 6 mg/ml</i>	P	QL(120 ml per 30 days retail)
RELENZA DISKHALER AEPB	P	QL(20 ea per fill retail); AL(At least 5 yrs old)
TAMIFLU CAPS 30 MG (Use <i>oseltamivir phosphate</i>)	NP	QL(20 ea per 30 days retail)
TAMIFLU CAPS 45 MG, 75 MG (Use <i>oseltamivir phosphate</i>)	NP	QL(10 ea per 30 days retail)
TAMIFLU SUSR 6 MG/ML (Use <i>oseltamivir phosphate</i>)	NP	QL(120 ml per 30 days retail)

BETA BLOCKERS - Drugs to Treat High Blood Pressure

Alpha-Beta Blockers

<i>carvedilol phosphate cp24</i>	P	QL(1 ea daily)
<i>carvedilol tabs 12.5 mg, 6.25 mg, 3.125 mg</i>	P	QL(3 ea daily)
<i>carvedilol tabs 25 mg</i>	P	QL(4 ea daily)
COREG CR CP24 (Use <i>carvedilol phosphate</i>)	NP	QL(1 ea daily)
COREG TABS 12.5 MG, 6.25 MG, 3.125 MG (Use <i>carvedilol</i>)	NP	QL(3 ea daily)
COREG TABS 25 MG (Use <i>carvedilol</i>)	NP	QL(4 ea daily)
<i>labetalol hcl tabs or 100 mg</i>	P	QL(3 ea daily)
<i>labetalol hcl tabs or 200 mg</i>	P	QL(6 ea daily)
<i>labetalol hcl tabs or 300 mg</i>	P	QL(8 ea daily)

Beta Blockers Cardio-Selective

<i>acebutolol hcl caps or 200 mg, 400 mg</i>	P	
<i>atenolol tabs or 25 mg, 50 mg, 100 mg</i>	P	QL(2 ea daily)
<i>bisoprolol fumarate tabs</i>	P	QL(1 ea daily)

Drug Name	Drug Tier	Requirements/Limits
LOPRESSOR TABS 100 MG (Use <i>metoprolol tartrate</i>)	NP	QL(4.5 ea daily)
LOPRESSOR TABS 50 MG (Use <i>metoprolol tartrate</i>)	NP	QL(4 ea daily)
<i>metoprolol succinate tb24 200 mg</i>	P	QL(2 ea daily)
<i>metoprolol succinate tb24 25 mg, 50 mg, 100 mg</i>	P	QL(4 ea daily)
<i>metoprolol tartrate tabs or 100 mg</i>	P	QL(4.5 ea daily)
<i>metoprolol tartrate tabs or 25 mg, 50 mg</i>	P	QL(4 ea daily)
TENORMIN TABS (Use <i>atenolol</i>)	NP	QL(2 ea daily)
TOPROL XL TB24 200 MG (Use <i>metoprolol succinate</i>)	NP	QL(2 ea daily)
TOPROL XL TB24 25 MG, 50 MG, 100 MG (Use <i>metoprolol succinate</i>)	NP	QL(4 ea daily)

Beta Blockers Non-Selective		
BETAPACE AF TABS (Use <i>sotalol hcl (afib/afI)</i>)	NP	QL(2 ea daily)
BETAPACE TABS (Use <i>sotalol hcl</i>)	NP	QL(2 ea daily)
CORGARD TABS (Use <i>nadolol</i>)	NP	QL(2 ea daily)
INDERAL LA CP24 (Use <i>propranolol hcl</i>)	NP	QL(2 ea daily)
<i>nadolol tabs or 20 mg, 40 mg, 80 mg</i>	P	QL(2 ea daily)
<i>pindolol tabs</i>	P	
<i>propranolol hcl cp24 or 60 mg, 80 mg, 120 mg, 160 mg</i>	P	QL(2 ea daily)
<i>propranolol hcl soln or 20 mg/5ml, 40 mg/5ml</i>	P	
<i>propranolol hcl tabs or 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>	P	
<i>sotalol hcl (afib/afI) tabs</i>	P	QL(2 ea daily)
<i>sotalol hcl tabs 240 mg</i>	P	

Drug Name	Drug Tier	Requirements/Limits
<i>sotalol hcl tabs 80 mg, 120 mg, 160 mg</i>	P	QL(2 ea daily)
<i>timolol maleate tabs or 5 mg, 10 mg, 20 mg</i>	P	
CALCIUM CHANNEL BLOCKERS - Drugs to Treat High Blood Pressure		
Calcium Channel Blockers		
ADALAT CC TB24 30 MG, 90 MG (<i>Use nifedipine</i>)	NP	QL(1 ea daily)
ADALAT CC TB24 60 MG (<i>Use nifedipine</i>)	NP	QL(2 ea daily)
<i>amlodipine besylate tabs or 5 mg, 10 mg, 2.5 mg</i>	P	QL(1 ea daily)
CALAN SR TBCR (<i>Use verapamil hcl</i>)	NP	QL(2 ea daily)
CALAN TABS (<i>Use verapamil hcl</i>)	NP	QL(3 ea daily)
CARDIZEM CD CP24 120 MG, 180 MG, 300 MG (<i>Use diltiazem hcl coated beads</i>)	NP	QL(1 ea daily)
CARDIZEM CD CP24 240 MG (<i>Use diltiazem hcl coated beads</i>)	NP	QL(2 ea daily)
CARDIZEM TABS (<i>Use diltiazem hcl</i>)	NP	QL(3 ea daily)
<i>diltiazem hcl coated beads cp24 120 mg, 180 mg, 300 mg</i>	P	QL(1 ea daily)
<i>diltiazem hcl coated beads cp24 240 mg</i>	P	QL(2 ea daily)
<i>diltiazem hcl cp12 or 60 mg, 90 mg, 120 mg</i>	P	QL(2 ea daily)
<i>diltiazem hcl cp24 or 120 mg, 180 mg</i>	P	QL(1 ea daily)
<i>diltiazem hcl cp24 or 240 mg</i>	P	QL(2 ea daily)
<i>diltiazem hcl extended release beads cp24 120 mg, 180 mg, 300 mg, 360 mg, 420 mg</i>	P	QL(1 ea daily)
<i>diltiazem hcl extended release beads cp24 240 mg</i>	P	QL(2 ea daily)
<i>diltiazem hcl tabs or 30 mg, 60 mg, 90 mg, 120 mg</i>	P	QL(3 ea daily)

Drug Name	Drug Tier	Requirements/Limits
<i>felodipine tb24</i>	P	QL(1 ea daily)
<i>nicardipine hcl caps or 20 mg, 30 mg</i>	P	
<i>nifedipine caps or 10 mg, 20 mg</i>	P	QL(4 ea daily)
<i>nifedipine tb24 or 30 mg, 90 mg</i>	P	QL(1 ea daily)
<i>nifedipine tb24 or 60 mg</i>	P	QL(2 ea daily)
NORVASC TABS (<i>Use amlodipine besylate</i>)	NP	QL(1 ea daily)
PROCARDIA CAPS (<i>Use nifedipine</i>)	NP	QL(4 ea daily)
PROCARDIA XL TB24 30 MG, 90 MG (<i>Use nifedipine</i>)	NP	QL(1 ea daily)
PROCARDIA XL TB24 60 MG (<i>Use nifedipine</i>)	NP	QL(2 ea daily)
TIAZAC CP24 120 MG, 180 MG, 300 MG, 360 MG, 420 MG (<i>Use diltiazem hcl extended release beads</i>)	NP	QL(1 ea daily)
TIAZAC CP24 240 MG (<i>Use diltiazem hcl extended release beads</i>)	NP	QL(2 ea daily)
<i>verapamil hcl cp24 or 100 mg, 200 mg</i>	P	QL(2 ea daily)
<i>verapamil hcl cp24 or 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i>	P	QL(1 ea daily)
<i>verapamil hcl tabs or 40 mg, 80 mg, 120 mg</i>	P	QL(3 ea daily)
<i>verapamil hcl tbcR or 120 mg, 180 mg, 240 mg</i>	P	QL(2 ea daily)
VERELAN CP24 (<i>Use verapamil hcl</i>)	NP	QL(1 ea daily)
VERELAN PM CP24 100 MG, 200 MG (<i>Use verapamil hcl</i>)	NP	QL(2 ea daily)
VERELAN PM CP24 300 MG (<i>Use verapamil hcl</i>)	NP	QL(1 ea daily)
CARDIOTONICS - Drugs to Treat Heart Failure and Abnormal Heart Rhythm		
Cardiac Glycosides		

Drug Name	Drug Tier	Requirements/ Limits
<i>digoxin soln ij 0.25 mg/ml</i>	P	
<i>digoxin soln or 0.05 mg/ml</i>	P	
<i>digoxin tabs or 0.125 mg, 0.25 mg, 125 mcg, 250 mcg</i>	P	
LANOXIN SOLN IJ 0.25 MG/ML (<i>Use digoxin</i>)	P	
LANOXIN TABS OR 125 MCG, 250 MCG (<i>Use digoxin</i>)	P	
CEPHALOSPORINS - Drugs to Treat Bacterial Infections		
Cephalosporins - 1st Generation		
<i>cefadroxil caps</i>	P	
<i>cefadroxil susr</i>	P	
<i>cefadroxil tabs</i>	P	
<i>cephalexin caps 250 mg, 500 mg</i>	P	
<i>cephalexin susr 125 mg/5ml, 250 mg/5ml</i>	P	
KEFLEX CAPS 250 MG, 500 MG (<i>Use cephalixin</i>)	NP	
Cephalosporins - 2nd Generation		
<i>cefaclor caps</i>	P	
<i>cefaclor susr</i>	P	
<i>cefprozil susr 125 mg/5ml, 250 mg/5ml</i>	P	QL(200 ml per fill retail); AL(Up to 12 yrs old)
<i>cefprozil tabs 250 mg, 500 mg</i>	P	QL(20 ea per fill retail)
<i>cefuroxime axetil tabs</i>	P	QL(20 ea per fill retail)
Cephalosporins - 3rd Generation		
<i>cefdinir caps 300 mg</i>	P	QL(20 ea per fill retail)
<i>cefdinir susr 125 mg/5ml, 250 mg/5ml</i>	P	QL(100 ml per fill retail)

Drug Name	Drug Tier	Requirements/ Limits
<i>ceftriaxone sodium solr ij 1 gm, 250 mg, 500 mg</i>	P	QL(3 ea per fill retail)
CHEMICALS		
Bulk Chemicals - O's		
OMEPRAZOLE POWD XX	P	PA
Bulk Chemicals - P's		
PROMETHAZINE HCL POWD XX	P	PA
CONTRACEPTIVES - Drugs to Prevent Pregnancy		
Combination Contraceptives - Oral		
<i>desogestrel & ethinyl estradiol tabs</i>	P	
<i>desogestrel-ethinyl estradiol (biphasic) tabs</i>	P	
<i>desogestrel-ethinyl estradiol (triphasic) tabs</i>	P	
<i>drospirenone-ethinyl estradiol tabs</i>	P	QL(1 ea daily)
ESTROSTEP FE TABS (<i>Use norethindrone acetate-ethinyl estradiol-fe</i>)	NP	
<i>ethinodiol diacet & eth estrad tabs</i>	P	QL(1 ea daily)
GENERESS FE CHEW (<i>Use norethindrone & ethinyl estradiol-fe</i>)	NP	
<i>levonorgestrel & eth estradiol tabs</i>	P	
<i>levonorgestrel-eth estradiol (triphasic) tabs</i>	P	
<i>levonorgestrel-ethinyl estradiol (91-day) tabs</i>	P	QL(91 ea per fill retail)
LOESTRIN 1.5/30-21 TABS (<i>Use norethindrone acet & eth estra</i>)	NP	
LOESTRIN 1/20-21 TABS (<i>Use norethindrone acet & eth estra</i>)	NP	
LOESTRIN FE 1.5/30 TABS (<i>Use norethin acet & estrad-fe</i>)	NP	

Drug Name	Drug Tier	Requirements/Limits
LOESTRIN FE 1/20 TABS (Use norethin acet & estrad-fe)	NP	
MIRCETTE TABS (Use desogestrel-ethinyl estradiol (biphasic))	NP	
norethin acet & estrad-fe tabs 1 mg-20 mcg-75 mg, 1.5 mg-30 mcg-75 mg	P	
norethindrone & eth estradiol tabs	P	
norethindrone & ethinyl estradiol-fe chew	P	
norethindrone acet & eth estra tabs	P	
norethindrone acetate-ethinyl estradiol-fe tabs	P	
norethindrone-eth estradiol (triphasic) tabs	P	
norgestimate-ethinyl estradiol (triphasic) tabs	P	
norgestimate-ethinyl estradiol tabs	P	
norgestrel & ethinyl estradiol tabs 0.3 mg-30 mcg	P	QL(2 ea daily)
norgestrel & ethinyl estradiol tabs 0.5 mg-50 mcg	P	
ORTHO TRI-CYCLEN LO TABS (Use norgestimate-ethinyl estradiol (triphasic))	NP	
ORTHO TRI-CYCLEN TABS (Use norgestimate-ethinyl estradiol (triphasic))	NP	
ORTHO-CYCLEN TABS (Use norgestimate-ethinyl estradiol)	NP	
ORTHO-NOVUM 1/35 TABS (Use norethindrone & eth estradiol)	NP	
ORTHO-NOVUM 7/7/7 TABS (Use norethindrone-eth estradiol (triphasic))	NP	
SEASONIQUE TABS (Use levonorgestrel-ethinyl estradiol (91-day))	NP	QL(91 ea per fill retail)

Drug Name	Drug Tier	Requirements/Limits
TRI-NORINYL 28 TABS (Use norethindrone-eth estradiol (triphasic))	NP	
YASMIN 28 TABS (Use drospirenone-ethinyl estradiol)	NP	QL(1 ea daily)
YAZ TABS (Use drospirenone-ethinyl estradiol)	NP	QL(1 ea daily)
Combination Contraceptives - Transdermal		
norelgestromin-ethinyl estradiol ptwk	P	QL(3 ea per 28 days retail)
Combination Contraceptives - Vaginal		
etonogestrel-ethinyl estradiol ring	P	QL(1 ea per fill retail)
NUVARING RING (Use etonogestrel-ethinyl estradiol)	NP	QL(1 ea per fill retail)
Emergency Contraceptives		
ELLA TABS	P	QL(4 ea per 365 days retail)
levonorgestrel (emergency oc) tabs	P	QL(1 ea per 21 days retail)
PLAN B ONE-STEP TABS (Use levonorgestrel (emergency oc))	NP	QL(1 ea per 21 days retail)
Progestin Contraceptives - Injectable		
DEPO-PROVERA CONTRACEPTIVE SUSP (Use medroxyprogesterone acetate (contraceptive))	NP	QL(1 ml per fill retail)
DEPO-PROVERA CONTRACEPTIVE SUSY (Use medroxyprogesterone acetate (contraceptive))	NP	QL(1 ml per fill retail)
DEPO-SUBQ PROVERA 104 SUSY	P	QL(1 ml per fill retail)
medroxyprogesterone acetate (contraceptive) susp	P	QL(1 ml per fill retail)
medroxyprogesterone acetate (contraceptive) susy	P	QL(1 ml per fill retail)
Progestin Contraceptives - Oral		

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
<i>norethindrone (contraceptive) tabs</i>	P	
ORTHO MICRONOR TABS (Use <i>norethindrone (contraceptive)</i>)	NP	
CORTICOSTEROIDS - Steroid Hormone Drugs to Treat Systemic Swelling Conditions		
Glucocorticosteroids		
CORTEF TABS (Use <i>hydrocortisone</i>)	NP	
<i>cortisone acetate tabs or</i>	P	
<i>dexamethasone elix or 0.5 mg/5ml</i>	P	
DEXAMETHASONE SODIUM PHOSPHATE SOLN IJ 4 MG/ML	P	QL(150 ml per 30 days retail)
<i>dexamethasone sodium phosphate soln ij 4 mg/ml, 20 mg/5ml, 120 mg/30ml</i>	P	QL(150 ml per 30 days retail)
<i>dexamethasone soln or 0.5 mg/5ml</i>	P	
<i>dexamethasone tabs or 0.75 mg, 0.5 mg, 1 mg, 2 mg, 4 mg, 6 mg, 1.5 mg</i>	P	
<i>hydrocortisone tabs or 5 mg, 10 mg, 20 mg</i>	P	
MEDROL DOSEPAK TBPK (Use <i>methylprednisolone</i>)	NP	
MEDROL TABS 4 MG, 8 MG (Use <i>methylprednisolone</i>)	NP	
<i>methylprednisolone tabs or 4 mg, 8 mg</i>	P	
<i>methylprednisolone tbpk or 4 mg</i>	P	
MILLIPRED TABS 5 MG	P	
PEDIAPRED SOLN (Use <i>prednisolone sodium phosphate</i>)	NP	
<i>prednisolone sodium phosphate soln or 20 mg/5ml</i>	P	QL(150 ml per fill retail)

Drug Name	Drug Tier	Requirements/ Limits
<i>prednisolone sodium phosphate soln or 5 mg/5ml, 15 mg/5ml</i>	P	
<i>prednisolone soln or</i>	P	
PREDNISON INTENSOL CONC	P	
<i>prednisone soln or 5 mg/5ml</i>	P	
<i>prednisone tabs or 1 mg, 5 mg, 10 mg, 20 mg, 50 mg, 2.5 mg</i>	P	
<i>prednisone tbpk or 5 mg, 10 mg</i>	P	
VERIPRED 20 SOLN (Use <i>prednisolone sodium phosphate</i>)	NP	QL(150 ml per fill retail)
Mineralocorticoids		
<i>fludrocortisone acetate tabs or</i>	P	
COUGH/COLD/ALLERGY - Drugs to Treat Cough, Cold and Allergy Symptoms		
Antitussives		
<i>benzonatate caps 100 mg</i>	P	AL(At least 10 yrs old - Up to 21 yrs old)
<i>benzonatate caps 200 mg</i>	P	QL(30 ea per 30 days retail); AL(At least 10 yrs old - Up to 21 yrs old)
DELSYM COUGH CHILDRENS SUER (Use <i>dextromethorphan polistirex</i>)	NP	OTC;QL(240 ml per 7 days retail); AL(Up to 21 yrs old)
DELSYM SUER (Use <i>dextromethorphan polistirex</i>)	NP	OTC;QL(240 ml per 7 days retail); AL(Up to 21 yrs old)
<i>dextromethorphan hbr liqd or 7.5 mg/5ml</i>	P	OTC;QL(240 ml per 7 days retail); AL(Up to 21 yrs old)
<i>dextromethorphan polistirex suer</i>	P	OTC;QL(240 ml per 7 days retail); AL(Up to 21 yrs old)

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
<i>hydrocodone w/ homatropine syrp 1.5 mg/5ml-5 mg/5ml</i>	P	AL(At least 18 yrs old - Up to 21 yrs old)
TESSALON PERLES CAPS (<i>Use benzonatate</i>)	NP	AL(At least 10 yrs old - Up to 21 yrs old)
TRIAMINIC LONG ACTING COUGH LIQD 7.5 MG/5ML (<i>Use dextromethorphan hbr</i>)	NP	OTC;QL(240 ml per 7 days retail); AL(Up to 21 yrs old)
Cough/Cold/Allergy Combinations		
ADVIL COLD & SINUS TABS (<i>Use pseudoephedrine-ibuprofen</i>)	NP	OTC;AL(Up to 21 yrs old)
BIOSPEC DMX LIQD	P	QL(240 ml per fill retail); AL(Up to 21 yrs old)
<i>brompheniramine & phenyleph elix 1 mg/5ml-2.5 mg/5ml, 1 mg/5ml-1 mg/5ml-2.5 mg/5ml-2.5 mg/5ml</i>	P	OTC;QL(120 ml per 30 days retail); AL(Up to 21 yrs old)
<i>brompheniramine & pseudoeph elix</i>	P	OTC;QL(120 ml per 30 days retail); AL(Up to 21 yrs old)
<i>brompheniramine & pseudoeph liqd</i>	P	OTC;QL(120 ml per 30 days retail); AL(Up to 21 yrs old)
BROTAPP DM LIQD	P	OTC;QL(240 ml per fill retail); AL(Up to 21 yrs old)
<i>cetirizine-pseudoephedrine tb12</i>	P	AL(Up to 21 yrs old)
CHERACOL PLUS LIQD (<i>Use dextromethorphan-guaifenesin</i>)	NP	QL(240 ml per fill retail); AL(Up to 21 yrs old)
CHERACOL-D COUGH LIQD (<i>Use dextromethorphan-guaifenesin</i>)	NP	QL(240 ml per fill retail); AL(Up to 21 yrs old)

Drug Name	Drug Tier	Requirements/ Limits
CLARITIN-D 12 HOUR TB12 (<i>Use loratadine & pseudoephedrine</i>)	NP	OTC;QL(2 ea daily); AL(Up to 21 yrs old)
CLARITIN-D 24 HOUR TB24 (<i>Use loratadine & pseudoephedrine</i>)	NP	OTC;QL(1 ea daily); AL(Up to 21 yrs old)
CLEAR COUGH PM MULTI-SYMPTOM LIQD (<i>Use dextromethorphan-doxylamine-acetaminophen</i>)	NP	OTC;AL(Up to 21 yrs old)
COLD & FLU RELIEF NIGHTTIME D LIQD	P	OTC;AL(Up to 21 yrs old)
DAY TIME MULTI-SYMPTOM COLD/FLU RELIEF CAPS (<i>Use dextromethorphan-phenylephrine-acetaminophen</i>)	NP	OTC;AL(Up to 21 yrs old)
<i>dextromethorphan-doxylamine-acetaminophen liqd 15 mg/15ml-500 mg/15ml-6.25 mg/15ml, 1000 mg/30ml-12.5 mg/30ml-30 mg/30ml, 10 %-15 mg/15ml-15 mg/15ml-500 mg/15ml-500 mg/15ml-6.25 mg/15ml-6.25 mg/15ml</i>	P	OTC;AL(Up to 21 yrs old)
<i>dextromethorphan-guaifenesin liqd 10 mg/5ml-100 mg/5ml, 20 mg/10ml-200 mg/10ml, 15 mg/7.5ml-150 mg/7.5ml</i>	P	QL(240 ml per fill retail); AL(Up to 21 yrs old)
<i>dextromethorphan-guaifenesin liqd 10 mg/5ml-200 mg/5ml, 20 mg/10ml-400 mg/10ml</i>	P	OTC;QL(240 ml per fill retail); AL(Up to 21 yrs old)
<i>dextromethorphan-guaifenesin liqd 100 mg/5ml-5 mg/5ml, 200 mg/5ml-30 mg/5ml, 20 mg/20ml-400 mg/20ml, 200 mg/5ml-200 mg/5ml-30 mg/5ml-30 mg/5ml</i>	P	OTC;AL(Up to 21 yrs old)

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
<i>dextromethorphan-guaifenesin syrp 10 mg/5ml-100 mg/5ml, 10 mg/5ml-10 mg/5ml-100 mg/5ml-100 mg/5ml</i>	P	QL(240 ml per fill retail); AL(Up to 21 yrs old)
<i>dextromethorphan-guaifenesin tb12 30 mg-600 mg</i>	P	QL(2 ea daily); AL(Up to 21 yrs old)
<i>dextromethorphan-phenylephrine-acetaminophen caps 10 mg-325 mg-5 mg, 10 mg-10 mg-325 mg-325 mg-5 mg-5 mg</i>	P	OTC;AL(Up to 21 yrs old)
DIABETIC TUSSIN COLD/FLU CAPS	P	OTC;AL(Up to 21 yrs old)
DIMETAPP COLD & ALLERGY ELIX (Use brompheniramine & phenyleph)	NP	OTC;QL(120 ml per 30 days retail); AL(Up to 21 yrs old)
DIMETAPP LONG ACTING COUGH PLUS COLD SYRP	P	OTC;QL(240 ml per fill retail); AL(Up to 21 yrs old)
ED BRON GP LIQD	P	OTC;QL(240 ml per 7 days retail); AL(Up to 21 yrs old)
<i>guaifenesin-codeine liqd 10 mg/5ml-100 mg/5ml</i>	P	AL(At least 18 yrs old - Up to 21 yrs old)
<i>guaifenesin-codeine soln 10 mg/5ml-100 mg/5ml</i>	P	AL(At least 18 yrs old - Up to 21 yrs old)
<i>guaifenesin-codeine syrp 10 mg/5ml-100 mg/5ml</i>	P	AL(At least 18 yrs old - Up to 21 yrs old)
LITTLE REMEDIES FOR COLDSMULTI SYMPTOM LIQD	P	OTC;AL(Up to 21 yrs old)
LOHIST-D LIQD	P	QL(240 ml per fill retail); AL(Up to 21 yrs old)
<i>loratadine & pseudoephedrine tb12 120 mg-5 mg</i>	P	OTC;QL(2 ea daily); AL(Up to 21 yrs old)

Drug Name	Drug Tier	Requirements/ Limits
<i>loratadine & pseudoephedrine tb24 10 mg-240 mg, 10 mg-10 mg-240 mg-240 mg</i>	P	OTC;QL(1 ea daily); AL(Up to 21 yrs old)
MAXI-TUSS PE LIQD	P	AL(Up to 21 yrs old)
MAXI-TUSS PE MAX LIQD	P	OTC;QL(240 ml per 7 days retail); AL(Up to 21 yrs old)
MUCINEX D TB12 (Use pseudoephedrine-guaifenesin)	NP	QL(210 ea per fill retail); AL(Up to 21 yrs old)
MUCINEX DM TB12 (Use dextromethorphan-guaifenesin)	NP	QL(2 ea daily); AL(Up to 21 yrs old)
PEDIATRIC COUGH/COLD LIQD	P	OTC;QL(240 ml per fill retail); AL(Up to 21 yrs old)
<i>phenylephrine-chlorphen-dm liqd 10 mg/5ml-15 mg/5ml-4 mg/5ml</i>	P	QL(240 ml per fill retail); AL(Up to 21 yrs old)
<i>phenylephrine-dm liqd</i>	P	OTC;QL(240 ml per fill retail); AL(Up to 21 yrs old)
<i>phenylephrine-dm soln</i>	P	OTC;QL(240 ml per fill retail); AL(Up to 21 yrs old)
<i>promethazine & phenylephrine soln</i>	P	QL(240 ml per 7 days retail); AL(Up to 21 yrs old)
<i>promethazine & phenylephrine syrp</i>	P	QL(240 ml per 7 days retail); AL(Up to 21 yrs old)
<i>promethazine w/codeine soln</i>	P	QL(240 ml per fill retail); AL(At least 18 yrs old - Up to 21 yrs old)

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
<i>promethazine w/codeine syrp</i>	P	QL(240 ml per fill retail); AL(At least 18 yrs old - Up to 21 yrs old)
<i>promethazine-dm soln</i>	P	QL(240 ml per fill retail); AL(Up to 21 yrs old)
<i>promethazine-dm syrp</i>	P	QL(240 ml per fill retail); AL(Up to 21 yrs old)
<i>promethazine-phenylephrine-codeine syrp</i>	P	QL(240 ml per fill retail); AL(At least 18 yrs old - Up to 21 yrs old)
PROMETHAZINE/PHENYL EPHRINE SYRP	P	QL(240 ml per 7 days retail); AL(Up to 21 yrs old)
<i>pseudoephed-bromphen-dm syrp</i>	P	QL(240 ml per fill retail); AL(Up to 21 yrs old)
<i>pseudoephedrine w/ codeine-gg soln</i>	P	QL(240 ml per 7 days retail); AL(At least 18 yrs old - Up to 21 yrs old)
<i>pseudoephedrine w/ codeine-gg soln</i>	NP	
<i>pseudoephedrine w/ dm-gg liqd 10 mg/5ml-100 mg/5ml-30 mg/5ml</i>	P	OTC;QL(240 ml per 7 days retail); AL(Up to 21 yrs old)
<i>pseudoephedrine-chlorphen-dm liqd</i>	P	OTC;QL(240 ml per fill retail); AL(Up to 21 yrs old)
<i>pseudoephedrine-dm liqd</i>	P	OTC;QL(240 ml per fill retail); AL(Up to 21 yrs old)
<i>pseudoephedrine-guaifenesin syrp 100 mg/5ml-30 mg/5ml</i>	P	OTC;QL(240 ml per fill retail); AL(Up to 21 yrs old)

Drug Name	Drug Tier	Requirements/ Limits
<i>pseudoephedrine-guaifenesin tb12 60 mg-600 mg</i>	P	QL(210 ea per fill retail); AL(Up to 21 yrs old)
<i>pseudoephedrine-ibuprofen tabs</i>	P	OTC;AL(Up to 21 yrs old)
PX DAYTIME MULTI-SYMPTOM CAPS	P	OTC;AL(Up to 21 yrs old)
PX NITETIME MULTI-SYMPTOM CAPS	P	OTC;QL(240 ea per fill retail); AL(Up to 21 yrs old)
QC TRIACTING DAYTIME CHILDRENS SYRP	P	OTC;QL(240 ml per fill retail); AL(Up to 21 yrs old)
ROBITUSSIN PEAK COLD COUGH+ CHEST CONGESTION DM MAX STRENGTH LIQD (<i>Use dextromethorphan-guaifenesin</i>)	NP	OTC;QL(240 ml per fill retail); AL(Up to 21 yrs old)
ROBITUSSIN PEAK COLD DM SYRP (<i>Use dextromethorphan-guaifenesin</i>)	NP	QL(240 ml per fill retail); AL(Up to 21 yrs old)
SCOT-TUSSIN DM LIQD	P	OTC;QL(240 ml per fill retail); AL(Up to 21 yrs old)
SCOT-TUSSIN SENIOR LIQD	P	OTC;AL(Up to 21 yrs old)
TRIAMINIC COLD & COUGH DAY TIME CHILDRENS SYRP	P	OTC;QL(240 ml per fill retail); AL(Up to 21 yrs old)
ZYRTEC-D ALLERGY/CONGESTION TB12 (<i>Use cetirizine-pseudoephedrine</i>)	NP	AL(Up to 21 yrs old)
Expectorants		
<i>guaifenesin liqd or 100 mg/5ml, 200 mg/10ml, 400 mg/20ml</i>	P	QL(240 ml per 7 days retail); AL(Up to 21 yrs old)

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
<i>guaifenesin soln or 100 mg/5ml, 200 mg/10ml, 300 mg/15ml</i>	P	QL(240 ml per 7 days retail); AL(Up to 21 yrs old)
<i>guaifenesin syrp or 100 mg/5ml, 200 mg/10ml</i>	P	OTC;QL(240 ml per 7 days retail); AL(Up to 21 yrs old)
<i>guaifenesin tb12 or 1200 mg</i>	P	OTC;QL(2 ea daily); AL(Up to 21 yrs old)
<i>guaifenesin tb12 or 600 mg</i>	P	QL(40 ea per 30 days retail); AL(Up to 21 yrs old)
MUCINEX MAXIMUM STRENGTH TB12 (Use <i>guaifenesin</i>)	NP	OTC;QL(2 ea daily); AL(Up to 21 yrs old)
MUCINEX TB12 (Use <i>guaifenesin</i>)	NP	QL(40 ea per 30 days retail); AL(Up to 21 yrs old)
Misc. Respiratory Inhalants		
<i>sodium chloride (inhalant) aers 0.9 %</i>	P	OTC;QL(240 ml per fill retail)
<i>sodium chloride (inhalant) nebu 0.9 %, 3 %, 10 %</i>	P	
Mucolytics		
<i>acetylcysteine soln in 10 %, 20 %</i>	P	
DERMATOLOGICALS - Drugs to Treat Skin Conditions		
Acne Products		
ABSORICA CAPS 10 MG, 20 MG, 30 MG, 40 MG	NP	PA; QL(2 ea daily); AL(At least 12 yrs old)
ACNE MEDICATION 10 LOTN	P	OTC
ACNE MEDICATION 5 LOTN	P	OTC
BENZAC AC WASH LIQD (Use <i>benzoyl peroxide</i>)	NP	RX/OTC
<i>benzoyl peroxide bar ex 10 %</i>	P	

Drug Name	Drug Tier	Requirements/ Limits
BENZOYL PEROXIDE CLEANSER LIQD	P	
<i>benzoyl peroxide gel ex 5 %, 10 %, 2.5 %</i>	P	
<i>benzoyl peroxide liqd ex 4 %, 10 %</i>	P	
<i>benzoyl peroxide liqd ex 5 %</i>	P	RX/OTC
CLEOCIN-T GEL (Use <i>clindamycin phosphate (topical)</i>)	NP	QL(60 ml per fill retail)
CLEOCIN-T LOTN (Use <i>clindamycin phosphate (topical)</i>)	NP	
CLEOCIN-T SOLN (Use <i>clindamycin phosphate (topical)</i>)	NP	
CLINDAGEL GEL (Use <i>clindamycin phosphate (topical)</i>)	NP	QL(60 ml per fill retail)
<i>clindamycin phosphate (topical) gel</i>	P	QL(60 ml per fill retail)
<i>clindamycin phosphate (topical) lotn</i>	P	
<i>clindamycin phosphate (topical) soln</i>	P	
ERYGEL GEL (Use <i>erythromycin (acne aid)</i>)	NP	QL(60 gm per fill retail)
<i>erythromycin (acne aid) gel</i>	P	QL(60 gm per fill retail)
<i>erythromycin (acne aid) soln</i>	P	
<i>isotretinoin caps or 10 mg, 20 mg, 30 mg, 40 mg</i>	P	PA; QL(2 ea daily); AL(At least 12 yrs old)
KLARON LOTN (Use <i>sulfacetamide sodium (acne)</i>)	NP	
PANOXYL-4 CREAMY WASH LIQD (Use <i>benzoyl peroxide</i>)	NP	
RETIN-A CREA 0.025 %, 0.05 %, 0.1 % (Use <i>tretinoin</i>)	NP	QL(20 gm per fill retail); AL(Up to 35 yrs old)

Drug Name	Drug Tier	Requirements/ Limits
RETIN-A GEL 0.01 % (<i>Use tretinoin</i>)	NP	QL(15 gm per fill retail); AL(Up to 35 yrs old)
RETIN-A GEL 0.025 % (<i>Use tretinoin</i>)	NP	AL(Up to 35 yrs old)
SODIUM SULFACETAMIDE/SULFU R SUSP	P	
<i>sulfacetamide sodium (acne) lotn</i>	P	
<i>sulfacetamide sodium w/ sulfur lotn 10 %-5 %</i>	P	QL(60 gm per fill retail)
<i>tretinoin crea ex 0.025 %, 0.05 %, 0.1 %</i>	P	QL(20 gm per fill retail); AL(Up to 35 yrs old)
<i>tretinoin gel ex 0.01 %</i>	P	QL(15 gm per fill retail); AL(Up to 35 yrs old)
<i>tretinoin gel ex 0.025 %</i>	P	AL(Up to 35 yrs old)
Anti-inflammatory Agents - Topical		
<i>diclofenac sodium (topical) gel 1 %</i>	P	QL(6.68 gm daily)2 rtl MAX fill,30 rtl day(s) supply,; RX/OTC
VOLTAREN GEL (<i>Use diclofenac sodium (topical)</i>)	NP	QL(6.68 gm daily)2 rtl MAX fill,30 rtl day(s) supply,; RX/OTC
Antibiotics - Topical		
BACIGUENT OINT EX (<i>Use bacitracin (topical)</i>)	NP	OTC;QL(30 gm per fill retail)
<i>bacitracin (topical) oint</i>	P	OTC;QL(30 gm per fill retail)
<i>bacitracin zinc oint ex</i>	P	OTC;QL(30 gm per fill retail)
BACTROBAN CREA (<i>Use mupirocin calcium (topical)</i>)	NP	QL(30 gm per fill retail)
CENTANY OINT	P	
<i>gentamicin sulfate (topical) crea</i>	P	QL(60 gm per fill retail)

Drug Name	Drug Tier	Requirements/ Limits
<i>gentamicin sulfate (topical) oint</i>	P	QL(60 gm per fill retail)
<i>mupirocin calcium (topical) crea</i>	P	QL(30 gm per fill retail)
<i>mupirocin oint ex</i>	P	
<i>neomycin-bacitracin-polymyxin oint</i>	P	OTC;QL(454 gm per fill retail)
<i>neomycin-polymyxin w/ pramoxine crea</i>	P	OTC;QL(30 gm per fill retail)
NEOSPORIN ORIGINAL OINT (<i>Use neomycin-bacitracin-polymyxin</i>)	NP	OTC;QL(454 gm per fill retail)
NEOSPORIN PLUS PAIN RELIEF MAXIMUM STRENGTH CREA (<i>Use neomycin-polymyxin w/ pramoxine</i>)	NP	OTC;QL(30 gm per fill retail)
Antifungals - Topical		
<i>clotrimazole (topical) crea</i>	P	QL(90 gm per fill retail); RX/OTC
<i>clotrimazole (topical) soln</i>	P	QL(60 ml per fill retail); RX/OTC
<i>clotrimazole w/ betamethasone crea</i>	P	QL(45 gm per 30 days retail)
<i>clotrimazole w/ betamethasone lotn</i>	P	QL(31 ml per 30 days retail)
<i>econazole nitrate crea ex</i>	P	QL(30 gm per fill retail)
<i>ketoconazole (topical) crea 2 %</i>	P	QL(60 gm per fill retail)
<i>ketoconazole (topical) sham 1 %</i>	P	OTC
<i>ketoconazole (topical) sham 2 %</i>	P	
LAMISIL AT CREA (<i>Use terbinafine hcl (topical)</i>)	NP	OTC;QL(30 gm per fill retail)
LAMISIL AT JOCK ITCH CREA (<i>Use terbinafine hcl (topical)</i>)	NP	OTC;QL(30 gm per fill retail)
LOTRIMIN AF CREA (<i>Use clotrimazole (topical)</i>)	NP	QL(90 gm per fill retail); RX/OTC

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
LOTRIMIN AF JOCK ITCH CREA (Use clotrimazole (topical))	NP	QL(90 gm per fill retail); RX/OTC
LOTRISONE CREA (Use clotrimazole w/ betamethasone)	NP	QL(45 gm per 30 days retail)
MICATIN CREA (Use miconazole nitrate (topical))	NP	QL(60 ml per fill retail)
miconazole nitrate (topical) crea	P	QL(60 ml per fill retail)
NIZORAL SHAM (Use ketoconazole (topical))	NP	
nystatin (topical) crea	P	QL(30 gm per fill retail)
nystatin (topical) oint	P	QL(30 gm per fill retail)
nystatin (topical) powd	P	QL(60 gm per fill retail)
nystatin-triamcinolone crea	P	QL(60 gm per fill retail)
nystatin-triamcinolone oint	P	QL(60 gm per fill retail)
terbinafine hcl (topical) crea	P	OTC;QL(30 gm per fill retail)
TINACTIN CREA (Use tolnaftate)	NP	OTC;QL(30 gm per fill retail)
tolnaftate crea ex	P	OTC;QL(30 gm per fill retail)
Antihistamines-Topical		
ITCH RELIEF CREA	P	OTC
Antineoplastic or Premalignant Lesion Agents -		
CARAC CREA (Use fluorouracil (topical))	NP	
EFUDEX CREA (Use fluorouracil (topical))	NP	QL(40 gm per 30 days retail)
fluorouracil (topical) crea 0.5 %	P	
fluorouracil (topical) crea 5 %	P	QL(40 gm per 30 days retail)
fluorouracil (topical) soln 2 %, 5 %	P	QL(10 ml per 30 days retail)
Antipruritics - Topical		

Drug Name	Drug Tier	Requirements/ Limits
camphor & menthol lotn 0.5 %-0.5 %	P	OTC;QL(222 ml per fill retail)
SARNA LOTN (Use camphor & menthol)	NP	OTC;QL(222 ml per fill retail)
Antipsoriatics		
calcipotriene crea	P	
calcipotriene soln	P	QL(60 ml per fill retail)
COSENTYX SENSOREADY PEN SOAJ	P	PA; SP
COSENTYX SOSY	P	PA; SP
DOVONEX CREA (Use calcipotriene)	NP	
tazarotene crea ex	P	QL(2 gm daily); AL(Up to 20 yrs old)
TAZORAC CREA 0.05 %	P	QL(2 gm daily); AL(Up to 20 yrs old)
TAZORAC CREA 0.1 % (Use tazarotene)	NP	QL(2 gm daily); AL(Up to 20 yrs old)
TAZORAC GEL 0.05 %, 0.1 %	P	QL(6.67 gm daily); AL(Up to 20 yrs old)
Antiseborrheic Products		
OVACE PLUS WASH LIQD (Use sulfacetamide sodium)	NP	QL(120 ml per fill retail)
OVACE WASH LIQD (Use sulfacetamide sodium)	NP	QL(120 ml per fill retail)
selenium sulfide lotn ex 1 %	P	OTC;QL(420 ml per fill retail)
selenium sulfide lotn ex 2.5 %	P	
selenium sulfide sham ex 1 %	P	OTC;QL(420 ml per fill retail)
SELSUN BLUE DAILY LOTN (Use selenium sulfide)	NP	OTC;QL(420 ml per fill retail)
SELSUN BLUE LOTN (Use selenium sulfide)	NP	OTC;QL(420 ml per fill retail)

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
SELSUN BLUE MEDICATED LOTN (Use selenium sulfide)	NP	OTC;QL(420 ml per fill retail)
SELSUN BLUE MOISTURIZING LOTN (Use selenium sulfide)	NP	OTC;QL(420 ml per fill retail)
sulfacetamide sodium liqd ex	P	QL(120 ml per fill retail)
Antivirals - Topical		
acyclovir topical crea	P	QL(5 gm per fill retail)
acyclovir topical oint	P	QL(30 gm per 30 days retail)
ZOVIRAX CREA EX 5 % (Use acyclovir topical)	NP	QL(5 gm per fill retail)
ZOVIRAX OINT EX 5 % (Use acyclovir topical)	NP	QL(30 gm per 30 days retail)
Burn Products		
SILVADENE CREA (Use silver sulfadiazine)	NP	
silver sulfadiazine crea ex	P	
Corticosteroids - Topical		
betamethasone dipropionate (topical) crea	P	1 rtl pack lmt amt,30 rtl pack lmt day(s),
betamethasone dipropionate augmented crea	P	QL(50 gm per fill retail)
betamethasone valerate crea ex 0.1 %	P	
betamethasone valerate lotn ex 0.1 %	P	
betamethasone valerate oint ex 0.1 %	P	
clobetasol propionate crea ex	P	QL(60 gm per fill retail)
clobetasol propionate emollient base crea	P	QL(60 gm per fill retail)
clobetasol propionate gel ex	P	QL(60 gm per fill retail)
clobetasol propionate oint ex	P	QL(60 gm per fill retail)
clobetasol propionate soln ex	P	QL(50 ml per fill retail)

Drug Name	Drug Tier	Requirements/Limits
DERMA-SMOOTH/FS SCALP OIL (Use fluocinolone acetonide)	NP	QL(118.28 ml per fill retail)
desonide crea ex	P	
desonide oint ex	P	QL(2 gm daily)
DESOWEN CREA (Use desonide)	NP	
desoximetasone crea ex 0.05 %	P	
DESOXIMETASONE CREA EX 0.05 %	P	
desoximetasone crea ex 0.25 %	P	QL(2 gm daily)
desoximetasone gel ex 0.05 %	P	QL(2 gm daily)
desoximetasone oint ex 0.25 %	P	QL(2 gm daily)
DIPROLENE AF CREA (Use betamethasone dipropionate augmented)	NP	QL(50 gm per fill retail)
ELOCON CREA (Use mometasone furoate)	NP	QL(50 gm per fill retail)
ELOCON OINT (Use mometasone furoate)	NP	QL(45 gm per fill retail)
EPIFOAM FOAM	P	QL(15 gm per fill retail)
fluocinolone acetonide oil ex 0.01 %	P	QL(118.28 ml per fill retail)
fluocinonide crea ex 0.05 %	P	QL(150 gm per 30 days retail)1 rtl pack lmt per fill,
fluocinonide emulsified base crea	P	QL(60 gm per fill retail)
fluocinonide gel ex 0.05 %	P	QL(60 gm per fill retail)
fluocinonide oint ex 0.05 %	P	QL(60 gm per fill retail)
fluocinonide soln ex 0.05 %	P	QL(60 ml per fill retail)
fluticasone propionate crea ex 0.05 %	P	QL(60 gm per fill retail)
fluticasone propionate oint ex 0.005 %	P	QL(60 gm per fill retail)

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
<i>hydrocortisone (topical) crea 0.5 %</i>	P	OTC
<i>hydrocortisone (topical) crea 1 %</i>	P	QL(454 gm per fill retail); RX/OTC
<i>hydrocortisone (topical) crea 2.5 %</i>	P	
<i>hydrocortisone (topical) lotn 1 %</i>	P	QL(453.6 ml per fill retail)
<i>hydrocortisone (topical) lotn 2.5 %</i>	P	QL(120 ml per fill retail)
<i>hydrocortisone (topical) oint 1 %</i>	P	RX/OTC
<i>hydrocortisone (topical) oint 2.5 %</i>	P	
<i>hydrocortisone butyrate soln</i>	P	
<i>hydrocortisone-aloe vera crea 0.5 %</i>	P	
<i>hydrocortisone-aloe vera crea 1 %</i>	P	OTC;QL(224 gm per fill retail)
LOCOID SOLN (Use <i>hydrocortisone butyrate</i>)	NP	
<i>mometasone furoate crea ex</i>	P	QL(50 gm per fill retail)
<i>mometasone furoate oint ex</i>	P	QL(45 gm per fill retail)
<i>mometasone furoate soln ex</i>	P	QL(60 ml per fill retail)
MONISTAT SOOTHING CARE ITCH RELIEF CREA (Use <i>hydrocortisone (topical)</i>)	NP	QL(454 gm per fill retail); RX/OTC
TEMOVATE CREA (Use <i>clobetasol propionate</i>)	NP	QL(60 gm per fill retail)
TEMOVATE OINT (Use <i>clobetasol propionate</i>)	NP	QL(60 gm per fill retail)
TOPICORT CREA 0.05 % (Use <i>desoximetasone</i>)	NP	
TOPICORT CREA 0.25 % (Use <i>desoximetasone</i>)	NP	QL(2 gm daily)
TOPICORT GEL 0.05 % (Use <i>desoximetasone</i>)	NP	QL(2 gm daily)
TOPICORT OINT 0.25 % (Use <i>desoximetasone</i>)	NP	QL(2 gm daily)

Drug Name	Drug Tier	Requirements/ Limits
<i>triamcinolone acetonide (topical) crea 0.025 %, 0.1 %, 0.5 %</i>	P	
<i>triamcinolone acetonide (topical) lotn 0.025 %, 0.1 %</i>	P	QL(60 ml per fill retail)
<i>triamcinolone acetonide (topical) oint 0.025 %</i>	P	QL(454 gm per fill retail)
<i>triamcinolone acetonide (topical) oint 0.1 %, 0.5 %</i>	P	
TRIDESILON CREA (Use <i>desonide</i>)	NP	
Emollient/Keratolytic Agents		
<i>urea crea ex 40 %</i>	P	RX/OTC
<i>urea lotn ex 40 %</i>	P	
Emollients		
EMOLLIENT LOTION-MISC	P	RX/OTC
LAC-HYDRIN CREA (Use <i>lactic acid (ammonium lactate)</i>)	NP	QL(385 gm per fill retail); RX/OTC
LAC-HYDRIN TWELVE LOTN (Use <i>lactic acid (ammonium lactate)</i>)	NP	QL(1368 ml per fill retail); RX/OTC
<i>lactic acid (ammonium lactate) crea 12 %</i>	P	QL(385 gm per fill retail); RX/OTC
<i>lactic acid (ammonium lactate) lotn 12 %</i>	P	QL(1368 ml per fill retail); RX/OTC
Immunomodulating Agents - Topical		
ALDARA CREA (Use <i>imiquimod</i>)	NP	QL(48 ea per 180 days retail)
<i>imiquimod crea ex 5 %</i>	P	QL(48 ea per 180 days retail)
Immunosuppressive Agents - Topical		
ELIDEL CREA (Use <i>pimecrolimus</i>)	NP	PA; QL(30 gm per 30 days retail); AL(At least 2 yrs old)
<i>pimecrolimus crea</i>	P	PA; QL(30 gm per 30 days retail); AL(At least 2 yrs old)

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
PROTOPIC OINT 0.03 % (Use tacrolimus (topical))	NP	PA; QL(30 gm per 30 days retail); AL(At least 2 yrs old)
PROTOPIC OINT 0.1 % (Use tacrolimus (topical))	NP	PA; QL(30 gm per 30 days retail); AL(At least 16 yrs old)
<i>tacrolimus (topical) oint 0.03 %</i>	P	PA; QL(30 gm per 30 days retail); AL(At least 2 yrs old)
<i>tacrolimus (topical) oint 0.1 %</i>	P	PA; QL(30 gm per 30 days retail); AL(At least 16 yrs old)
Keratolytic/Antimitotic Agents		
DERMAREST PSORIASIS GEL	P	OTC
KERALYT GEL 3 %	P	OTC
KERALYT GEL 6 % (Use salicylic acid)	NP	
<i>podofilox soln ex</i>	P	
<i>salicylic acid gel ex 6 %</i>	P	
Local Anesthetics - Topical		
ARTHRITIS PAIN RELIEVING CREA	P	OTC;QL(60 gm per fill retail)
<i>capsaicin crea ex 0.025 %</i>	P	OTC;QL(60 ml per fill retail)
<i>capsaicin crea ex 0.075 %</i>	P	OTC;QL(60 gm per fill retail)
<i>capsaicin crea ex 0.1 %</i>	P	OTC;QL(43 gm per fill retail)
CAPZASIN-HP CREA (Use capsaicin)	NP	OTC;QL(43 gm per fill retail)
CAPZASIN-P CREA	P	OTC;QL(42.5 gm per fill retail)
CASTIVA WARMING LOTN	P	OTC;QL(30 gm per fill retail)

Drug Name	Drug Tier	Requirements/ Limits
<i>dibucaine oint ex</i>	P	OTC;QL(56.7 gm per fill retail)
<i>lidocaine crea ex 4 %</i>	P	OTC;QL(2 gm daily)
<i>lidocaine hcl crea ex 3 %</i>	P	QL(453.6 gm per fill retail); RX/OTC
<i>lidocaine hcl crea ex 4 %</i>	P	OTC;QL(2 ml daily)
<i>lidocaine hcl gel ex 2 %</i>	P	AL(At least 21 yrs old)
<i>lidocaine hcl gel ex 2 %</i>	P	AL(At least 21 yrs old); RX/OTC
<i>lidocaine oint ex 5 %</i>	P	QL(100 gm per 30 days retail)1 rtl pack lmt per fill,
<i>lidocaine-prilocaine crea</i>	P	QL(30 gm per fill retail)
LMX 4 CREA (Use lidocaine)	NP	OTC;QL(2 gm daily)
PREDATOR CREA (Use lidocaine hcl)	NP	OTC;QL(2 ml daily)
Misc. Topical		
COLEMAN 100 MAX INSECT REPELLENT/CONTINUOUS SPRAY AERO	NP	
COLEMAN INSECT REPELLENT/HIGH & DRY AERO	NP	
COLEMAN INSECT REPELLENT/SPORTSMEN AERO	NP	
CUTTER AERO	NP	
CUTTER ALL FAMILY AERO	NP	
CUTTER BACKWOODS AERO	NP	
CUTTER BACKWOODS DRY AERO	NP	
CUTTER DRY AERO	NP	

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
CUTTER SKINSATIONS AERO	NP	
CUTTER SPORT AERO	NP	
CVS INSECT REPELLENT AERO	NP	
CVS TOTAL HOME INSECT REPELLENT AERO 30 %	NP	
DRYSOL SOLN	P	
HYDRO-LAN CREA	P	OTC
<i>lanolin (topical) crea</i>	P	OTC
LANOLOR CREA	P	OTC
OFF ACTIVE AERO	NP	
OFF DEEP WOODS AERO	NP	
OFF DEEP WOODS AERO	P	OTC;QL(170 gm per fill retail,340 gm per 30 days retail)
OFF DEEP WOODS DRY AERO	NP	
OFF DEEP WOODS DRY AERO	P	OTC;QL(113 gm per fill retail,226 gm per 30 days retail)
OFF DEEP WOODS SPORTSMEN AERO 30 %	NP	
OFF FAMILYCARE SMOOTH & DRY AERO	NP	
OFF SMOOTH & DRY AERO	NP	
REPEL FAMILY AERO	NP	
REPEL FAMILY DRY AERO	NP	
REPEL HUNTERS FORMULA AERO	NP	
REPEL SPORTSMEN AERO	NP	

Drug Name	Drug Tier	Requirements/ Limits
REPEL SPORTSMEN DRY AERO	NP	
REPEL SPORTSMEN MAX AERO	NP	
REPEL SPORTSMEN MAX LOTN	NP	
SAWYER INSECT REPELLENT AERO	NP	
SAWYER INSECT REPELLENT CONTROLLED RELEASE LOTN	NP	
ULTRATHON INSECT REPELLENT 8 AERO	P	OTC;QL(170 gm per fill retail,340 gm per 30 days retail)
ULTRATHON INSECT REPELLENT LOTN	P	OTC;QL(57 gm per fill retail,114 gm per 30 days retail)
<i>zinc oxide (topical) oint 20 %</i>	P	OTC;QL(500 gm per fill retail)
Rosacea Agents		
METROCREAM CREA (Use metronidazole topical)	NP	
METROLOTION LOTN (Use metronidazole topical)	NP	
<i>metronidazole (topical) crea 0.75 %</i>	P	
<i>metronidazole (topical) gel 0.75 %</i>	P	QL(45 gm per fill retail)
<i>metronidazole (topical) lotn 0.75 %</i>	P	
Scabicides & Pediculicides		
<i>crotamiton lotn ex</i>	P	QL(454 gm per fill retail)
ELIMITE CREA (Use permethrin)	NP	QL(360 gm per fill retail)
EURAX CREA	P	QL(60 gm per fill retail)

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
EURAX LOTN (<i>Use crotamiton</i>)	NP	QL(454 gm per fill retail)
LICEMD GEL	P	OTC
LICIDE TREATMENT KIT KIT	P	OTC
<i>malathion lotn</i>	P	QL(59 ml per fill retail)
NATROBA SUSP (<i>Use spinosad</i>)	NP	Min Age limit = 6 months;QL(120 ml per fill retail,240 ml per 30 days retail)
NIX CREME RINSE LIQD (<i>Use permethrin</i>)	NP	OTC
OVIDE LOTN (<i>Use malathion</i>)	NP	QL(59 ml per fill retail)
<i>permethrin crea ex 5 %</i>	P	QL(360 gm per fill retail)
<i>permethrin liqd ex 1 %</i>	P	OTC
<i>permethrin lotn ex 1 %</i>	P	OTC
<i>pyrethrins-piperonyl butoxide liqd</i>	P	OTC
<i>pyrethrins-piperonyl butoxide sham</i>	P	OTC
<i>pyrethrins-piperonyl butoxide-permethrin-nit remover kit</i>	P	OTC
RA LICE SOLUTION KIT KIT	P	OTC
RID COMPLETE LICE ELIMINATION KIT (<i>Use pyrethrins-piperonyl butoxide-permethrin-nit remover</i>)	NP	OTC
RID ESSENTIAL LICE ELIMINATION KIT KIT	P	OTC
RID LIQD EX 0.33 %-4 % (<i>Use pyrethrins-piperonyl butoxide</i>)	NP	OTC
SCHOOLTIME SHAMPOO SHAM	P	OTC;QL(1 ml per 14 days retail)

Drug Name	Drug Tier	Requirements/Limits
<i>spinosad susp</i>	P	Min Age limit = 6 months;QL(120 ml per fill retail,240 ml per 30 days retail)
Tar Products		
<i>coal tar extract sham 0.5 %</i>	P	OTC
DHS TAR GEL SHAM (<i>Use coal tar extract</i>)	NP	OTC
DHS TAR SHAM (<i>Use coal tar extract</i>)	NP	OTC
NEUTROGENA T/GEL SHAM (<i>Use coal tar extract</i>)	NP	OTC
NEUTROGENA T/GEL STUBBORN ITCH CONTROL SHAM (<i>Use coal tar extract</i>)	NP	OTC
DIAGNOSTIC PRODUCTS		
Diagnostic Tests		
ACCU-CHEK GUIDE STRP VI	NP	RX/OTC
AGAMATRIX PRESTO TEST STRIPS STRP	NP	RX/OTC
ASSURE PLATINUM TEST STRIPS STRP	NP	RX/OTC
BLOOD GLUCOSE TEST STRIPS STRP	NP	RX/OTC
CARETOUCH BLOOD GLUCOSE TEST STRIPS STRP	NP	RX/OTC
CHEMSTRIP-K STRP	P	OTC;QL(6.67 ea daily)
CONTOUR NEXT BLOOD GLUCOSE TEST STRP	NP	RX/OTC
CVS GLUCOSE METER TEST STRIPS STRP	NP	RX/OTC
DIATHRIVE+ BLOOD GLUCOSE TEST STRIPS STRP	NP	RX/OTC
EMBRACE TALK BLOOD GLUCOSE TEST STRIPS STRP	NP	RX/OTC

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
EQ BLOOD GLUCOSE TEST STRIPS STRP	NP	RX/OTC
EVENCARE PROVIEW BLOOD GLUCOSE TEST STRIPS STRP	NP	RX/OTC
FORA GTEL BLOOD KETONE TEST STRIPS STRP	P	OTC;QL(1 ea daily)
GOJJI BLOOD GLUCOSE TESTSTRIPS STRP	NP	RX/OTC
GOJJI BLOOD GLUCOSE TESTSTRIPS/GOJJI STERILE LANCETS 30G STRP	NP	RX/OTC
GOJJI BLOOD KETONE TEST STRIPS STRP	P	OTC;QL(1 ea daily)
HARMONY BLOOD GLUCOSE TEST STRIPS STRP	NP	RX/OTC
INFINITY BLOOD GLUCOSE TEST STRIPS STRP	NP	RX/OTC
KETONE STRP	P	OTC;QL(6.67 ea daily)
KETONE TEST STRIPS STRP	P	OTC;QL(6.67 ea daily)
KETOSTIX STRP	P	OTC;QL(6.67 ea daily)
KROGER HEALTHPRO GLUCOSETEST STRIPS STRP	NP	RX/OTC
MICRODOT XTRA TEST STRIPS STRP	NP	RX/OTC
NOVA MAX PLUS KETONE TESTSTRIPS STRP	P	OTC;QL(1 ea daily)
PRECISION XTRA STRP VI	P	OTC;QL(1 ea daily)
PTS PANELS KETONE TEST STRP	P	OTC;QL(1 ea daily)
RELION KETONE STRP	P	OTC;QL(6.67 ea daily)
RELION KETONE TEST STRIPS STRP	P	OTC;QL(6.67 ea daily)
RELION PREMIER BLOOD GLUCOSE TEST STRIPS STRP	NP	RX/OTC

Drug Name	Drug Tier	Requirements/ Limits
TRUE METRIX BLOOD GLUCOSETEST STRIPS STRP	P	Clinical Edit: Test Strips;RX/OTC
TRUE METRIX BLOOD GLUCOSETEST STRIPS STRP	NP	RX/OTC
TRUE METRIX BLOOD GLUCOSETEST STRIPS STRP	P	RX/OTC
TRUE METRIX SELF MONITORING BLOOD GLUCOSE STRIPS STRP	NP	RX/OTC
TRUETRACK BLOOD GLUCOSE TEST STRP	NP	RX/OTC
TRUETRACK TEST STRP	NP	RX/OTC
TRUETRACK TEST STRP	P	RX/OTC
VIVAGUARD INO BLOOD GLUCOSE TEST STRIPS STRP	NP	RX/OTC
DIGESTIVE AIDS - Drugs to Treat Low Digestive Enzymes		
Digestive Enzymes		
CREON CPEP	P	
PANCREAZE CPEP	P	
DIURETICS - Drugs to Treat Heart, Circulation Conditions and Blood Pressure		
Carbonic Anhydrase Inhibitors		
<i>acetazolamide cp12 or 500 mg</i>	P	
<i>acetazolamide tabs or 125 mg, 250 mg</i>	P	
<i>methazolamide tabs or 25 mg, 50 mg</i>	P	
Diuretic Combinations		
<i>ALDACTAZIDE TABS 25 MG-25 MG (Use spironolactone & hydrochlorothiazide)</i>	NP	
<i>amiloride & hydrochlorothiazide tabs</i>	P	QL(1 ea daily)

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
DYAZIDE CAPS (<i>Use triamterene & hydrochlorothiazide</i>)	NP	
MAXZIDE TABS (<i>Use triamterene & hydrochlorothiazide</i>)	NP	
MAXZIDE-25 TABS (<i>Use triamterene & hydrochlorothiazide</i>)	NP	
<i>spironolactone & hydrochlorothiazide tabs</i>	P	
<i>triamterene & hydrochlorothiazide caps</i>	P	
<i>triamterene & hydrochlorothiazide tabs</i>	P	
Loop Diuretics		
<i>bumetanide tabs or 0.5 mg, 1 mg, 2 mg</i>	P	
BUMEX TABS (<i>Use bumetanide</i>)	NP	
DEMADEX TABS (<i>Use torsemide</i>)	NP	QL(1 ea daily)
<i>furosemide soln or 8 mg/ml, 10 mg/ml</i>	P	
<i>furosemide tabs or 20 mg, 40 mg, 80 mg</i>	P	
LASIX TABS (<i>Use furosemide</i>)	NP	
<i>torsemide tabs</i>	P	QL(1 ea daily)
Potassium Sparing Diuretics		
ALDACTONE TABS (<i>Use spironolactone</i>)	NP	
<i>amiloride hcl tabs or</i>	P	QL(4 ea daily)
<i>spironolactone tabs or 25 mg, 50 mg, 100 mg</i>	P	
Thiazides and Thiazide-Like Diuretics		
<i>chlorothiazide tabs 250 mg</i>	P	QL(2 ea daily)
<i>chlorothiazide tabs 500 mg</i>	P	QL(4 ea daily)
<i>chlorthalidone tabs</i>	P	
<i>hydrochlorothiazide caps or 12.5 mg</i>	P	

Drug Name	Drug Tier	Requirements/Limits
<i>hydrochlorothiazide tabs or 25 mg, 50 mg</i>	P	
<i>indapamide tabs</i>	P	
<i>metolazone tabs</i>	P	
MICROZIDE CAPS (<i>Use hydrochlorothiazide</i>)	NP	
ENDOCRINE AND METABOLIC AGENTS - MISC. - Drugs to Treat Bone Disease and Regulate Hormones		
Bone Density Regulators		
ACTONEL TABS 35 MG (<i>Use risedronate sodium</i>)	NP	PA; QL(4 ea per fill retail)
ACTONEL TABS 5 MG, 30 MG (<i>Use risedronate sodium</i>)	NP	PA; QL(1 ea daily)
<i>alendronate sodium soln 70 mg/75ml</i>	P	QL(10.8 ml daily)
<i>alendronate sodium tabs 35 mg, 70 mg</i>	P	QL(0.15 ea daily)
<i>alendronate sodium tabs 5 mg, 10 mg, 40 mg</i>	P	QL(1 ea daily)
AELVIA TBEC (<i>Use risedronate sodium</i>)	NP	PA; QL(4 ea per 28 days retail)
<i>calcitonin (salmon) soln</i>	P	1 rtl pack lmt per fill,
<i>etidronate disodium tabs</i>	P	PA
FOSAMAX TABS (<i>Use alendronate sodium</i>)	NP	QL(0.15 ea daily)
MIACALCIN SOLN	P	QL(2 ml per fill retail)
<i>risedronate sodium tabs 35 mg</i>	P	PA; QL(4 ea per fill retail)
<i>risedronate sodium tabs 5 mg, 30 mg</i>	P	PA; QL(1 ea daily)
<i>risedronate sodium tbec 35 mg</i>	P	PA; QL(4 ea per 28 days retail)
Growth Hormones		
NORDITROPIN FLEXPRO SOPN	P	PA; SP
OMNITROPE SOCT	P	PA; SP

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
Hormone Receptor Modulators		
EVISTA TABS (Use raloxifene hcl)	NP	QL(1 ea daily)
raloxifene hcl tabs	P	QL(1 ea daily)
Metabolic Modifiers		
calcitriol caps or 0.25 mcg, 0.5 mcg	P	
CARNITOR SF SOLN (Use levocarnitine (metabolic modifiers))	NP	QL(30 ml daily)
CARNITOR SOLN OR 1 GM/10ML (Use levocarnitine (metabolic modifiers))	NP	QL(30 ml daily)
CARNITOR TABS OR 330 MG (Use levocarnitine (metabolic modifiers))	NP	QL(3 ea daily)
CRYSVITA SOLN	P	PA; SP
levocarnitine (metabolic modifiers) soln 1 gm/10ml	P	QL(30 ml daily)
levocarnitine (metabolic modifiers) tabs 330 mg	P	QL(3 ea daily)
ROCALTROL CAPS 0.25 MCG, 0.5 MCG (Use calcitriol)	NP	
Posterior Pituitary Hormones		
DDAVP SOLN NA 0.01 %	P	QL(5 ml per fill retail)
DDAVP SOLN NA 0.01 % (Use desmopressin acetate spray)	NP	QL(5 ml per fill retail)
DDAVP TABS OR 0.1 MG, 0.2 MG (Use desmopressin acetate)	NP	QL(6 ea daily)
desmopressin acetate spray refrigerated soln	P	QL(5 ml per fill retail)
desmopressin acetate spray soln	P	QL(5 ml per fill retail)
desmopressin acetate tabs or 0.1 mg, 0.2 mg	P	QL(6 ea daily)
ESTROGENS - Hormone Replacement/Modifying Drugs		
Estrogen Combinations		

Drug Name	Drug Tier	Requirements/Limits
ACTIVELLA TABS (Use estradiol & norethindrone acetate)	NP	QL(1 ea daily)
COMBIPATCH PTTW	P	QL(8 ea per 28 days retail)
estradiol & norethindrone acetate tabs	P	QL(1 ea daily)
FEMHRT LOW DOSE TABS (Use norethindrone acetate-ethinyl estradiol)	NP	
norethindrone acetate-ethinyl estradiol tabs	P	
PREMPHASE TABS	P	
PREMPRO TABS	P	
Estrogens		
ALORA PTTW	P	QL(8 ea per fill retail)
CLIMARA PTWK (Use estradiol)	NP	QL(4 ea per fill retail)
ESTRACE TABS OR 0.5 MG, 1 MG, 2 MG (Use estradiol)	NP	
estradiol pttw td 0.0375 mg/24hr, 0.025 mg/24hr, 0.075 mg/24hr, 0.05 mg/24hr, 0.1 mg/24hr	P	QL(8 ea per fill retail)
estradiol ptwk td 0.025 mg/24hr, 0.075 mg/24hr, 0.05 mg/24hr, 0.06 mg/24hr, 0.1 mg/24hr, 37.5 mcg/24hr	P	QL(4 ea per fill retail)
estradiol tabs or 0.5 mg, 1 mg, 2 mg	P	
MINIVELLE PTTW (Use estradiol)	NP	QL(8 ea per fill retail)
PREMARIN TABS OR 0.625 MG, 0.45 MG, 0.3 MG, 0.9 MG, 1.25 MG	P	QL(1 ea daily)
VIVELLE-DOT PTTW (Use estradiol)	NP	QL(8 ea per fill retail)
FLUOROQUINOLONES - Drugs to Treat Bacterial Infections		
Fluoroquinolones		

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
CIPRO TABS 250 MG, 500 MG (Use ciprofloxacin hcl)	NP	
ciprofloxacin hcl tabs or 100 mg	P	QL(6 ea per fill retail)
ciprofloxacin hcl tabs or 250 mg, 500 mg, 750 mg	P	
LEVAQUIN TABS (Use levofloxacin)	NP	QL(1 ea daily, 14 ea per fill retail)
levofloxacin tabs or 250 mg, 500 mg, 750 mg	P	QL(1 ea daily, 14 ea per fill retail)
ofloxacin tabs 400 mg	P	QL(56 ea per fill retail)
GASTROINTESTINAL AGENTS - MISC. - Miscellaneous Gastrointestinal Drugs		
Antiflatulents		
GAS-X CHEW (Use simethicone)	NP	OTC
MYLICON INFANTS GAS RELIEF DYE FREE SUSP (Use simethicone)	NP	OTC;QL(31 ml per 30 days retail)
MYLICON INFANTS GAS RELIEF SUSP (Use simethicone)	NP	OTC;QL(31 ml per 30 days retail)
simethicone chew or 80 mg	P	OTC
simethicone liqd or 20 mg/0.3ml, 40 mg/0.6ml	P	OTC;QL(31 ml per 30 days retail)
simethicone susp or 20 mg/0.3ml, 40 mg/0.6ml	P	OTC;QL(31 ml per 30 days retail)
Bile Acid Synthesis Disorder Agents		
CHOLBAM CAPS	P	PA; SP
Gallstone Solubilizing Agents		
ACTIGALL CAPS (Use ursodiol)	NP	
URSO 250 TABS (Use ursodiol)	NP	QL(7 ea daily)
ursodiol caps or 300 mg	P	
ursodiol tabs or 250 mg	P	QL(7 ea daily)
Gastrointestinal Stimulants		

Drug Name	Drug Tier	Requirements/Limits
metoclopramide hcl soln or 5 mg/5ml, 10 mg/10ml	P	
metoclopramide hcl tabs or 5 mg, 10 mg	P	
REGLAN TABS (Use metoclopramide hcl)	NP	
Inflammatory Bowel Agents		
APRISO CP24 (Use mesalamine)	NP	
ASACOL HD TBEC (Use mesalamine)	NP	
AZULFIDINE EN-TABS TBEC (Use sulfasalazine)	NP	
AZULFIDINE TABS (Use sulfasalazine)	NP	
balsalazide disodium caps	P	QL(9 ea daily)
COLAZAL CAPS (Use balsalazide disodium)	NP	QL(9 ea daily)
DELZICOL CPDR (Use mesalamine)	NP	
LIALDA TBEC (Use mesalamine)	NP	
mesalamine cp24 or 0.375 gm	P	
mesalamine cpdr or 400 mg	P	
mesalamine enem re 4 gm	P	QL(60 ml daily)
mesalamine tbec or 1.2 gm, 800 mg	P	
SFROWASA ENEM	P	
sulfasalazine tabs or	P	
sulfasalazine tbec or	P	
Intestinal Acidifiers		
lactulose (encephalopathy) soln	P	
Phosphate Binder Agents		
calcium acetate (phosphate binder) caps	P	

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
GENITOURINARY AGENTS - MISCELLANEOUS - Miscellaneous Drugs to Treat Reproductive Organs and Urinary System		
Alkalinizers		
<i>potassium citrate (alkalinizer) tbc 540 mg, 1080 mg</i>	P	
<i>sodium citrate & citric acid soln</i>	P	QL(500 ml per 30 days retail); RX/OTC
UROCIT-K 10 TBCR (<i>Use potassium citrate (alkalinizer)</i>)	NP	
UROCIT-K 5 TBCR (<i>Use potassium citrate (alkalinizer)</i>)	NP	
Genitourinary Irrigants		
<i>sodium chloride (gu irrigant) soln</i>	P	
Interstitial Cystitis Agents		
ELMIRON CAPS	P	QL(3 ea daily)
Prostatic Hypertrophy Agents		
<i>finasteride tabs or</i>	P	QL(1 ea daily)
FLOMAX CAPS (<i>Use tamsulosin hcl</i>)	NP	QL(2 ea daily)
PROSCAR TABS (<i>Use finasteride</i>)	NP	QL(1 ea daily)
<i>tamsulosin hcl caps</i>	P	QL(2 ea daily)
Urinary Analgesics		
<i>phenazopyridine hcl tabs or 100 mg, 200 mg</i>	P	
PYRIDIUM TABS (<i>Use phenazopyridine hcl</i>)	NP	
GOUT AGENTS - Drugs to Treat Gout		
Gout Agent Combinations		
<i>colchicine w/ probenecid tabs</i>	P	
Gout Agents		
<i>allopurinol tabs or 100 mg, 300 mg</i>	P	

Drug Name	Drug Tier	Requirements/Limits
<i>colchicine tabs or</i>	P	QL(6 ea per fill retail)
COLCRYS TABS (<i>Use colchicine</i>)	NP	QL(6 ea per fill retail)
ZYLOPRIM TABS (<i>Use allopurinol</i>)	NP	
Uricosurics		
<i>probenecid tabs</i>	P	
HEMATOLOGICAL AGENTS - MISC. - Drugs to Treat Blood Disorders		
Hematorheologic Agents		
<i>pentoxifylline tbc or</i>	P	
Plasma Kallikrein Inhibitors		
KALBITOR SOLN	P	PA; SP
Platelet Aggregation Inhibitors		
BRILINTA TABS	P	QL(2 ea daily)
<i>cilostazol tabs</i>	P	QL(2 ea daily)
<i>clopidogrel bisulfate tabs or 75 mg</i>	P	
<i>dipyridamole tabs or 25 mg, 50 mg, 75 mg</i>	P	
EFFIENT TABS (<i>Use prasugrel hcl</i>)	NP	QL(1 ea daily)
PLAVIX TABS 75 MG (<i>Use clopidogrel bisulfate</i>)	NP	
<i>prasugrel hcl tabs</i>	P	QL(1 ea daily)
HEMATOPOIETIC AGENTS - Drugs to Treat Blood Disorders		
Agents for Sickle Cell Disease		
DROXIA CAPS	P	
SIKLOS TABS	P	PA
Cobalamins		
<i>cyanocobalamin soln 1000 mcg/ml</i>	P	QL(10 ml per 270 days retail)
Folic Acid/Folates		
<i>folic acid tabs 1 mg</i>	P	RX/OTC

Georgia Medicaid

P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Updated November 1, 2020

Drug Name	Drug Tier	Requirements/Limits
<i>folic acid tabs 400 mcg, 800 mcg</i>	P	OTC;QL(1 ea daily)
Hematopoietic Growth Factors		
ZARXIO SOSY	P	PA; SP
Hematopoietic Mixtures		
<i>ferrous fumarate-fa-b complex-c-zn-mg-mn-cu tabs</i>	P	QL(1 ea daily)
Iron		
FER-IN-SOL SOLN (<i>Use ferrous sulfate</i>)	NP	OTC;QL(3.4 ml daily)
FERRETTTS TABS	P	OTC;QL(2 ea daily)
<i>ferrous fumarate tabs or</i>	P	OTC;QL(2 ea daily)
FERROUS GLUCONATE TABS OR	P	OTC;QL(100 ea per 30 days retail); AL(Up to 50 yrs old)
<i>ferrous sulfate elix 220 mg/5ml</i>	P	OTC;AL(Up to 50 yrs old)
<i>ferrous sulfate soln 15 mg/ml</i>	P	OTC;QL(3.4 ml daily)
<i>ferrous sulfate tabs 28 mg</i>	P	OTC
<i>ferrous sulfate tabs 65 mg, 325 mg</i>	P	OTC;AL(Up to 50 yrs old)
FERROUS SULFATE TBEC 324 MG	P	OTC;AL(Up to 50 yrs old)
<i>ferrous sulfate tbec 325 mg</i>	P	OTC;AL(Up to 50 yrs old)
HEMOCYTE TABS (<i>Use ferrous fumarate</i>)	NP	OTC;QL(2 ea daily)
IRON CHEWS PEDIATRIC CHEW	P	OTC
<i>polysaccharide iron complex caps</i>	P	QL(1 ea daily)
HEMOSTATICS - Drugs to Stop Bleeding/Treat Blood Disorders		
Hemostatics - Systemic		
AMICAR SOLN 0.25 GM/ML (<i>Use aminocaproic acid</i>)	NP	QL(60 ml per fill retail)

Drug Name	Drug Tier	Requirements/Limits
AMICAR TABS 500 MG (<i>Use aminocaproic acid</i>)	NP	QL(24 ea per fill retail)
<i>aminocaproic acid soln or 0.25 gm/ml</i>	P	QL(60 ml per fill retail)
<i>aminocaproic acid tabs or 500 mg</i>	P	QL(24 ea per fill retail)
LYSTEDA TABS (<i>Use tranexamic acid</i>)	NP	QL(30 ea per 7 days retail); AL(At least 12 yrs old)
<i>tranexamic acid tabs or 650 mg</i>	P	QL(30 ea per 7 days retail); AL(At least 12 yrs old)
HYPNOTICS/SEDATIVES/SLEEP DISORDER AGENTS		
Antihistamine Hypnotics		
<i>diphenhydramine hcl (sleep) caps 50 mg</i>	P	OTC
<i>diphenhydramine hcl (sleep) tabs 25 mg</i>	P	OTC;QL(1 ea daily)
<i>diphenhydramine hcl (sleep) tabs 50 mg</i>	P	OTC
<i>doxylamine succinate (sleep) tabs</i>	P	OTC
NYTOL MAXIMUM STRENGTH TABS (<i>Use diphenhydramine hcl (sleep)</i>)	NP	OTC
UNISOM SLEEPGELS CAPS (<i>Use diphenhydramine hcl (sleep)</i>)	NP	OTC
UNISOM SLEEPTABS TABS (<i>Use doxylamine succinate (sleep)</i>)	NP	OTC
Barbiturate Hypnotics		
<i>phenobarbital elix or 20 mg/5ml</i>	P	
<i>phenobarbital soln or 20 mg/5ml</i>	P	
<i>phenobarbital tabs or 15 mg, 30 mg, 60 mg, 100 mg, 16.2 mg, 32.4 mg, 64.8 mg, 97.2 mg</i>	P	
Non-Barbiturate Hypnotics		

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
AMBIEN TABS (<i>Use zolpidem tartrate</i>)	NP	QL(14 ea per 31 days retail); AL(At least 21 yrs old)
<i>flurazepam hcl caps</i>	P	AL(At least 18 yrs old - Up to 65 yrs old)
HALCION TABS (<i>Use triazolam</i>)	NP	QL(1 ea daily); AL(At least 18 yrs old)
<i>midazolam hcl soln ij 5 mg/ml, 2 mg/2ml, 5 mg/5ml, 10 mg/2ml, 25 mg/5ml, 10 mg/10ml, 50 mg/10ml</i>	P	
RESTORIL CAPS 15 MG, 30 MG (<i>Use temazepam</i>)	NP	AL(At least 18 yrs old)
<i>temazepam caps 15 mg, 30 mg</i>	P	AL(At least 18 yrs old)
<i>triazolam tabs</i>	P	QL(1 ea daily); AL(At least 18 yrs old)
<i>zaleplon caps 10 mg</i>	P	QL(2 ea daily); AL(At least 18 yrs old)
<i>zaleplon caps 5 mg</i>	P	QL(1 ea daily); AL(At least 18 yrs old)
<i>zolpidem tartrate tabs or 5 mg, 10 mg</i>	P	QL(14 ea per 31 days retail); AL(At least 21 yrs old)
LAXATIVES - Bowel Treatment Drugs		
Bulk Laxatives		
<i>calcium polycarbophil tabs</i>	P	OTC;QL(10 ea daily)
EVAC POWD (<i>Use psyllium</i>)	NP	OTC
FIBERCON TABS (<i>Use calcium polycarbophil</i>)	NP	OTC;QL(10 ea daily)
KONSYL DAILY FIBER POWD 100 % (<i>Use psyllium</i>)	NP	OTC
KONSYL ORIGINAL FORMULADAILY FIBER POWD (<i>Use psyllium</i>)	NP	OTC

Drug Name	Drug Tier	Requirements/Limits
METAMUCIL CAPS 0.52 GM (<i>Use psyllium</i>)	NP	OTC
METAMUCIL ORIGINAL TEXTURE POWD (<i>Use psyllium</i>)	NP	OTC
METAMUCIL POWD 48.57 % (<i>Use psyllium</i>)	NP	OTC
<i>psyllium caps 0.52 gm, 520 mg</i>	P	OTC
<i>psyllium powd 30 %, 33 %, 68 %, 100 %, 28.3 %, 30.9 %, 58.6 %, 48.57 %,</i>	P	OTC
Laxative Combinations		
<i>bisacodyl-peg 3350-pot chloride-sod bicarb-sod chloride kit</i>	P	
COLYTE-FLAVOR PACKS SOLR (<i>Use peg 3350-kcl-sod bicarb-sod chloride-sod sulfate</i>)	NP	QL(4000 ml per fill retail)
GOLYTELY SOLR 2.97 GM-22.74 GM-236 GM-5.86 GM-6.74 GM (<i>Use peg 3350-kcl-sod bicarb-sod chloride-sod sulfate</i>)	NP	QL(4000 ml per fill retail)
NULYTELY SOLR (<i>Use peg 3350-potassium chloride-sod bicarbonate-sod chloride</i>)	NP	QL(4000 ml per fill retail)
NULYTELY/FLAVOR PACKS SOLR (<i>Use peg 3350-potassium chloride-sod bicarbonate-sod chloride</i>)	NP	QL(4000 ml per fill retail)
<i>peg 3350-kcl-sod bicarb-sod chloride-sod sulfate solr</i>	P	QL(4000 ml per fill retail)
<i>peg 3350-potassium chloride-sod bicarbonate-sod chloride solr</i>	P	QL(4000 ml per fill retail)
<i>sennosides-docusate sodium tabs</i>	P	OTC;QL(4 ea daily)
SEKOT S TABS (<i>Use sennosides-docusate sodium</i>)	NP	OTC;QL(4 ea daily)
Laxatives - Miscellaneous		

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
<i>glycerin (laxative) supp 2 gm</i>	P	OTC
GLYCERIN ADULT SUPP (Use <i>glycerin (laxative)</i>)	NP	OTC
<i>lactulose soln 10 gm/15ml, 20 gm/30ml</i>	P	
MIRALAX POWD 17 GM/SCOOP (Use <i>polyethylene glycol 3350</i>)	NP	QL(34 gm daily); RX/OTC
<i>polyethylene glycol 3350 powd or 17 gm/scoop,</i>	P	QL(34 gm daily); RX/OTC
SORBITOL SOLN OR 70 %	P	OTC
Saline Laxatives		
FLEET ENEMA ENEM (Use <i>sodium phosphates</i>)	NP	OTC
FLEET ENEMA SIX PACK ENEM (Use <i>sodium phosphates</i>)	NP	OTC
FLEET PEDIATRIC ENEM (Use <i>sodium phosphates</i>)	NP	OTC
<i>magnesium citrate soln or 1.745 gm/30ml,</i>	P	OTC
<i>magnesium hydroxide susp or 7.75 %, 400 mg/5ml, 1200 mg/15ml, 2400 mg/30ml,</i>	P	OTC;QL(992 ml per 30 days retail)
<i>sodium phosphates enem</i>	P	OTC
Stimulant Laxatives		
<i>bisacodyl supp re 10 mg</i>	P	OTC;QL(12 ea per fill retail)
<i>bisacodyl tbec or 5 mg</i>	P	OTC;QL(1 ea daily)
DULCOLAX SUPP RE 10 MG (Use <i>bisacodyl</i>)	NP	OTC;QL(12 ea per fill retail)
DULCOLAX TBEC OR 5 MG (Use <i>bisacodyl</i>)	NP	OTC;QL(1 ea daily)
<i>sennosides tabs 8.6 mg</i>	P	OTC;QL(12 ea per fill retail)
SENOKOT TABS (Use <i>sennosides</i>)	NP	OTC;QL(12 ea per fill retail)
Surfactant Laxatives		
COLACE CAPS (Use <i>docusate sodium</i>)	NP	OTC;QL(3 ea daily)

Drug Name	Drug Tier	Requirements/Limits
COLACE CLEAR CAPS (Use <i>docusate sodium</i>)	NP	OTC
<i>docusate sodium caps or 100 mg, 250 mg</i>	P	OTC;QL(3 ea daily)
<i>docusate sodium caps or 50 mg</i>	P	OTC
<i>docusate sodium liqd or 50 mg/5ml, 150 mg/15ml</i>	P	OTC
<i>docusate sodium syrps or 60 mg/15ml</i>	P	OTC
<i>docusate sodium tabs or 100 mg</i>	P	OTC
MACROLIDES - Drugs to Treat Bacterial Infections		
Azithromycin		
<i>azithromycin pack or 1 gm</i>	P	QL(2 ea per fill retail)
<i>azithromycin susr or 100 mg/5ml</i>	P	QL(15 ml per fill retail)
<i>azithromycin susr or 200 mg/5ml</i>	P	QL(30 ml per fill retail)
<i>azithromycin tabs or 250 mg</i>	P	QL(6 ea per fill retail)
<i>azithromycin tabs or 500 mg</i>	P	QL(4 ea daily)
<i>azithromycin tabs or 600 mg</i>	P	QL(8 ea per 28 days retail)
ZITHROMAX PACK OR 1 GM (Use <i>azithromycin</i>)	NP	QL(2 ea per fill retail)
ZITHROMAX SUSR OR 100 MG/5ML (Use <i>azithromycin</i>)	NP	QL(15 ml per fill retail)
ZITHROMAX SUSR OR 200 MG/5ML (Use <i>azithromycin</i>)	NP	QL(30 ml per fill retail)
ZITHROMAX TABS OR 250 MG (Use <i>azithromycin</i>)	NP	QL(6 ea per fill retail)
ZITHROMAX TABS OR 500 MG (Use <i>azithromycin</i>)	NP	QL(4 ea daily)
ZITHROMAX TABS OR 600 MG (Use <i>azithromycin</i>)	NP	QL(8 ea per 28 days retail)
ZITHROMAX TRI-PAK TABS (Use <i>azithromycin</i>)	NP	QL(4 ea daily)
ZITHROMAX Z-PAK TABS (Use <i>azithromycin</i>)	NP	QL(6 ea per fill retail)

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
Clarithromycin		
<i>clarithromycin susr or 125 mg/5ml</i>	P	QL(100 ml per fill retail)
<i>clarithromycin susr or 250 mg/5ml</i>	P	QL(200 ml per fill retail)
<i>clarithromycin tabs or 250 mg, 500 mg</i>	P	QL(28 ea per fill retail)
<i>clarithromycin tb24 or 500 mg</i>	P	QL(14 ea per fill retail)
Erythromycins		
E.E.S. GRANULES SUSR (Use erythromycin ethylsuccinate)	NP	
ERYPED 200 SUSR (Use erythromycin ethylsuccinate)	NP	
ERYPED 400 SUSR (Use erythromycin ethylsuccinate)	NP	
<i>erythromycin base cpep</i>	P	
<i>erythromycin base tabs</i>	P	
<i>erythromycin base tbec</i>	P	
<i>erythromycin ethylsuccinate susr or 200 mg/5ml, 400 mg/5ml</i>	P	
<i>erythromycin ethylsuccinate tabs or 400 mg</i>	P	
<i>erythromycin stearate tabs</i>	P	
MEDICAL DEVICES AND SUPPLIES		
Bandages-Dressings-Tape		
GAUZE SPONGES	P	RX/OTC
Contraceptives		
CONDOMS-MISC	P	QL (36 ea per 30 days retail); OTC
Diabetic Supplies		
ADVANCED MOBILE LANCET 30G MISC	NP	

Drug Name	Drug Tier	Requirements/ Limits
AGAMATRIX CONTROL SOLUTION LEVEL 2 SOLN	NP	
AGAMATRIX CONTROL SOLUTION LEVEL 4 SOLN	NP	
AIMSCO TWIST LANCETS 32G MISC	P	QL(6.67 ea daily)
AIMSCO TWIST LANCETS 33G MISC	P	QL(6.67 ea daily)
ASSURE LANCE SAFETY LANCET 28G MISC	NP	
CARESENS LANCETS MISC	P	QL(6.67 ea daily)
CARETOUCH CONTROL SOLUTION LEVEL 2 LIQD	NP	
CARETOUCH SAFETY LANCETS/26G MISC	NP	
CARETOUCH SAFETY LANCETS/28G MISC	NP	
CARETOUCH SAFETY LANCETS/30G MISC	NP	
CARETOUCH TWIST LANCETS 33G MISC	NP	
DRUG MART UNILET MICRO THIN LANCETS 33G MISC	NP	
EASY TRAK II CONTROL SOLUTION/NORMAL LIQD	NP	
EASYMAX 15 GLUCOSE CONTROL SOLUTION/LEVEL 2/LEVEL 3 LIQD	NP	
EASYMAX GLUCOSE CONTROL SOLUTION/NORMAL-HIGH LIQD	NP	
GOJJI CONTROL SOLUTION NORMAL SOLN	NP	
GOJJI STERILE LANCETS 30G MISC	P	QL(6.67 ea daily)
GOODSENSE LANCETS MICRO-THIN 33G UNIVERSAL MISC	NP	

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
GOODSENSE LANCETS ULTRA-THIN 26G UNIVERSAL MISC	NP	
LANCETS 30G TWIST TOP MISC	NP	
LANCETS MISC	NP	
LANCETS SUPER THIN 28G MISC	P	QL(6.67 ea daily)
LANCETS-MISC	P	QL (6.67 ea daily); OTC
LANCING DEVICE-MISC	P	OTC
ONETOUCH DELICA PLUS LANCETS EXTRA FINE 33G MISC	NP	
ONETOUCH DELICA PLUS LANCETS FINE 30G MISC	NP	
PIP LANCETS/28G MISC	NP	
PIP LANCETS/30G MISC	NP	
PUSH BUTTON SAFETY LANCETS 28G MISC	NP	
READYLANCE SAFETY LANCETS/21G/2.2MM MISC	NP	
READYLANCE SAFETY LANCETS/23G/1.8MM MISC	NP	
READYLANCE SAFETY LANCETS/26G/1.8MM MISC	NP	
READYLANCE SAFETY LANCETS/28G/1.8MM MISC	NP	
RELION LANCETS THIN 26G MISC	P	QL(6.67 ea daily)
RELION ULTRA THIN LANCETS/30G MISC	P	QL(6.67 ea daily)
SAFETY LANCET 30G/PRESSURE ACTIVATED MISC	NP	
TRUE METRIX CONTROL SOLUTION LEVEL 1 SOLN	P	QL(0.02 ea daily,90 day(s) limit)

Drug Name	Drug Tier	Requirements/ Limits
TRUE METRIX CONTROL SOLUTION LEVEL 2 SOLN	P	QL(0.02 ea daily,90 day(s) limit)
TRUE METRIX CONTROL SOLUTION LEVEL 3 SOLN	P	QL(0.02 ea daily,90 day(s) limit)
TRUECONTROL GLUCOSE CONTROL LEVEL 0 LIQD	P	1/ 90 days;QL(0.02 ea daily,90 day(s) limit)
TRUECONTROL GLUCOSE CONTROL LEVEL 1 LIQD	P	1/ 90 days;QL(0.02 ea daily,90 day(s) limit)
UNILET LANCETS MICRO-THIN33G MISC	P	QL(6.67 ea daily)
UNISTIK PRO SAFETY LANCET 21G MISC	NP	
UNISTIK PRO SAFETY LANCET 25G MISC	NP	
UNISTIK PRO SAFETY LANCET 28G MISC	NP	
VIVAGUARD INO CONTROL SOLUTION LIQD	NP	
VIVAGUARD LANCETS MISC	NP	
Misc. Devices		
ALCOHOL PREP PADS PADS	NP	RX/OTC
ALCOHOL PREP PADS-MISC	P	OTC
CARETOUCH ALCOHOL PREP PADS PADS	NP	RX/OTC
EASY COMFORT ALCOHOL PADS PADS	NP	RX/OTC
HM STERILE ALCOHOL PREP PADS PADS	NP	RX/OTC
NOZIN NASAL SANITIZER PADS	NP	RX/OTC
PHARMACIST CHOICE ALCOHOL PRED PADS PADS	NP	RX/OTC
PHARMACIST CHOICE ALCOHOLPREP PADS PADS	NP	RX/OTC

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
PURE COMFORT ALCOHOL PREPPADS PADS	NP	RX/OTC
SAPS HEALTH ALCOHOL PREPPADS PADS	NP	RX/OTC
Parenteral Therapy Supplies		
INSULIN SYRINGES	P	QL (5 ea daily); OTC
INSULIN SYRINGES-MISC	P	QL (5 ea daily); RX/OTC
PEN NEEDLES-MISC	P	QL (5 ea daily); OTC
Respiratory Therapy Supplies		
SPACER/AEROSOL-HOLDING CHAMBER SUPPLIES	P	QL (3 ea per 180days retail)
SPACER/AEROSOL-HOLDING CHAMBERS	P	QL (2 ea per 360 days retail)
SPACERS AND BREATHING CHAMBERS-MISC	P	RX/OTC
MIGRAINE PRODUCTS - Drugs to Treat Migraine Headaches		
Migraine Combinations		
CAFERGOT TABS (Use ergotamine w/ caffeine)	NP	AL(At least 18 yrs old)
ergotamine w/ caffeine tabs or 1 mg-100 mg	P	AL(At least 18 yrs old)
Migraine Products		
D.H.E. 45 SOLN (Use dihydroergotamine mesylate)	NP	AL(At least 18 yrs old)
dihydroergotamine mesylate soln ij 1 mg/ml	P	AL(At least 18 yrs old)
dihydroergotamine mesylate soln na 4 mg/ml	P	AL(At least 18 yrs old)
MIGRANAL SOLN (Use dihydroergotamine mesylate)	NP	AL(At least 18 yrs old)
Serotonin Agonists		
AMERGE TABS (Use naratriptan hcl)	NP	QL(9 ea per 30 days retail); AL(At least 18 yrs old)

Drug Name	Drug Tier	Requirements/Limits
eletriptan hydrobromide tabs	P	QL(6 ea per 30 days retail); AL(At least 18 yrs old)
IMITREX SOLN NA 5 MG/ACT, 20 MG/ACT (Use sumatriptan)	NP	QL(6 ea per 30 days retail); AL(At least 12 yrs old)
IMITREX SOLN SC 6 MG/0.5ML (Use sumatriptan succinate)	NP	QL(2.5 ml per 30 days retail); AL(At least 12 yrs old)
IMITREX STATDOSE REFILL SOCT 6 MG/0.5ML (Use sumatriptan succinate)	NP	QL(2 ml per 30 days retail); AL(At least 12 yrs old)
IMITREX STATDOSE SYSTEM SOAJ 6 MG/0.5ML (Use sumatriptan succinate)	NP	QL(2 ml per 30 days retail); AL(At least 12 yrs old)
IMITREX TABS OR 25 MG, 50 MG, 100 MG (Use sumatriptan succinate)	NP	QL(9 ea per 30 days retail); AL(At least 12 yrs old)
MAXALT TABS (Use rizatriptan benzoate)	NP	QL(12 ea per 30 days retail); AL(At least 6 yrs old)
MAXALT-MLT TBDP (Use rizatriptan benzoate)	NP	QL(0.4 ea daily)
naratriptan hcl tabs	P	QL(9 ea per 30 days retail); AL(At least 18 yrs old)
RELPAK TABS (Use eletriptan hydrobromide)	NP	QL(6 ea per 30 days retail); AL(At least 18 yrs old)
rizatriptan benzoate tabs 5 mg, 10 mg	P	QL(12 ea per 30 days retail); AL(At least 6 yrs old)
rizatriptan benzoate tbdp 5 mg, 10 mg	P	QL(0.4 ea daily)
sumatriptan soln na 5 mg/act, 20 mg/act	P	QL(6 ea per 30 days retail); AL(At least 12 yrs old)

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
<i>sumatriptan succinate soaj sc 6 mg/0.5ml</i>	P	QL(2 ml per 30 days retail); AL(At least 12 yrs old)
<i>sumatriptan succinate soct sc 6 mg/0.5ml</i>	P	QL(2 ml per 30 days retail); AL(At least 12 yrs old)
<i>sumatriptan succinate soln sc 6 mg/0.5ml</i>	P	QL(2.5 ml per 30 days retail); AL(At least 12 yrs old)
<i>sumatriptan succinate sosy sc 6 mg/0.5ml</i>	P	QL(2 ml per 30 days retail); AL(At least 12 yrs old)
<i>sumatriptan succinate tabs or 25 mg, 50 mg, 100 mg</i>	P	QL(9 ea per 30 days retail); AL(At least 12 yrs old)
<i>zolmitriptan tabs or 5 mg, 2.5 mg</i>	P	QL(6 ea per 30 days retail); AL(At least 18 yrs old)
<i>zolmitriptan tbdp or 5 mg, 2.5 mg</i>	P	QL(6 ea per 30 days retail); AL(At least 18 yrs old)
ZOMIG SOLN NA 5 MG	P	QL(6 ea per 30 days retail); AL(At least 12 yrs old)
ZOMIG TABS OR 5 MG, 2.5 MG (Use <i>zolmitriptan</i>)	NP	QL(6 ea per 30 days retail); AL(At least 18 yrs old)
ZOMIG ZMT TBDP (Use <i>zolmitriptan</i>)	NP	QL(6 ea per 30 days retail); AL(At least 18 yrs old)
MINERALS & ELECTROLYTES		
Calcium		

Drug Name	Drug Tier	Requirements/ Limits
<i>calcium carbonate-cholecalciferol tabs 10 mcg-600 mg, 20 mcg-600 mg, 400 unit-600 mg, 600 mg-800 unit, 400 unit-600 mg-600 mg-800 unit</i>	P	QL(2 ea daily)
<i>calcium carbonate-cholecalciferol tabs 5 mcg-500 mg, 200 unit-500 mg</i>	P	OTC
<i>calcium carbonate-vitamin d tabs 125 unit-250 mg, 125 unit-500 mg, 200 unit-500 mg, 200 unit-200 unit-500 mg-500 mg</i>	P	OTC
<i>calcium carbonate-vitamin d tabs 200 unit-600 mg, 400 unit-600 mg</i>	P	OTC;QL(2 ea daily)
CALTRATE 600+D3 TABS (Use <i>calcium carbonate-cholecalciferol</i>)	NP	QL(2 ea daily)
<i>oyster shell tabs</i>	P	OTC
PARVA-CAL TABS	P	OTC
QC CALCIUM 500MG/D3 TABS	P	OTC
RA CALCIUM HI-CAL/VITAMIND TABS	P	OTC
RA OYSTER SHELL CALCIUM/VITAMIN D TABS 200 UNIT-500 MG	P	OTC
Electrolyte Mixtures		
CERALYTE 70 SOLN 20 MEQ/L-30 MEQ/L-60 MEQ/L-70 MEQ/L	P	QL(1000 ml per fill retail)
CERASPORT EX1 SOLN	P	QL(1000 ml per fill retail)
CERASPORT SOLN 18 MEQ/L-20 MEQ/L-4 MEQ/L-6 MEQ/L	P	QL(1000 ml per fill retail)
ENFAMIL ENFALYTE SOLN	P	QL(1000 ml per fill retail)
EQUALYTE SOLN (Use <i>oral electrolytes</i>)	NP	QL(1000 ml per fill retail)
HYDRALYTE FREEZER POPS SOLN	P	QL(1000 ml per fill retail)

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
HYDRALYTE SOLN 210 MG/250ML-270 MG/250ML, 16 GM/L-20 MEQ/L-45 MEQ/L-45 MEQ/L-90 MEQ/L	P	QL(1000 ml per fill retail)
KINDERLYTE PREMAX SOLN 3.1 MG/360ML-320 MG/360ML-620 MG/360ML-630 MG/360ML, 3.1 MG/360ML-330 MG/360ML-620 MG/360ML-630 MG/360ML	P	QL(1000 ml per fill retail)
KINDERLYTE SOLN 3.1 MG/360ML-300 MG/360ML-445 MG/360ML-560 MG/360ML, 3.1 MG/360ML-300 MG/360ML-460 MG/360ML-570 MG/360ML	P	QL(1000 ml per fill retail)
<i>oral electrolytes soln</i>	P	QL(1000 ml per fill retail)
PEDIALYTE ADVANCED CARE SOLN (<i>Use oral electrolytes</i>)	NP	QL(1000 ml per fill retail)
PEDIALYTE FREEZER POPS SOLN (<i>Use oral electrolytes</i>)	NP	QL(1000 ml per fill retail)
PEDIALYTE SINGLES SOLN (<i>Use oral electrolytes</i>)	NP	QL(1000 ml per fill retail)
PEDIALYTE SOLN 0.5 MG/59ML-1.2 MEQ/59ML-1.5 GM/59ML-2.1 MEQ/59ML-2.7 MEQ/59ML, 20 GM/L-20 MEQ/L-35 MEQ/L-45 MEQ/L-5 GM/L, 10.6 MEQ/237ML-4.7 MEQ/237ML-8.3 MEQ/237ML, 20 MEQ/L-25 GM/L-30 MEQ/L-35 MEQ/L-45 MEQ/L, 20 MEQ/L-25 GM/L-35 MEQ/L-45 MEQ/L-7.8 MG/L (<i>Use oral electrolytes</i>)	NP	QL(1000 ml per fill retail)
Fluoride		

Drug Name	Drug Tier	Requirements/ Limits
<i>sodium fluoride chew or 0.25 mg, 0.5 mg, 1 mg, 2.2 mg</i>	P	AL(Up to 15 yrs old)
<i>sodium fluoride soln or 0.125 mg/drop, 0.5 mg/ml</i>	P	AL(Up to 15 yrs old)
Magnesium		
MAGNESIUM CAPS 400 MG	P	OTC
<i>magnesium oxide (mg supplement) tabs 400 mg</i>	P	OTC
<i>magnesium oxide (mg supplement) tabs 400 mg</i>	P	
MAGNESIUM OXIDE CAPS 400 MG	P	OTC
MAGOX 400 TABS (<i>Use magnesium oxide (mg supplement)</i>)	NP	
Phosphate		
K-PHOS NEUTRAL TABS (<i>Use pot phosphate monobasic w/ sod phosphate dibasic & monobasic</i>)	NP	QL(8 ea daily)
<i>pot phosphate monobasic w/ sod phosphate dibasic & monobasic tabs</i>	P	QL(8 ea daily)
Potassium		
K-TAB TBCR 8 MEQ, 10 MEQ (<i>Use potassium chloride</i>)	NP	
<i>potassium bicarbonate tbcf or 25 meq, 2 gm-2.5 gm</i>	P	
<i>potassium chloride cpcr or 10 meq</i>	P	
<i>potassium chloride cpcr or 8 meq</i>	P	QL(1 ea daily)
<i>potassium chloride microencapsulated crystals er tbcf</i>	P	
<i>potassium chloride pack or 20 meq</i>	P	
<i>potassium chloride soln or 10 %, 20 %</i>	P	
<i>potassium chloride tbcf or 8 meq, 10 meq</i>	P	

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
Zinc		
<i>zinc sulfate caps or 220 mg</i>	P	QL(100 ea per fill retail)
ZINC SULFATE CAPS OR 50 MG	P	QL(100 ea per fill retail)
MISCELLANEOUS THERAPEUTIC CLASSES		
Chelating Agents		
DEPEN TITRATABS TABS (Use <i>penicillamine</i>)	NP	
<i>penicillamine tabs or</i>	P	
Immunosuppressive Agents		
AZASAN TABS	P	PA
<i>azathioprine tabs or 50 mg</i>	P	
CELLCEPT CAPS (Use <i>mycophenolate mofetil</i>)	NP	
CELLCEPT SUSR (Use <i>mycophenolate mofetil</i>)	NP	
CELLCEPT TABS (Use <i>mycophenolate mofetil</i>)	NP	
<i>cyclosporine caps or 25 mg, 100 mg</i>	P	
<i>cyclosporine modified (for microemulsion) caps</i>	P	
<i>cyclosporine modified (for microemulsion) soln</i>	P	
<i>cyclosporine soln iv 50 mg/ml</i>	P	
IMURAN TABS (Use <i>azathioprine</i>)	NP	
<i>mycophenolate mofetil caps</i>	P	
<i>mycophenolate mofetil susr</i>	P	
<i>mycophenolate mofetil tabs</i>	P	
<i>mycophenolate sodium tbec</i>	P	
MYFORTIC TBEC (Use <i>mycophenolate sodium</i>)	NP	
NEORAL CAPS (Use <i>cyclosporine modified (for microemulsion)</i>)	NP	

Drug Name	Drug Tier	Requirements/Limits
NEORAL SOLN (Use <i>cyclosporine modified (for microemulsion)</i>)	NP	
PROGRAF CAPS OR 0.5 MG, 1 MG, 5 MG (Use <i>tacrolimus</i>)	NP	
PROGRAF PACK OR 0.2 MG, 1 MG	P	PA
RAPAMUNE SOLN (Use <i>sirolimus</i>)	NP	
RAPAMUNE TABS (Use <i>sirolimus</i>)	NP	
SANDIMMUNE CAPS OR 25 MG, 100 MG (Use <i>cyclosporine</i>)	NP	
SANDIMMUNE SOLN IV 50 MG/ML (Use <i>cyclosporine</i>)	NP	
SANDIMMUNE SOLN OR 100 MG/ML	P	
<i>sirolimus soln or 1 mg/ml</i>	P	
<i>sirolimus tabs or 0.5 mg, 1 mg, 2 mg</i>	P	
<i>tacrolimus caps or 0.5 mg, 1 mg, 5 mg</i>	P	
Potassium Removing Agents		
<i>sodium polystyrene sulfonate powd or</i>	P	
<i>sodium polystyrene sulfonate susp or 15 gm/60ml</i>	P	
MOUTH/THROAT/DENTAL AGENTS		
Anesthetics Topical Oral		
<i>lidocaine hcl (mouth-throat) soln 2 %</i>	P	QL(100 ml per fill retail)
Anti-infectives - Throat		
<i>nystatin (mouth-throat) susp</i>	P	QL(120 ml per fill retail)
Antiseptics - Mouth/Throat		
<i>chlorhexidine gluconate (mouth-throat) soln</i>	P	

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
PERIDEX SOLN (<i>Use chlorhexidine gluconate (mouth-throat)</i>)	NP	
Dental Products		
PREVIDENT 5000 BOOSTER PLUS PSTE (<i>Use sodium fluoride (dental)</i>)	NP	
PREVIDENT 5000 DRY MOUTH GEL (<i>Use sodium fluoride (dental)</i>)	NP	
PREVIDENT 5000 ORTHO DEFENSE PSTE (<i>Use sodium fluoride (dental)</i>)	NP	
PREVIDENT 5000 PLUS CREA (<i>Use sodium fluoride (dental)</i>)	NP	PA
PREVIDENT FLUORIDE GEL (<i>Use sodium fluoride (dental)</i>)	NP	
<i>sodium fluoride (dental) crea dt 1.1 %</i>	P	PA
<i>sodium fluoride (dental) gel dt 1.1 %</i>	P	
<i>sodium fluoride (dental) pste dt 1.1 %</i>	P	
Steroids - Mouth/Throat/Dental		
<i>triamcinolone acetonide (mouth) pste</i>	P	QL(5 gm per fill retail)
Throat Products - Misc.		
AQUORAL SOLN	P	QL(900 ml per fill retail); RX/OTC
BIOTENE DRY MOUTH MOISTURIZING SPRAY SOLN	P	QL(900 ml per fill retail); RX/OTC
CAPHOSOL SOLN	P	QL(900 ml per fill retail); RX/OTC
CVS DRY MOUTH SPRAY SOLN	P	QL(900 ml per fill retail); RX/OTC
EQL DRY MOUTH ORAL RINSE SOLN	P	QL(900 ml per fill retail); RX/OTC

Drug Name	Drug Tier	Requirements/Limits
MOI-STIR SOLN	P	QL(900 ml per fill retail); RX/OTC
MOUTH KOTE REMINT SOLN	P	QL(900 ml per fill retail); RX/OTC
MOUTH KOTE SOLN	P	QL(900 ml per fill retail); RX/OTC
NUMOISYN LIQD	P	QL(900 ml per fill retail); RX/OTC
ORAL RELIEF SPRAY FOR DRYMOUTH & DISCOMFORT SOLN	P	QL(900 ml per fill retail); RX/OTC
<i>pilocarpine hcl (oral) tabs 5 mg</i>	P	QL(6 ea daily)
RA DRY MOUTH SOLN	P	QL(900 ml per fill retail); RX/OTC
SALAGEN TABS 5 MG (<i>Use pilocarpine hcl (oral)</i>)	NP	QL(6 ea daily)
XEROSTOMIA RELIEF SPRAY SOLN	P	QL(900 ml per fill retail); RX/OTC
MULTIVITAMINS		
B-Complex Vitamins		
<i>b-complex vitamins caps 0.5 mg-1 mcg-20 mg-3 mg-3 mg-5 mg-60 mg-60 mg, 1 mg-1.5 mg-10 mg-100 mcg-100 mg-2 mg-70 mg</i>	P	OTC;QL(1 ea daily)

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
<i>b-complex vitamins tabs 0.1 mg-1 mg-2 mg-20 mg-3 mg-5 mcg, 0.2 mg-1.5 mg-10 mg-10 mg-2 mg, 10 mg-14 mg-25 mcg-4.5 mg-7 mg, 15 mg-2 mcg-2 mg-2 mg-2 mg-5 mg, 1 mg-2 mg-20 mg-3 mg-5 mcg-83 mg, 10 mg-2 mg-20 mg-3 mg-3 mg-6 mcg, 1 mcg-1 mg-10 mg-100 mg-20 mg-4.6 mg-40 mg-5 mg-5 mg-50 mg, 10 mg-10 mg-2 mg-2 mg-20 mg-20 mg-3 mg-3 mg-3 mg-3 mg-6 mcg-6 mcg, 100 mcg-30 mg-50 mcg-50 mcg-50 mg-50 mg-50 mg-50 mg</i>	P	QL(1 ea daily)
B-Complex w/ C		
<i>b complex w/ c caps 10 mg-10 mg-15 mg-300 mg-5 mg-50 mg, 10 mg-10.2 mg-15 mg-300 mg-5 mg-50 mg</i>	P	OTC;QL(1 ea daily)
B-Complex w/ Folic Acid		
<i>b-complex w/ c & folic acid caps 1 mg-1.5 mg-1.7 mg-10 mg-100 mg-150 mcg-20 mg-5 mg-6 mcg</i>	P	QL(1 ea daily); RX/OTC

Drug Name	Drug Tier	Requirements/ Limits
<i>b-complex w/ c & folic acid tabs 0.006 mg-0.3 mg-1 mg-1.5 mg-1.7 mg-10 mg-10 mg-100 mg-20 mg, 0.01 mcg-1 mg-1.5 mg-1.7 mg-10 mg-10 mg-20 mg-300 mcg-60 mg, 1 mg-1 mg-1.5 mg-1.7 mg-20 mg-200 mg-30 mcg-300 mcg-8 mg, 1 mg-1.5 mg-1.7 mg-10 mg-10 mg-20 mg-300 mcg-6 mcg-60 mg, 1 mg-1.5 mg-1.7 mg-10 mg-10 mg-100 mg-20 mg-300 mcg-6 mcg, 1.5 mg-1.7 mg-10 mg-100 mg-1000 mcg-150 mcg-20 mg-5 mg-6 mcg, 1.5 mg-1.7 mg-10 mg-10 mg-100 mg-1000 mcg-20 mg-300 mcg-6 mcg, 1 mg-1 mg-1.5 mg-1.5 mg-1.7 mg-1.7 mg-10 mg-10 mg-10 mg-10 mg-100 mg-100 mg-20 mg-20 mg-300 mcg-300 mcg-6 mcg</i>	P	QL(1 ea daily); RX/OTC
NEPHRO-VITE RX TABS (Use <i>b-complex w/ c & folic acid</i>)	NP	QL(1 ea daily); RX/OTC
Multiple Vitamins w/ Minerals		
<i>multiple vitamins w/ minerals tabs</i>	P	RX/OTC
<i>multiple vitamins w/ minerals-various</i>	P	RX/OTC
Ped MV w/ Fluoride		
<i>pediatric vitamins acid w/ fluoride soln</i>	P	QL(50 ml per fill retail); AL(Up to 21 yrs old)
Ped Multi Vitamins w/FI & FE		
<i>ped multivitamins w/fl & iron soln</i>	P	QL(50 ml per fill retail); AL(Up to 21 yrs old)
Ped Multiple Vitamins w/ Minerals		
<i>pediatric multiple vitamins w/ minerals-various</i>	P	RX/OTC
Prenatal Vitamins		

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
<i>prenatal vitamins-misc</i>	P	RX/OTC
Vitamins w/ Lipotropics		
<i>vitamins w/ lipotropics caps</i>	P	OTC;QL(1 ea daily)
MUSCULOSKELETAL THERAPY AGENTS - Drugs to Treat Spasms		
Central Muscle Relaxants		
<i>baclofen tabs or 10 mg, 20 mg</i>	P	
<i>chlorzoxazone tabs 500 mg</i>	P	
<i>cyclobenzaprine hcl tabs or 5 mg, 10 mg</i>	P	QL(3 ea daily)
<i>cyclobenzaprine hcl tabs or 7.5 mg</i>	P	QL(4 ea daily)
<i>methocarbamol tabs or 500 mg, 750 mg</i>	P	
<i>orphenadrine citrate tb12 or 100 mg</i>	P	
ROBAXIN TABS OR 500 MG (Use methocarbamol)	NP	
ROBAXIN-750 TABS (Use methocarbamol)	NP	
<i>tizanidine hcl tabs or 2 mg, 4 mg</i>	P	
ZANAFLEX TABS 4 MG (Use tizanidine hcl)	NP	
NASAL AGENTS - SYSTEMIC AND TOPICAL - Drugs to treat the Nose or Sinus		
Nasal Agents - Misc.		
OCEAN NASAL SPRAY SOLN (Use saline)	NP	OTC;QL(480 ml per fill retail); AL(Up to 21 yrs old)
<i>saline soln na 0.002 %-0.65 %, 0.65 %</i>	P	OTC;QL(480 ml per fill retail); AL(Up to 21 yrs old)
Nasal Antiallergy		
<i>azelastine hcl soln na 0.1 %, 137 mcg/spray</i>	P	
<i>azelastine hcl soln na 0.15 %</i>	P	QL(30 ml per fill retail)

Drug Name	Drug Tier	Requirements/Limits
<i>cromolyn sodium (nasal) aers</i>	P	OTC;QL(26 ml per 30 days retail)
NASALCROM AERS (Use cromolyn sodium (nasal))	NP	OTC;QL(26 ml per 30 days retail)
Nasal Anticholinergics		
<i>ipratropium bromide (nasal) soln 0.03 %</i>	P	QL(31 ml per 30 days retail)
<i>ipratropium bromide (nasal) soln 0.06 %</i>	P	QL(15 ml per 30 days retail)
Nasal Steroids		
FLONASE ALLERGY RELIEF CHILDRENS SUSP (Use fluticasone propionate (nasal))	NP	QL(16 ml per fill retail); RX/OTC
FLONASE ALLERGY RELIEF SUSP (Use fluticasone propionate (nasal))	NP	QL(16 ml per fill retail); RX/OTC
<i>flunisolide (nasal) soln</i>	P	QL(25 ml per 30 days retail)
<i>fluticasone propionate (nasal) susp</i>	P	QL(16 ml per fill retail); RX/OTC
NASACORT ALLERGY 24HR AERO	P	AL(At least 2 yrs old)
NASACORT ALLERGY 24HR AERO (Use triamcinolone acetonide (nasal))	NP	AL(At least 2 yrs old)
NASACORT ALLERGY 24HR CHILDRENS AERO (Use triamcinolone acetonide (nasal))	NP	AL(At least 2 yrs old)
<i>triamcinolone acetonide (nasal) aero</i>	P	AL(At least 2 yrs old)
Sympathomimetic Decongestants		
ADRENALIN SOLN NA 0.1 % (Use epinephrine hcl (nasal))	NP	QL(120 ml per fill retail); AL(Up to 21 yrs old)
<i>epinephrine hcl (nasal) soln</i>	P	QL(120 ml per fill retail); AL(Up to 21 yrs old)

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
NASAL DECONGESTANT LIQD	P	OTC;AL(Up to 21 yrs old)
NASAL DECONGESTANT SYRP	P	OTC;QL(1 ml daily); AL(Up to 21 yrs old)
<i>phenylephrine hcl (oral) tabs</i>	P	OTC;QL(24 ea per fill retail)
<i>pseudoephedrine hcl liqd or 15 mg/5ml</i>	P	OTC;AL(Up to 21 yrs old)
<i>pseudoephedrine hcl tabs or 30 mg, 60 mg</i>	P	OTC;AL(Up to 21 yrs old)
<i>pseudoephedrine hcl tb 12 or 120 mg</i>	P	OTC;QL(62 ea per 30 days retail); AL(Up to 21 yrs old)
SUDAFED CHILDRENS LIQD (<i>Use pseudoephedrine hcl</i>)	NP	OTC;AL(Up to 21 yrs old)
SUDAFED CONGESTION TABS (<i>Use pseudoephedrine hcl</i>)	NP	OTC;AL(Up to 21 yrs old)
SUDAFED PE CHILDRENS NASAL DECONGESTANT SOLN	P	OTC;QL(120 ml per fill retail)
SUDAFED PE SINUS CONGESTION TABS (<i>Use phenylephrine hcl (oral)</i>)	NP	OTC;QL(24 ea per fill retail)
SUDAFED SINUS CONGESTION TABS (<i>Use pseudoephedrine hcl</i>)	NP	OTC;AL(Up to 21 yrs old)
NEUROMUSCULAR AGENTS - Drugs to Relax/Paralyze Muscles		
ALS Agents		
RILUTEK TABS (<i>Use riluzole</i>)	NP	PA
<i>riluzole tabs</i>	P	PA
NUTRIENTS		
Carbohydrates		
POLYCOSE LIQD	P	OTC;QL(124 ml per fill retail)
POLYCOSE POWD	P	OTC;QL(350 gm per fill retail)
Misc. Nutritional Substances		

Drug Name	Drug Tier	Requirements/Limits
<i>omega-3 fatty acids caps 1000 mg, 1200 mg, 120 mg-180 mg, 1000 mg-300 mg, 1000 mg-350 mg, 1000 mg-600 mg, 1200 mg-2 unit, 1200 mg-360 mg, 1200 mg-600 mg, 120 mg-180 mg-300 mg, 120 mg-180 mg-5 unit, 1 unit-1000 mg-300 mg, 100 mg-1000 mg-160 mg, 1000 mg-120 mg-180 mg, 1000 mg-180 mg-270 mg, 1000 mg-200 mg-300 mg, 1000 mg-250 mg-350 mg, 1000 mg-250 mg-500 mg, 1000 mg-300 mg-400 mg, 1200 mg-144 mg-180 mg, 1200 mg-144 mg-216 mg, 1200 mg-276 mg-336 mg, 1.8 unit-120 mg-180 mg, 1 gm-120 mg-180 mg-300 mg, 1 mg-1000 mg-120 mg-180 mg, 1000 mg-210 mg-75 mg-90 mg, 12 mg-1200 mg-360 mg-360 mg, 120 mg-1200 mg-180 mg-60 mg, 1200 mg-300 mg-360 mg-60 mg, 1 unit-1000 mg-120 mg-180 mg, 1 unit-1000 mg-200 mg-300 mg, 1000 mg-120 mg-180 mg-300 mg, 1000 mg-360 mg-455 mg-900 mg, 1200 mg-144 mg-216 mg-360 mg, 1200 mg-216 mg-324 mg-600 mg, 1 unit-1000 mg-1000 mg-300 mg, 10 unit-100 mg-1000 mg-500 mg, 1200 mg-144 mg-15 unit-216 mg, 1 unit-1000 mg-120 mg-180 mg-340 mg</i>	P	OTC;QL(6 ea daily)
<i>omega-3 fatty acids cpdr 1200 mg, 1200 mg-360 mg, 1200 mg-684 mg, 1200 mg-144 mg-216 mg-360 mg</i>	P	QL(6 ea daily)
OPHTHALMIC AGENTS - Drugs to Treat the Eye		
Artificial Tears and Lubricants		

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
HYPOTEARNS SOLN	P	OTC;QL(31 ml per 30 days retail)
<i>polyvinyl alcohol soln op</i>	P	OTC;QL(31 ml per 30 days retail)
TEARS NATURALE PM OINT (<i>Use white petrolatum-mineral oil</i>)	NP	OTC;QL(30 gm per fill retail)
<i>white petrolatum-mineral oil oint</i>	P	OTC;QL(30 gm per fill retail)
Beta-blockers - Ophthalmic		
BETAGAN SOLN (<i>Use levobunolol hcl</i>)	NP	QL(15 ml per 30 days retail)
<i>betaxolol hcl (ophth) soln</i>	P	
<i>carteolol hcl (ophth) soln</i>	P	
COSOPT SOLN (<i>Use dorzolamide hcl-timolol maleate</i>)	NP	QL(10 ml per 30 days retail)
<i>dorzolamide hcl-timolol maleate soln 0.5 %-2 %, 20 mg/ml-5 mg/ml, 22.3 mg/ml-6.8 mg/ml</i>	P	QL(10 ml per 30 days retail)
<i>levobunolol hcl soln</i>	P	QL(15 ml per 30 days retail)
<i>timolol maleate (ophth) soln 0.25 %, 0.5 %</i>	P	QL(15 ml per 30 days retail)
TIMOPTIC OCUDOSE SOLN	P	QL(15 ea per 30 days retail)
TIMOPTIC SOLN (<i>Use timolol maleate (ophth)</i>)	NP	QL(15 ml per 30 days retail)
Cycloplegic Mydriatics		
ATROPINE SULFATE OINT OP 1 %	P	
ATROPINE SULFATE SOLN OP 1 %	P	
CYCLOGYL SOLN 0.5 % (<i>Use cyclopentolate hcl</i>)	NP	QL(15 ml per 30 days retail)
CYCLOGYL SOLN 1 %, 2 % (<i>Use cyclopentolate hcl</i>)	NP	
<i>cyclopentolate hcl soln op 0.5 %</i>	P	QL(15 ml per 30 days retail)
<i>cyclopentolate hcl soln op 1 %, 2 %</i>	P	

Drug Name	Drug Tier	Requirements/Limits
<i>homatropine hbr soln</i>	P	QL(15 ml per fill retail)
ISOPTO ATROPINE SOLN	P	
MYDRIACYL SOLN (<i>Use tropicamide</i>)	NP	
<i>phenylephrine hcl (mydriatic) soln</i>	P	QL(5 ml per 30 days retail)
<i>tropicamide soln op 0.5 %, 1 %</i>	P	
Miotics		
ISOPTO CARPINE SOLN (<i>Use pilocarpine hcl</i>)	NP	
<i>pilocarpine hcl soln op 1 %, 2 %, 4 %</i>	P	
Ophthalmic Adrenergic Agents		
<i>apraclonidine hcl soln</i>	P	
<i>brimonidine tartrate soln op 0.2 %</i>	P	
IOPIDINE SOLN 0.5 % (<i>Use apraclonidine hcl</i>)	NP	
IOPIDINE SOLN 1 %	P	
Ophthalmic Anti-infectives		
BACIGUENT OINT OP	P	QL(4 gm per 30 days retail)
<i>bacitracin (ophthalmic) oint</i>	P	QL(4 gm per 30 days retail)
<i>bacitracin-polymyxin b (ophth) oint</i>	P	QL(4 gm per 30 days retail)
BLEPH-10 SOLN (<i>Use sulfacetamide sodium (ophth)</i>)	NP	QL(15 ml per 30 days retail)
CILOXAN OINT	P	
CILOXAN SOLN (<i>Use ciprofloxacin hcl (ophth)</i>)	NP	
<i>ciprofloxacin hcl (ophth) soln</i>	P	
<i>erythromycin (ophth) oint</i>	P	
<i>gentamicin sulfate (ophth) oint</i>	P	QL(4 gm per 30 days retail)
<i>gentamicin sulfate (ophth) soln</i>	P	

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
<i>moxifloxacin hcl (ophth) soln</i>	P	QL(3 ml per fill retail)
<i>neomycin-bacitracin zn-polymyxin oint</i>	P	QL(4 gm per 30 days retail)
<i>neomycin-polymyxin-gramicidin soln</i>	P	QL(10 ml per 30 days retail)
NEOSPORIN SOLN (<i>Use neomycin-polymyxin-gramicidin</i>)	NP	QL(10 ml per 30 days retail)
OCUFLOX SOLN (<i>Use ofloxacin (ophth)</i>)	NP	QL(10 ml per 30 days retail)
<i>ofloxacin (ophth) soln</i>	P	QL(10 ml per 30 days retail)
<i>polymyxin b-trimethoprim soln</i>	P	QL(10 ml per fill retail)
POLYTRIM SOLN (<i>Use polymyxin b-trimethoprim</i>)	NP	QL(10 ml per fill retail)
<i>sulfacetamide sodium (ophth) oint</i>	P	QL(4 gm per 30 days retail)
<i>sulfacetamide sodium (ophth) soln</i>	P	QL(15 ml per 30 days retail)
<i>tobramycin (ophth) soln</i>	P	QL(5 ml per 30 days retail)
TOBREX OINT	P	
TOBREX SOLN (<i>Use tobramycin (ophth)</i>)	NP	QL(5 ml per 30 days retail)
<i>trifluridine soln op</i>	P	QL(8 ml per 30 days retail)
VIGAMOX SOLN (<i>Use moxifloxacin hcl (ophth)</i>)	NP	QL(3 ml per fill retail)
VIROPTIC SOLN (<i>Use trifluridine</i>)	NP	QL(8 ml per 30 days retail)
Ophthalmic Decongestants		
<i>naphazoline w/ pheniramine soln 0.027 %-0.315 %</i>	P	OTC;QL(15 ml per 30 days retail)
OPCON-A SOLN (<i>Use naphazoline w/ pheniramine</i>)	NP	OTC;QL(15 ml per 30 days retail)
<i>tetrahydrozoline hcl (ophth) soln</i>	P	OTC
VISINE RED EYE COMFORT SOLN (<i>Use tetrahydrozoline hcl (ophth)</i>)	NP	OTC

Drug Name	Drug Tier	Requirements/ Limits
VISINE SOLN (<i>Use tetrahydrozoline hcl (ophth)</i>)	NP	OTC
Ophthalmic Local Anesthetics		
<i>tetracaine hcl (ophth) soln</i>	P	
Ophthalmic Steroids		
BLEPHAMIDE S.O.P. OINT	P	
BLEPHAMIDE SUSP	P	QL(10 ml per fill retail)
<i>dexamethasone sodium phosphate (ophth) soln</i>	P	
<i>fluorometholone (ophth) susp</i>	P	
FML LIQUIFILM SUSP (<i>Use fluorometholone (ophth)</i>)	NP	
FML OINT	P	QL(4 gm per 30 days retail)
MAXITROL OINT 0.1 %-10000 UNIT/GM-3.5 MG/GM (<i>Use neomycin-polymy-dexameth</i>)	NP	QL(4 gm per 30 days retail)
MAXITROL SUSP 0.1 %-10000 UNIT/ML-3.5 MG/ML (<i>Use neomycin-polymy-dexameth</i>)	NP	QL(10 ml per 30 days retail)
<i>neomycin-polymy-dexameth oint 0.1 %-10000 unit/gm-3.5 mg/gm</i>	P	QL(4 gm per 30 days retail)
<i>neomycin-polymy-dexameth susp 0.1 %-10000 unit/ml-3.5 mg/ml</i>	P	QL(10 ml per 30 days retail)
<i>neomycin-polymyxin-hc (ophth) susp</i>	P	QL(15 ml per 30 days retail)
OMNIPRED SUSP (<i>Use prednisolone acetate (ophth)</i>)	NP	
PRED FORTE SUSP (<i>Use prednisolone acetate (ophth)</i>)	P	
PRED FORTE SUSP (<i>Use prednisolone acetate (ophth)</i>)	NP	
PRED MILD SUSP	P	QL(10 ml per 30 days retail)

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
PRED-G SUSP	P	QL(5 ml per fill retail)
<i>prednisolone acetate (ophth) susp</i>	P	
PREDNISOLONE ACETATE P-F SUSP	P	
PREDNISOLONE SODIUM PHOSPHATE SOLN OP 1 %	P	QL(15 ml per 30 days retail)
<i>sulfacetamide sod-prednisolone soln</i>	P	QL(10 ml per 30 days retail)
TOBRADEX OINT	P	QL(4 gm per 30 days retail)
TOBRADEX SUSP (Use <i>tobramycin-dexamethasone</i>)	NP	QL(10 ml per fill retail)
<i>tobramycin-dexamethasone susp</i>	P	QL(10 ml per fill retail)
Ophthalmics - Misc.		
ACULAR LS SOLN (Use <i>ketorolac tromethamine (ophth)</i>)	NP	QL(5 ml per 30 days retail)
ACULAR SOLN (Use <i>ketorolac tromethamine (ophth)</i>)	NP	QL(10 ml per fill retail)
ALOCRIOL SOLN	P	PA; QL(5 ml per 30 days retail)
ALOMIDE SOLN	P	PA; QL(10 ml per 30 days retail)
<i>azelastine hcl (ophth) soln</i>	P	QL(6 ml per 30 days retail)
AZOPT SUSP	P	
<i>cromolyn sodium (ophth) soln</i>	P	QL(10 ml per fill retail)
<i>diclofenac sodium (ophth) soln</i>	P	QL(3 ml per 30 days retail)
<i>dorzolamide hcl soln</i>	P	QL(10 ml per 30 days retail)
DORZOLAMIDE HCL SOLN	P	QL(10 ml per 30 days retail)
<i>flurbiprofen sodium soln</i>	P	QL(5 ml per 30 days retail)

Drug Name	Drug Tier	Requirements/ Limits
<i>ketorolac tromethamine (ophth) soln 0.4 %</i>	P	QL(5 ml per 30 days retail)
<i>ketorolac tromethamine (ophth) soln 0.5 %</i>	P	QL(10 ml per fill retail)
<i>ketotifen fumarate (ophth) soln</i>	P	
TRUSOPT SOLN (Use <i>dorzolamide hcl</i>)	NP	QL(10 ml per 30 days retail)
ZADITOR SOLN (Use <i>ketotifen fumarate (ophth)</i>)	NP	
Prostaglandins - Ophthalmic		
<i>latanoprost soln op</i>	P	QL(5 ml per 30 days retail)
XALATAN SOLN (Use <i>latanoprost</i>)	NP	QL(5 ml per 30 days retail)
OTIC AGENTS - Drugs to Treat the Ear		
Otic Agents - Miscellaneous		
<i>acetic acid (otic) soln</i>	P	QL(15 ml per 30 days retail)
<i>carbamide peroxide (otic) soln</i>	P	OTC;QL(15 ml per 30 days retail)
DEBROX SOLN (Use <i>carbamide peroxide (otic)</i>)	NP	OTC;QL(15 ml per 30 days retail)
Otic Anti-infectives		
FLOXIN OTIC SOLN (Use <i>ofloxacin (otic)</i>)	NP	QL(10 ml per fill retail)
<i>ofloxacin (otic) soln</i>	P	QL(10 ml per fill retail)
Otic Combinations		
CIPRODEX SUSP (Use <i>ciprofloxacin-dexamethasone</i>)	NP	QL(7.5 ml per fill retail)1 rtl MAX fill,30 rtl day(s) supply,
<i>ciprofloxacin-dexamethasone susp</i>	P	QL(7.5 ml per fill retail)1 rtl MAX fill,30 rtl day(s) supply,
CORTANE-B-OTIC SOLN (Use <i>pramoxine-hc-chloroxylonol</i>)	NP	QL(15 ml per fill retail)
<i>neomycin-polymyxin-hc (otic) soln</i>	P	QL(10 ml per fill retail)

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
<i>neomycin-polymyxin-hc (otic) susp</i>	P	QL(20 ml per 30 days retail)
OTICIN HC NR SOLN (<i>Use pramoxine-hc-chloroxylenol</i>)	NP	QL(15 ml per fill retail)
<i>pramoxine-hc-chloroxylenol soln</i>	P	QL(15 ml per fill retail)
Otic Steroids		
DERMOTIC OIL (<i>Use fluocinolone acetonide (otic)</i>)	NP	QL(20 ml per fill retail); AL(At least 5 yrs old)
<i>fluocinolone acetonide (otic) oil</i>	P	QL(20 ml per fill retail); AL(At least 5 yrs old)
<i>hydrocortisone w/acetic acid soln</i>	P	QL(20 ml per 30 days retail)
OXYTOCICS - Drugs to Prevent/Control Uterine Bleeding		
Oxytocics		
<i>methylergonovine maleate tabs or 0.2 mg</i>	P	
PASSIVE IMMUNIZING AND TREATMENT AGENTS - Antibody Drugs to Treat Low Immune System		
Immune Serums		
HYPERRHO S/D SOSY	P	
RHOGAM ULTRA-FILTERED PLUS SOSY	P	
PENICILLINS - Drugs to Treat Bacterial Infections		
Aminopenicillins		
<i>amoxicillin caps 250 mg, 500 mg</i>	P	
<i>amoxicillin chew 125 mg, 250 mg</i>	P	
<i>amoxicillin susr 125 mg/5ml, 200 mg/5ml, 250 mg/5ml, 400 mg/5ml</i>	P	
<i>amoxicillin tabs 875 mg</i>	P	
<i>ampicillin caps</i>	P	
Natural Penicillins		

Drug Name	Drug Tier	Requirements/Limits
<i>penicillin v potassium solr</i>	P	
<i>penicillin v potassium tabs</i>	P	
Penicillin Combinations		
<i>amoxicillin & pot clavulanate chew 400 mg-57 mg, 200 mg-28.5 mg</i>	P	QL(20 ea per fill retail)
<i>amoxicillin & pot clavulanate susr 200 mg/5ml-28.5 mg/5ml</i>	P	QL(100 ml per fill retail)
<i>amoxicillin & pot clavulanate susr 250 mg/5ml-62.5 mg/5ml</i>	P	QL(150 ml per fill retail)
<i>amoxicillin & pot clavulanate susr 400 mg/5ml-57 mg/5ml, 42.9 mg/5ml-600 mg/5ml</i>	P	QL(200 ml per fill retail)
<i>amoxicillin & pot clavulanate tabs 125 mg-250 mg, 125 mg-500 mg</i>	P	QL(30 ea per fill retail)
<i>amoxicillin & pot clavulanate tabs 125 mg-875 mg</i>	P	QL(20 ea per fill retail)
<i>amoxicillin & pot clavulanate tb12 1000 mg-62.5 mg</i>	P	QL(40 ea per 30 days retail)
AUGMENTIN ES-600 SUSR (<i>Use amoxicillin & pot clavulanate</i>)	NP	QL(200 ml per fill retail)
AUGMENTIN SUSR 125 MG/5ML-31.25 MG/5ML	P	QL(150 ml per fill retail)
AUGMENTIN SUSR 250 MG/5ML-62.5 MG/5ML (<i>Use amoxicillin & pot clavulanate</i>)	NP	QL(150 ml per fill retail)
AUGMENTIN TABS 125 MG-500 MG (<i>Use amoxicillin & pot clavulanate</i>)	NP	QL(30 ea per fill retail)
AUGMENTIN TABS 125 MG-875 MG (<i>Use amoxicillin & pot clavulanate</i>)	NP	QL(20 ea per fill retail)
AUGMENTIN XR TB12 (<i>Use amoxicillin & pot clavulanate</i>)	NP	QL(40 ea per 30 days retail)

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
Penicillinase-Resistant Penicillins		
<i>dicloxacillin sodium caps</i>	P	
PHARMACEUTICAL ADJUVANTS		
Internal Vehicle Ingredients/Agents		
SIMPLYTHICK EASY MIX GEL	P	PA; OTC; QL(1816 ml per fill retail); AL(At least 1 yrs old)
SIMPLYTHICK EASYMIX GEL	P	PA; OTC; QL(1816 ml per fill retail); AL(At least 1 yrs old)
SIMPLYTHICK GEL	P	PA; OTC; QL(1816 ml per fill retail); AL(At least 1 yrs old)
Semi Solid Vehicles		
<i>lanolin oint ex</i>	P	RX/OTC
<i>lanolin oint xx</i>	P	RX/OTC
PROGESTINS - Hormone Replacement/Modifying Drugs		
Progestins		
AYGESTIN TABS (<i>Use norethindrone acetate</i>)	NP	
<i>hydroxyprogesterone caproate oil im</i>	P	PA; QL(2 ml per fill retail, 2 ml per 11 days retail); SP
MAKENA OIL (<i>Use hydroxyprogesterone caproate</i>)	NP	PA; QL(2 ml per fill retail, 2 ml per 11 days retail); SP
<i>medroxyprogesterone acetate tabs or 5 mg, 10 mg, 2.5 mg</i>	P	
<i>norethindrone acetate tabs or</i>	P	
<i>progesterone micronized caps or 100 mg</i>	P	QL(30 ea per 30 days retail)

Drug Name	Drug Tier	Requirements/Limits
<i>progesterone micronized caps or 200 mg</i>	P	QL(20 ea per 30 days retail)
PROMETRIUM CAPS 100 MG (<i>Use progesterone micronized</i>)	NP	QL(30 ea per 30 days retail)
PROMETRIUM CAPS 200 MG (<i>Use progesterone micronized</i>)	NP	QL(20 ea per 30 days retail)
PROVERA TABS (<i>Use medroxyprogesterone acetate</i>)	NP	
PSYCHOTHERAPEUTIC AND NEUROLOGICAL AGENTS - MISC. - Drugs to Treat Mental and Emotional Conditions		
Agents for Chemical Dependency		
ANTABUSE TABS 250 MG (<i>Use disulfiram</i>)	NP	
<i>disulfiram tabs or 250 mg</i>	P	
Antidementia Agents		
ARICEPT TABS 5 MG, 10 MG (<i>Use donepezil hydrochloride</i>)	NP	QL(1 ea daily)
<i>donepezil hydrochloride tabs 5 mg, 10 mg</i>	P	QL(1 ea daily)
EXELON PT24 4.6 MG/24HR, 9.5 MG/24HR (<i>Use rivastigmine</i>)	NP	PA; QL(1 ea daily)
<i>galantamine hydrobromide cp24 8 mg, 16 mg, 24 mg</i>	P	QL(1 ea daily)
<i>galantamine hydrobromide soln 4 mg/ml</i>	P	QL(6 ml daily)
<i>galantamine hydrobromide tabs 4 mg, 8 mg, 12 mg</i>	P	QL(2 ea daily)
<i>memantine hcl soln 2 mg/ml, 10 mg/5ml</i>	P	PA; QL(2 ml daily)
<i>memantine hcl tabs</i>	P	PA; 1 rtl pack lmt amt, 28 rtl pack lmt day(s),
<i>memantine hcl tabs 5 mg, 10 mg</i>	P	PA; QL(2 ea daily)
NAMENDA TABS (<i>Use memantine hcl</i>)	NP	PA; QL(2 ea daily)

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
NAMENDA TITRATION PAK TABS (<i>Use memantine hcl</i>)	NP	PA; 1 rtl pack lmt amt, 28 rtl pack lmt day(s),
RAZADYNE ER CP24 (<i>Use galantamine hydrobromide</i>)	NP	QL(1 ea daily)
RAZADYNE TABS (<i>Use galantamine hydrobromide</i>)	NP	QL(2 ea daily)
<i>rivastigmine pt24 4.6 mg/24hr, 9.5 mg/24hr</i>	P	PA; QL(1 ea daily)
<i>rivastigmine tartrate caps</i>	P	PA; QL(2 ea daily)
Combination Psychotherapeutics		
<i>perphenazine-amitriptyline tabs</i>	P	QL(4 ea daily)
Fibromyalgia Agents		
SAVELLA TABS	P	PA; QL(2 ea daily)
SAVELLA TITRATION PACK MISC	P	PA; QL(55 ea per 365 days retail)
Multiple Sclerosis Agents		
AVONEX KIT	P	PA; SP
AVONEX PEN AJKT	P	PA; SP
AVONEX PSKT	P	PA; SP
COPAXONE SOSY (<i>Use glatiramer acetate</i>)	NP	PA; SP
<i>dimethyl fumarate cpdr or 120 mg, 240 mg</i>	P	PA; SP
<i>dimethyl fumarate misc or</i>	P	PA; SP
GILENYA CAPS	P	PA; SP
<i>glatiramer acetate sosy</i>	P	PA; SP
PLEGRIDY SOPN	P	PA; SP
PLEGRIDY SOSY	P	PA; SP
PLEGRIDY STARTER PACK SOPN	P	PA; SP
PLEGRIDY STARTER PACK SOSY	P	PA; SP

Drug Name	Drug Tier	Requirements/Limits
TECFIDERA CPDR (<i>Use dimethyl fumarate</i>)	NP	PA; SP
TECFIDERA STARTER PACK MISC (<i>Use dimethyl fumarate</i>)	NP	PA; SP
Premenstrual Dysphoric Disorder (PMDD) Agents		
<i>fluoxetine hcl (pmdd) caps 10 mg, 20 mg</i>	P	QL(4 ea daily)
Smoking Deterrents		
<i>bupropion hcl (smoking deterrent) tb12</i>	P	QL(2 ea daily); AL(At least 18 yrs old)
CHANTIX CONTINUING MONTHPAK TABS	P	QL(2 ea daily); AL(At least 18 yrs old)
CHANTIX STARTING MONTH PAK TABS	P	QL(53 ea per fill retail); AL(At least 18 yrs old)
CHANTIX TABS	P	QL(2 ea daily); AL(At least 18 yrs old)
NICODERM CQ PT24 (<i>Use nicotine</i>)	NP	QL(1 ea daily)
NICORETTE GUM 2 MG, 4 MG (<i>Use nicotine polacrilex</i>)	NP	QL(24 ea daily)
NICORETTE LOZG 2 MG, 4 MG (<i>Use nicotine polacrilex</i>)	NP	QL(20 ea daily)
NICORETTE MINI LOZG (<i>Use nicotine polacrilex</i>)	NP	QL(20 ea daily)
NICORETTE STARTER KIT GUM (<i>Use nicotine polacrilex</i>)	NP	QL(24 ea daily)
<i>nicotine polacrilex gum mt 2 mg, 4 mg</i>	P	QL(24 ea daily)
<i>nicotine polacrilex lozg mt 2 mg, 4 mg</i>	P	QL(20 ea daily)
<i>nicotine pt24</i>	P	QL(1 ea daily)
NICOTINE TRANSDERMAL SYSTEM KIT	P	
NICOTROL INHALER INHA	P	QL(16.8 ea daily)

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
NICOTROL NS SOLN	P	QL(4 ml daily)
ZYBAN TB12 (<i>Use bupropion hcl (smoking deterrent)</i>)	NP	QL(2 ea daily); AL(At least 18 yrs old)
RESPIRATORY AGENTS - MISC. - Drugs to Treat Lung Conditions		
Cystic Fibrosis Agents		
KALYDECO PACK	P	PA; SP
KALYDECO TABS	P	PA; SP
ORKAMBI TABS	P	PA; SP
SYMDEKO TBPK	P	PA; SP
TETRACYCLINES - Drugs to Treat Bacterial Infections		
Tetracyclines		
<i>doxycycline (monohydrate) caps 50 mg, 100 mg</i>	P	
<i>doxycycline (monohydrate) tabs 50 mg, 100 mg</i>	P	
<i>doxycycline hyclate caps or 50 mg, 100 mg</i>	P	
<i>doxycycline hyclate tabs or 100 mg</i>	P	
MINOCIN CAPS OR 50 MG (<i>Use minocycline hcl</i>)	NP	
<i>minocycline hcl caps or 50 mg, 75 mg, 100 mg</i>	P	
VIBRAMYCIN CAPS 100 MG (<i>Use doxycycline hyclate</i>)	NP	
THYROID AGENTS - Drugs to Regulate Thyroid Hormones		
Antithyroid Agents		
<i>methimazole tabs or 5 mg, 10 mg</i>	P	
<i>propylthiouracil tabs or</i>	P	
TAPAZOLE TABS (<i>Use methimazole</i>)	NP	
Thyroid Hormones		

Drug Name	Drug Tier	Requirements/Limits
ARMOUR THYROID TABS 15 MG, 30 MG, 60 MG, 90 MG, 120 MG (<i>Use thyroid</i>)	P	
ARMOUR THYROID TABS 180 MG, 240 MG, 300 MG	P	
CYTOMEL TABS (<i>Use liothyronine sodium</i>)	NP	
<i>levothyroxine sodium tabs or 25 mcg, 50 mcg, 75 mcg, 88 mcg, 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 300 mcg</i>	P	
<i>liothyronine sodium tabs or 5 mcg, 25 mcg, 50 mcg</i>	P	
SYNTHROID TABS (<i>Use levothyroxine sodium</i>)	P	
<i>thyroid tabs or 15 mg, 30 mg, 60 mg, 90 mg, 120 mg</i>	P	
TOXOIDS		
Toxoid Combinations		
ADACEL SUSP	P	QL(0.5 ml per fill retail); AL(At least 19 yrs old)
BOOSTRIX SUSP	P	QL(0.5 ml per fill retail); AL(At least 19 yrs old)
DIPHThERIA/TETANUS TOXOIDS ADSORBED PEDIATRIC SUSP	P	QL(0.5 ml per fill retail); AL(At least 19 yrs old)
INFANRIX SUSP	P	QL(0.5 ml per fill retail); AL(At least 19 yrs old)
TDVAX SUSP	P	Limit 1 per 10 years; QL(0.5 ml per fill retail); AL(At least 19 yrs old)

Drug Name	Drug Tier	Requirements/Limits
TENIVAC INJ	P	Limit 1 per 10 years; QL(0.5 ml per fill retail); AL(At least 19 yrs old)
TETANUS/DIPHThERIA TOXOIDS-ADSORBED ADULT SUSP	P	Limit 1 per 10 years; QL(0.5 ml per fill retail); AL(At least 19 yrs old)
ULCER DRUGS - Drugs to Treat Bowel, Intestine and Stomach Conditions		
Proton Pump Inhibitors		
omeprazole 20mg tablet	P	QL (1 ea daily); OTC
Antispasmodics		
dicyclomine hcl caps or 10 mg	P	
dicyclomine hcl soln or 10 mg/5ml	P	QL(496 ml per 30 days retail)
dicyclomine hcl tabs or 20 mg	P	
glycopyrrolate tabs or 1 mg, 2 mg	P	QL(4 ea daily)
hyoscyamine sulfate elix or 0.125 mg/5ml	P	
HYOSCYAMINE SULFATE POWD XX	P	
hyoscyamine sulfate soln ij 0.5 mg/ml	P	
hyoscyamine sulfate soln or 0.125 mg/ml	P	
hyoscyamine sulfate subl sl 0.125 mg	NP	
hyoscyamine sulfate subl sl 0.125 mg	P	
hyoscyamine sulfate tabs or 0.125 mg	NP	
hyoscyamine sulfate tabs or 0.125 mg	P	
hyoscyamine sulfate tb12 or 0.375 mg	P	QL(4 ea daily)
hyoscyamine sulfate tbdp or 0.125 mg	NP	

Drug Name	Drug Tier	Requirements/Limits
hyoscyamine sulfate tbdp or 0.125 mg	P	
LEVBIID TB12 (Use hyoscyamine sulfate)	NP	QL(4 ea daily)
LEVSIN SOLN (Use hyoscyamine sulfate)	NP	
SYMAX DUOTAB TBCR	P	
H-2 Antagonists		
cimetidine hcl soln	P	
cimetidine tabs or 200 mg	P	RX/OTC
cimetidine tabs or 300 mg, 400 mg, 800 mg	P	
famotidine susr or 40 mg/5ml	P	
famotidine tabs or 10 mg	P	OTC
famotidine tabs or 20 mg	P	RX/OTC
famotidine tabs or 40 mg	P	
PEPCID AC MAXIMUM STRENGTH TABS (Use famotidine)	NP	RX/OTC
PEPCID AC TABS (Use famotidine)	NP	OTC
PEPCID SUSR 40 MG/5ML (Use famotidine)	NP	
PEPCID TABS 20 MG (Use famotidine)	NP	RX/OTC
PEPCID TABS 40 MG (Use famotidine)	NP	
TAGAMET HB TABS (Use cimetidine)	NP	RX/OTC
Misc. Anti-Ulcer		
CARAFATE SUSP 1 GM/10ML (Use sucralfate)	NP	QL(420 ml per fill retail)
CARAFATE TABS 1 GM (Use sucralfate)	NP	
sucralfate susp or 1 gm/10ml	P	QL(420 ml per fill retail)
sucralfate tabs or 1 gm	P	
Proton Pump Inhibitors		

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
DEXILANT CPDR	P	ST
<i>lansoprazole cpdr or 15 mg</i>	P	QL(4 ea daily); RX/OTC
<i>lansoprazole cpdr or 30 mg</i>	P	
<i>omeprazole cpdr or 10 mg, 40 mg</i>	P	QL(2 ea daily)
<i>omeprazole cpdr or 20 mg</i>	P	QL(2 ea daily); RX/OTC
<i>omeprazole magnesium tbec 20 mg</i>	P	OTC;QL(1 ea daily)
<i>pantoprazole sodium tbec or 20 mg</i>	P	QL(1 ea daily)
<i>pantoprazole sodium tbec or 40 mg</i>	P	QL(2 ea daily)
PREVACID 24HR CPDR (Use <i>lansoprazole</i>)	NP	QL(4 ea daily); RX/OTC
PREVACID CPDR 15 MG (Use <i>lansoprazole</i>)	NP	QL(4 ea daily); RX/OTC
PREVACID CPDR 30 MG (Use <i>lansoprazole</i>)	NP	
PRILOSEC OTC TBEC (Use <i>omeprazole magnesium</i>)	NP	OTC;QL(1 ea daily)
PROTONIX TBEC OR 20 MG (Use <i>pantoprazole sodium</i>)	NP	QL(1 ea daily)
PROTONIX TBEC OR 40 MG (Use <i>pantoprazole sodium</i>)	NP	QL(2 ea daily)
Ulcer Drugs - Prostaglandins		
CYTOTEC TABS (Use <i>misoprostol</i>)	NP	
<i>misoprostol tabs or 100 mcg, 200 mcg</i>	P	
URINARY ANTI-INFECTIVES - Drugs to Treat Bladder/Kidney Infections		
Urinary Anti-infectives		
<i>nitrofurantoin monohyd macro caps</i>	P	
URINARY ANTISPASMODICS - Drugs to Treat Miscellaneous Bladder Spasms		
Urinary Antispasmodic - Antimuscarinics		

Drug Name	Drug Tier	Requirements/Limits
DETROL LA CP24 (Use <i>tolterodine tartrate</i>)	NP	QL(1 ea daily)
DETROL TABS (Use <i>tolterodine tartrate</i>)	NP	QL(2 ea daily)
DITROPAN XL TB24 (Use <i>oxybutynin chloride</i>)	NP	QL(2 ea daily)
<i>oxybutynin chloride syrps or 5 mg/5ml</i>	P	QL(496 ml per 30 days retail)
<i>oxybutynin chloride tabs or 5 mg</i>	P	QL(3 ea daily)
<i>oxybutynin chloride tb24 or 5 mg, 10 mg, 15 mg</i>	P	QL(2 ea daily)
<i>tolterodine tartrate cp24 2 mg, 4 mg</i>	P	QL(1 ea daily)
<i>tolterodine tartrate tabs 1 mg, 2 mg</i>	P	QL(2 ea daily)
<i>tropium chloride tabs 20 mg</i>	P	QL(2 ea daily)
Urinary Antispasmodics - Cholinergic Agonists		
<i>bethanechol chloride tabs or 5 mg, 10 mg, 25 mg, 50 mg</i>	P	
URECHOLINE TABS (Use <i>bethanechol chloride</i>)	NP	
Urinary Antispasmodics - Direct Muscle Relaxants		
<i>flavoxate hcl tabs</i>	P	
VACCINES		
Bacterial Vaccines		
BEXSERO SUSY	P	QL(0.5 ml per fill retail)2 rtl MAX fill,999 rtl day(s) supply,; AL(At least 19 yrs old)
MENACTRA INJ	P	QL(0.5 ml per fill retail)2 rtl MAX fill,999 rtl day(s) supply,; AL(At least 19 yrs old)

Drug Name	Drug Tier	Requirements/ Limits
MENQUADFI INJ	P	QL(0.5 ml per fill retail)2 rtl MAX fill,999 rtl day(s) supply,; AL(At least 19 yrs old)
MENVEO SOLR	P	QL(1 ea per fill retail)2 rtl MAX fill,999 rtl day(s) supply,; AL(At least 19 yrs old)
PNEUMOVAX 23 INJ	P	QL(0.5 ml per fill retail)2 rtl MAX fill,999 rtl day(s) supply,; AL(At least 19 yrs old)
PNEUMOVAX 23/1 DOSE INJ	P	QL(0.5 ml per fill retail)2 rtl MAX fill,999 rtl day(s) supply,; AL(At least 19 yrs old)
PREVNAR 13 SUSP	P	QL(0.5 ml per fill retail)2 rtl MAX fill,999 rtl day(s) supply,; AL(At least 19 yrs old)
TRUMENBA SUSY	P	QL(0.5 ml per fill retail)2 rtl MAX fill,999 rtl day(s) supply,; AL(At least 19 yrs old)
Viral Vaccines		
ENGERIX-B INJ IM 10 MCG/0.5ML	P	QL(0.5 ml per fill retail)3 rtl MAX fill,999 rtl day(s) supply,; AL(At least 19 yrs old)
ENGERIX-B INJ IM 20 MCG/ML	P	QL(1 ml per fill retail)3 rtl MAX fill,999 rtl day(s) supply,; AL(At least 19 yrs old)

Drug Name	Drug Tier	Requirements/ Limits
ENGERIX-B SUSP IJ 10 MCG/0.5ML	P	QL(0.5 ml per fill retail)3 rtl MAX fill,999 rtl day(s) supply,; AL(At least 19 yrs old)
ENGERIX-B SUSP IJ 20 MCG/ML	P	QL(1 ml per fill retail)3 rtl MAX fill,999 rtl day(s) supply,; AL(At least 19 yrs old)
FLUAD QUADRIVALENT INFLUENZA VACCINE FOR ADULTS PRSY	P	QL(0.5 ml per fill retail); AL(At least 65 yrs old)
FLUZONE HIGH-DOSE PF 2020-2021 SUSY	P	QL(0.7 ml per fill retail); AL(At least 65 yrs old)
GARDASIL 9 SUSP	P	QL(0.5 ml per fill retail)3 rtl MAX fill,999 rtl day(s) supply,; AL(At least 19 yrs old)
GARDASIL 9 SUSY	P	QL(0.5 ml per fill retail)3 rtl MAX fill,999 rtl day(s) supply,; AL(At least 19 yrs old)
HAVRIX SUSP 1440 ELU/ML	P	QL(1 ml per fill retail)2 rtl MAX fill,999 rtl day(s) supply,; AL(At least 19 yrs old)
HAVRIX SUSP 720 ELU/0.5ML	P	QL(0.5 ml per fill retail)2 rtl MAX fill,999 rtl day(s) supply,; AL(At least 19 yrs old)
INFLUENZA VACCINE	P	AL; At least 13 years old; QL (1 ea per 180 days retail)

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
M-M-R II SOLR	P	QL(1 ea per fill retail)2 rtl MAX fill,999 rtl day(s) supply,; AL(At least 19 yrs old)
RECOMBIVAX HB SUSP 10 MCG/ML, 40 MCG/ML	P	QL(1 ml per fill retail)3 rtl MAX fill,999 rtl day(s) supply,; AL(At least 19 yrs old)
RECOMBIVAX HB SUSP 5 MCG/0.5ML	P	QL(0.5 ml per fill retail)3 rtl MAX fill,999 rtl day(s) supply,; AL(At least 19 yrs old)
VAQTA SUSP 25 UNIT/0.5ML	P	QL(0.5 ml per fill retail)2 rtl MAX fill,999 rtl day(s) supply,; AL(At least 19 yrs old)
VAQTA SUSP 50 UNIT/ML	P	QL(1 ml per fill retail)2 rtl MAX fill,999 rtl day(s) supply,; AL(At least 19 yrs old)
VARIVAX INJ	P	QL(0.5 ea per fill retail)2 rtl MAX fill,999 rtl day(s) supply,; AL(At least 19 yrs old)
ZOSTAVAX SUSR	P	QL(1 ea per fill retail)1 rtl MAX fill,999 rtl day(s) supply,; AL(At least 50 yrs old)
VAGINAL AND RELATED PRODUCTS		
Vaginal Anti-infectives		
CLEOCIN CREA VA 2 % (Use clindamycin phosphate vaginal)	NP	

Drug Name	Drug Tier	Requirements/Limits
<i>clindamycin phosphate vaginal crea</i>	P	
<i>clotrimazole vaginal crea 1 %</i>	P	OTC;QL(45 gm per 30 days retail)
<i>clotrimazole vaginal crea 2 %</i>	P	OTC;QL(31 gm per 30 days retail)
GYNAZOLE-1 CREA	P	
GYNE-LOTRIMIN 3 CREA (Use clotrimazole vaginal)	NP	OTC;QL(31 gm per 30 days retail)
GYNE-LOTRIMIN CREA (Use clotrimazole vaginal)	NP	OTC;QL(45 gm per 30 days retail)
METROGEL-VAGINAL GEL (Use metronidazole vaginal)	NP	QL(70 gm per fill retail)
<i>metronidazole vaginal gel</i>	P	QL(70 gm per fill retail)
<i>miconazole nitrate vaginal crea 2 %, 4 %</i>	P	OTC;QL(45 gm per 30 days retail)
<i>miconazole nitrate vaginal kit</i>	P	
<i>miconazole nitrate vaginal supp 100 mg</i>	P	OTC;QL(7 ea per 30 days retail)
<i>miconazole nitrate vaginal supp 200 mg</i>	P	QL(3 ea per 30 days retail)
MONISTAT 3 COMBINATION PACK KIT (Use miconazole nitrate vaginal)	NP	
MONISTAT 3 CREA (Use miconazole nitrate vaginal)	NP	OTC;QL(45 gm per 30 days retail)
MONISTAT 7 SIMPLY CURE CREA (Use miconazole nitrate vaginal)	NP	OTC;QL(45 gm per 30 days retail)
<i>terconazole vaginal crea</i>	P	
<i>terconazole vaginal supp</i>	P	
<i>tioconazole vaginal oint</i>	P	OTC

Georgia Medicaid Updated November 1, 2020
P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
Vaginal Estrogens		
ESTRACE CREA VA 0.1 MG/GM (Use estradiol vaginal)	NP	QL(43 gm per 30 days retail)
estradiol vaginal crea 0.1 mg/gm	P	QL(43 gm per 30 days retail)
estradiol vaginal tabs 10 mcg	P	
PREMARIN CREA VA 0.625 MG/GM	P	QL(43 gm per fill retail)
VAGIFEM TABS (Use estradiol vaginal)	NP	
VASOPRESSORS - Drugs to Treat Heart and Circulation Conditions		
Anaphylaxis Therapy Agents		
AUVI-Q SOAJ 0.15 MG/0.15ML, 0.3 MG/0.3ML	NP	
epinephrine (anaphylaxis) soaj 0.15 mg/0.15ml	P	QL(2 ea per fill retail, 4 ea per 365 days retail)
epinephrine (anaphylaxis) soaj 0.15 mg/0.3ml, 0.3 mg/0.3ml	NP	
epinephrine (anaphylaxis) soaj 0.15 mg/0.3ml, 0.3 mg/0.3ml	P	QL(2 ea per fill retail) 4 rtl MAX fill, 365 rtl day(s) supply,
EPIPEN 2-PAK SOAJ (Use epinephrine (anaphylaxis))	NP	
EPIPEN-JR 2-PAK SOAJ (Use epinephrine (anaphylaxis))	NP	
Vasopressors		
midodrine hcl tabs	P	
VITAMINS		
Oil Soluble Vitamins		
BABY DDROPS LIQD (Use cholecalciferol)	NP	Age limit = less than 6 months
cholecalciferol caps or 1.25 mg, 50000 unit	P	OTC;QL(8 ea per 30 days retail)
cholecalciferol caps or 125 mcg, 5000 unit	P	OTC;QL(2 ea daily)

Drug Name	Drug Tier	Requirements/Limits
cholecalciferol caps or 25 mcg, 50 mcg, 1000 unit, 2000 unit	P	OTC;QL(100 ea per fill retail)
cholecalciferol liqd or 400 unit/ml	P	
cholecalciferol liqd or 400 ut/0.028ml	P	Age limit = less than 6 months
cholecalciferol liqd or 5000 unit/ml	P	Age limit = 6 months to 1 year
D-VI-SOL LIQD (Use cholecalciferol)	NP	
DRISDOL CAPS (Use ergocalciferol)	NP	
ergocalciferol caps	P	
ergocalciferol soln	P	
KEY-E CHEW OR	P	OTC;QL(2 ea daily)
MEPHYTON TABS (Use phytonadione)	NP	
phytonadione tabs or	P	
vitamin e caps or 45 mg, 100 unit, 200 unit, 400 unit	P	OTC;QL(2 ea daily)
VITAMIN E CHEW OR 400 UNIT	P	OTC;QL(2 ea daily)
Water Soluble Vitamins		
ascorbic acid tabs or 250 mg, 500 mg, 1000 mg, 10 mg-500 mg, 37 mg-500 mg, 1000 mg-37 mg, 14 mg-25 mg-500 mg, 25 mg-35 mg-500 mg	P	OTC;QL(100 ea per 30 days retail)
B-1 TABS	P	OTC;QL(100 ea per 30 days retail)
niacin cpcr	P	OTC
niacin tabs	P	OTC
niacin tbcr	P	OTC
NIACIN TR TBCR	P	OTC
pyridoxine hcl tabs	P	OTC

Georgia Medicaid

Updated November 1, 2020

P-Preferred drug, NP-Non-Preferred drug, QL-Quantity limit, RX/OTC-both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
<i>riboflavin tabs or 25 mg, 50 mg, 100 mg</i>	P	OTC;QL(100 ea per 30 days retail)
SLO-NIACIN TBCR (<i>Use niacin</i>)	NP	OTC
<i>thiamine hcl tabs</i>	P	OTC;QL(100 ea per 30 days retail)
<i>thiamine mononitrate tabs</i>	P	OTC;QL(100 ea per 30 days retail)

Index

abacavir sulfate.....	30,31	ALBUTEROL SULFATE... 11	amphetamine- dextroamphetamine.....	1	
abacavir sulfate-lamivudine .	31	albuterol sulfate.....	11	ampicillin.....	71
abacavir sulfate-lamivudine- zidovudine	31	ALCOHOL PREP PADS... 59	ANAFRANIL.....	17	
ABILIFY.....	30	ALCOHOL PREP PADS- MISC.....	59	ANALPRAM-HC.....	7
ABSORICA.....	42	ALDACTAZIDE.....	50	ANAPROX DS.....	3
ACCU-CHEK GUIDE.....	49	ALDACTONE.....	51	anastrozole.....	28
ACCUPRIL.....	24	ALDARA.....	46	ANDEXXA.....	21
ACCURETIC.....	25	alendronate sodium.....	51	ANDRODERM.....	7
acebutolol hcl.....	34	ALER-DRYL.....	22	ANTABUSE.....	72
acetaminophen.....	4	ALEVE.....	3	ANUSOL-HC.....	7
acetaminophen w/ codeine... 6		ALEVE ARTHRITIS.....	3	apraclonidine hcl.....	68
acetazolamide.....	50	ALKERAN.....	27	APRISO.....	53
acetic acid (otic).....	70	ALLEGRA ALLERGY.....	22	APTIVUS.....	31
acetylcysteine.....	42	allopurinol.....	54	AQUORAL.....	64
ACNE MEDICATION 10.....	42	ALOCRI.....	70	ARAVA.....	4
ACNE MEDICATION 5.....	42	alogliptin benzoate.....	19	ARICEPT.....	72
ACTIGALL.....	53	alogliptin-metformin hcl... 17		ARIMIDEX.....	28
ACTIVEVILLA.....	52	alogliptin-pioglitazone.....	17	aripiprazole.....	30
ACTONEL.....	51	ALOMIDE.....	70	ARMOUR THYROID.....	74
ACTOPLUS MET.....	17	ALORA.....	52	AROMASIN.....	28
ACTOS.....	19	alprazolam.....	9	ARTHRITIS PAIN RELIEVING.....	47
ACULAR.....	70	ALTACE.....	24	ASACOL HD.....	53
ACULAR LS.....	70	alum & mag hydrox- simethicone.....	7,8	ascorbic acid.....	79
acyclovir.....	33	ALUMINUM HYDROXIDE.. 8		aspirin.....	5
acyclovir topical.....	45	amantadine hcl.....	28	ASPIRIN.....	5
ADACEL.....	74	AMARYL.....	20	aspirin.....	5
ADALAT CC.....	35	AMBIEN.....	56	aspirin buffered (cal carb-mag carb-mag oxide).....	4
ADDERALL.....	1	AMERGE.....	60	ASSURE LANCÉ SAFETY LANCET 28G.....	58
ADDERALL XR.....	1	AMICAR.....	55	ASSURE PLATINUM TEST STRIPS.....	49
ADMELOG.....	19	amiloride & hydrochlorothiazide.....	50	ATACAND.....	24
ADMELOG SOLOSTAR.....	19	amiloride hcl.....	51	ATACAND HCT.....	25
ADRENALIN.....	66	aminocaproic acid.....	55	atazanavir sulfate.....	31
ADVAIR DISKUS.....	11	amiodarone hcl.....	10	ATELVIA.....	51
ADVANCED MOBILE LANCET 30G.....	58	amitriptyline hcl.....	17	atenolol.....	34
ADVIL.....	3	amlodipine besylate.....	35	atenolol & chlorthalidone... 25	
ADVIL COLD & SINUS.....	39	amlodipine besylate-benazepril hcl.....	25	ATIVAN.....	9
AGAMATRIX CONTROL SOLUTION LEVEL 2.....	58	amlodipine besylate-olmesartan medoxomil.....	25	atomoxetine hcl.....	1
AGAMATRIX CONTROL SOLUTION LEVEL 4.....	58	amlodipine besylate- valsartan.....	25	atorvastatin calcium.....	24
AGAMATRIX PRESTO TEST STRIPS.....	49	amlodipine-valsartan- hydrochlorothiazide.....	25	ATRIPLA.....	31
AIMSCO TWIST LANCETS 32G.....	58	amoxapine.....	17	ATROPINE SULFATE.....	68
AIMSCO TWIST LANCETS 33G.....	58	amoxicillin.....	71	ATROVENT HFA.....	10
albuterol sulfate.....	11	amoxicillin & pot clavulanate.....	71	AUGMENTIN.....	71
				AUGMENTIN ES-600.....	71

AUGMENTIN XR.....	71	benzoyl peroxide.....	42	buprenorphine hcl.....	7
AUVI-Q.....	79	BENZOYL PEROXIDE		buprenorphine hcl-naloxone hcl	
AVALIDE.....	25	CLEANSER.....	42	dihydrate.....	7
AVAPRO.....	24	benztropine mesylate.....	28	bupropion hcl.....	15
AVONEX.....	73	BETAGAN.....	68	bupropion hcl (smoking	
AVONEX PEN.....	73	betamethasone dipropionate		deterrent).....	73
AYGESTIN.....	72	(topical).....	45	buspirone hcl.....	9
AZASAN.....	63	betamethasone dipropionate		butalbital-acetaminophen.....	4
azathioprine.....	63	augmented.....	45	butalbital-acetaminophen-	
azelastine hcl.....	66	betamethasone valerate...	45	caffeine.....	4
azelastine hcl (ophth).....	70	BETAPACE.....	34	butalbital-acetaminophen-	
azithromycin.....	57	BETAPACE AF.....	34	caffeine w/ codeine.....	6
AZOPT.....	70	betaxolol hcl (ophth).....	68	butalbital-aspirin-caffeine.....	4
AZOR.....	25	bethanechol chloride.....	76	butalbital-aspirin-caffeine	
AZULFIDINE.....	53	BEVYXXA.....	12	w/cod.....	6
AZULFIDINE EN-TABS.....	53	BEXSERO.....	76	BYDUREON.....	19
b complex w/ c.....	65	bicalutamide.....	28	BYDUREON BCISE.....	19
B-1.....	79	BIKTARVY.....	31	BYDUREON PEN.....	19
b-complex vitamins.....	64,65	BIOSEC DMX.....	39	BYETTA.....	19
b-complex w/ c & folic acid...	65	BIOTENE DRY MOUTH		CAFERGOT.....	60
BABY DDROPS.....	79	MOISTURIZING SPRAY...	64	caffeine citrate.....	1
BACIGUENT.....	43	bisacodyl.....	57	CAFFEINE CITRATED.....	1
bacitracin (ophthalmic).....	68	bisacodyl-peg 3350-pot		CALAN.....	35
bacitracin (topical).....	43	chloride-sod bicarb-sod		CALAN SR.....	35
bacitracin zinc.....	43	chloride.....	56	calcipotriene.....	44
bacitracin-polymyxin b		bismuth subsalicylate.....	21	calcitonin (salmon).....	51
(ophth).....	68	bisoprolol &		calcitriol.....	52
baclofen.....	66	hydrochlorothiazide.....	25	calcium acetate (phosphate	
BACTRIM.....	8	bisoprolol fumarate.....	34	binder).....	53
BACTRIM DS.....	8	BLEPH-10.....	68	calcium carbonate (antacid)...	8
BACTROBAN.....	43	BLEPHAMIDE.....	69	calcium carbonate-	
balsalazide disodium.....	53	BLEPHAMIDE S.O.P.....	69	cholecalciferol.....	61
BAQSIMI ONE PACK.....	18	BLOOD GLUCOSE TEST		calcium carbonate-vitamin d...	61
BAQSIMI TWO PACK.....	18	STRIPS.....	49	calcium polycarbophil.....	56
BASAGLAR KWIKPEN.....	19	BOOSTRIX.....	74	CALTRATE 600+D3.....	61
BD GLUCOSE.....	18	BRILINTA.....	54	camphor & menthol.....	44
BELBUCA.....	7	brimonidine tartrate.....	68	candesartan cilexetil.....	25
BENADRYL ALLERGY.....	22	bromocriptine mesylate...	28	candesartan cilexetil-	
BENADRYL ALLERGY		brompheniramine &		hydrochlorothiazide.....	25
CHILDRENS.....	22	phenyleph.....	39	CAPHOSOL.....	64
benazepril &		brompheniramine &		capsaicin.....	47
hydrochlorothiazide.....	25	pseudoeph.....	39	captopril.....	24
benazepril hcl.....	24	BROTAPP DM.....	39	captopril &	
BENICAR.....	25	budesonide (inhalation)...	10	hydrochlorothiazide.....	25,26
BENICAR HCT.....	25	budesonide-formoterol		CAPZASIN-HP.....	47
BENZAC AC WASH.....	42	fumarate dihydrate.....	11	CAPZASIN-P.....	47
benzonatate.....	38	BUFFERIN.....	5	CARAC.....	44
		bumetanide.....	51	CARAFATE.....	75
		BUMEX.....	51	carbamazepine.....	13
		BUNAVAIL.....	7	carbamide peroxide (otic)...	70
		BUPRENEX.....	7		

carbidopa.....	28	CHERACOL PLUS.....	39	clindamycin palmitate hydrochloride.....	9
carbidopa-levodopa.....	28	CHERACOL-D COUGH... 39		clindamycin phosphate (topical).....	42
CARDIZEM.....	35	CHILDRENS ADVIL.....	3	clindamycin phosphate vaginal.....	78
CARDIZEM CD.....	35	CHILDRENS MOTRIN.....	3	clobetasol propionate.....	45
CARDURA.....	25	CHLOR-TRIMETON.....	22	clobetasol propionate emollient base.....	45
CARESENS LANCETS.....	58	chlordiazepoxide hcl.....	9	clomipramine hcl.....	17
CARETOUCH ALCOHOL PREP PADS.....	59	chlorhexidine gluconate... 30		clonazepam.....	12
CARETOUCH BLOOD GLUCOSE TEST STRIPS... 49		chlorhexidine gluconate (mouth-throat).....	63	clonidine hcl.....	25
CARETOUCH CONTROL SOLUTION LEVEL 2.....	58	chloroquine phosphate... 27		clonidine hcl (adhd).....	1
CARETOUCH SAFETY LANCETS/26G.....	58	chlorothiazide.....	51	clopidogrel bisulfate.....	54
CARETOUCH SAFETY LANCETS/28G.....	58	chlorpheniramine maleate. 22		clorazepate dipotassium.....	9
CARETOUCH SAFETY LANCETS/30G.....	58	chlorpromazine hcl.....	30	clotrimazole (topical).....	43
CARETOUCH TWIST LANCETS 33G.....	58	chlorthalidone.....	51	clotrimazole vaginal.....	78
CARNITOR.....	52	chlorzoxazone.....	66	clotrimazole w/ betamethasone.....	43
CARNITOR SF.....	52	CHOLBAM.....	53	clozapine.....	29
carteolol hcl (ophth).....	68	cholecalciferol.....	79	CLOZARIL.....	29
carvedilol.....	34	cholestyramine.....	23	coal tar extract.....	49
carvedilol phosphate.....	34	cholestyramine light.....	23	COARTEM.....	27
CASODEX.....	28	cilostazol.....	54	CODEINE SULFATE.....	5
CASTIVA WARMING.....	47	CILOXAN.....	68	codeine sulfate.....	5
CATAPRES.....	25	CIMDUO.....	31	COLACE.....	57
cefaclor.....	36	cimetidine.....	75	COLACE CLEAR.....	57
cefadroxil.....	36	cimetidine hcl.....	75	COLAZAL.....	53
cefdinir.....	36	CIPRO.....	53	colchicine.....	54
cefprozil.....	36	CIPRODEX.....	70	colchicine w/ probenecid... 54	
ceftriaxone sodium.....	36	ciprofloxacin hcl.....	53	COLCRYS.....	54
cefuroxime axetil.....	36	ciprofloxacin hcl (ophth)... 68		COLD & FLU RELIEF NIGHTTIME D.....	39
CELEXA.....	15	ciprofloxacin-dexamethasone	70	COLEMAN 100 MAX INSECT REPELLENT/CONTINUOUS SPRAY.....	47
CELLCEPT.....	63	citalopram hydrobromide.....	15,16	COLEMAN INSECT REPELLENT/HIGH & DRY... 47	
CENTANY.....	43	clarithromycin.....	58	COLEMAN INSECT REPELLENT/SPORTSMEN 47	
cephalexin.....	36	CLARITIN.....	23	COLESTID.....	23
CERALYTE 70.....	61	CLARITIN ALLERGY.....	22	COLESTID FLAVORED.....	23
CERASPORT.....	61	CHILDRENS.....	22	colestipol hcl.....	23
CERASPORT EX1.....	61	CLARITIN REDITABS.....	23	COLYTE-FLAVOR PACKS... 56	
cetirizine hcl.....	22	CLARITIN-D 12 HOUR... 39		COMBIPATCH.....	52
cetirizine-pseudoephedrine 39		CLARITIN-D 24 HOUR... 39		COMBIVENT RESPIMAT... 11	
CHANTIX.....	73	CLEAR COUGH PM MULTI- SYMPTOM.....	39	COMBIVIR.....	31
CHANTIX CONTINUING MONTHPAK.....	73	clemastine fumarate.....	22	COMPLERA.....	31
CHANTIX STARTING MONTH PAK.....	73	CLEOCIN.....	8,78	CONCERTA.....	1
CHEMET.....	21	CLEOCIN PEDIATRIC GRANULES.....	9	CONDOMS-MISC.....	58
CHEMSTRIP-K.....	49	CLEOCIN-T.....	42		
		CLIMARA.....	52		
		CLINDAGEL.....	42		
		clindamycin hcl.....	9		

CONTOUR NEXT BLOOD				
GLUCOSE TEST	49	cyclosporine modified (for	desoximetasone	45
COPAXONE	73	microemulsion)	desvenlafaxine succinate	17
CORDARONE	10	CYMBALTA	DETROL	76
COREG	34	cyproheptadine hcl	DETROL LA	76
COREG CR	34	CYTOMEL	DEX4	18
CORGARD	34	CYTOTEC	DEX4 FAST ACTING	
CORTANE-B-OTIC	70	D-VI-SOL	GLUCOSE	18
CORTEF	38	D.H.E. 45	DEX4 NATURALS	18
CORTENEMA	7	dapsone	DEX4 POUCH PACK	18
cortisone acetate	38	DAY TIME MULTI-SYMP TOM	DEX4 QUICK DISSOLVE	
COSENTYX	44	COLD/FLU RELIEF	GLUCOSE	18
COSENTYX SENSOREADY		DDAVP	dexamethasone	38
PEN	44	DEBROX	DEXAMETHASONE SODIUM	
COSOPT	68	deferasirox	PHOSPHATE	38
COTELLIC	28	DELSTRIGO	dexamethasone sodium	
COUMADIN	12	DELSYM	phosphate	38
COZAAR	25	DELSYM COUGH	dexamethasone sodium	
CREON	50	CHILDRENS	phosphate (ophth)	69
CRESTOR	24	DELZICOL	DEXEDRINE	1
CRIXIVAN	31	DEMADEX	DEXILANT	76
cromolyn sodium	10	DEPAKENE	dexmethylphenidate hcl	1
CROMOLYN SODIUM	10	DEPAKOTE	dextroamphetamine sulfate	1
cromolyn sodium (nasal)	66	DEPAKOTE ER	dextromethorphan hbr	38
cromolyn sodium (ophth)	70	DEPAKOTE SPRINKLES	dextromethorphan polistirex	38
crotamiton	48	DEPEN TITRATABS	dextromethorphan-doxylamine-	
CRYSVITA	52	DEPO-PROVERA	acetaminophen	39
CUTTER	47	CONTRACEPTIVE	dextromethorphan-guaifenesin	
CUTTER ALL FAMILY	47	DEPO-SUBQ PROVERA		39,40
CUTTER BACKWOODS	47	104	dextromethorphan-	
CUTTER BACKWOODS		DEPO-TESTOSTERONE	phenylephrine-acetaminophen	
DRY	47	DERMA-SMOOTH/FS		40
CUTTER DRY	47	SCALP	DHS TAR	49
CUTTER SKINSATIONS	48	DERMAREST PSORIASIS	DHS TAR GEL	49
CUTTER SPORT	48	DERMOTIC	DIABETIC TUSSIN	
CVS DRY MOUTH SPRAY	64	DESCOVY	COLD/FLU	40
CVS GLUCOSE	18	desipramine hcl	DIACOMIT	13
CVS GLUCOSE METER TEST		desmopressin acetate	DIASTAT ACUDIAL	12
STRIPS	49	desmopressin acetate	DIASTAT PEDIATRIC	12
CVS INSECT REPELLENT	48	spray	DIATHRIVE+ BLOOD	
CVS SOFT GLUCOSE	18	desmopressin acetate spray	GLUCOSETEST STRIPS	49
CVS TOTAL HOME INSECT		refrigerated	diazepam	10
REPELLENT	48	desogestrel & ethinyl	diazepam (anticonvulsant)	12
cyanocobalamin	54	estradiol	dibucaine	47
cyclobenzaprine hcl	66	desogestrel-ethinyl estradiol	diclofenac potassium	3
CYCLOGYL	68	(biphasic)	diclofenac sodium	3
cyclopentolate hcl	68	desogestrel-ethinyl estradiol	diclofenac sodium (ophth)	70
cyclosporine	63	(triphasic)	diclofenac sodium (topical)	43
		desonide	dicloxacillin sodium	72
		DESOWEN	dicyclomine hcl	75
		desoximetasone	didanosine	31
		DESOXIMETASONE	DIFLUCAN	22

diflunisal.....	5	drospirenone-ethinyl		emtricitabine.....	31
digoxin.....	36	estradiol.....	36	emtricitabine-tenofovir disoproxil	
dihydroergotamine mesylate.....	60	DROXIA.....	54	fumarate.....	31
DILANTIN.....	14	DRUG MART UNILET MICRO		EMTRIVA.....	31
DILANTIN INFATABS.....	14	THIN LANCETS 33G.....	58	EMVERM.....	8
DILANTIN-125.....	14	DRYSOL.....	48	enalapril maleate.....	24
DILAUDID.....	5	DULCOLAX.....	57	enalapril maleate &	
diltiazem hcl.....	35	duloxetine hcl.....	17	hydrochlorothiazide.....	26
diltiazem hcl coated beads.....	35	DURAGESIC.....	5	ENBREL.....	4
diltiazem hcl extended release		DUTOPROL.....	26	ENBREL SURECLICK.....	4
beads.....	35	DYAZIDE.....	51	ENFAMIL ENFALYTE.....	61
dimenhydrinate.....	21	E.E.S. GRANULES.....	58	ENGERIX-B.....	77
DIMETAPP COLD &		EASY COMFORT ALCOHOL		enoxaparin sodium.....	12
ALLERGY.....	40	PADS.....	59	EPIFOAM.....	45
DIMETAPP LONG ACTING		EASY TRAK II CONTROL		epinephrine (anaphylaxis).....	79
COUGH PLUS COLD.....	40	SOLUTION/NORMAL.....	58	epinephrine hcl (nasal).....	66
dimethyl fumarate.....	73	EASYMAX 15 GLUCOSE		EPIPEN 2-PAK.....	79
DIOVAN.....	25	CONTROL SOLUTION/LEVEL		EPIPEN-JR 2-PAK.....	79
DIOVAN HCT.....	26	2/LEVEL 3.....	58	EPIVIR.....	31
diphenhydramine hcl.....	22	EASYMAX GLUCOSE		EPZICOM.....	31
diphenhydramine hcl (sleep).....	55	CONTROL		EQ BLOOD GLUCOSE TEST	
diphenoxylate w/ atropine.....	21	SOLUTION/NORMAL-HIGH		STRIPS.....	50
DIPHTHERIA/TETANUS		58	EQL DRY MOUTH ORAL	
TOXOIDS ADSORBED		econazole nitrate.....	43	RINSE.....	64
PEDIATRIC.....	74	ECOTRIN MAXIMUM		EQUALYTE.....	61
DIPROLENE AF.....	45	STRENGTH.....	5	ergocalciferol.....	79
dipyridamole.....	54	ECOTRIN REGULAR		ergotamine w/ caffeine.....	60
disopyramide phosphate.....	10	STRENGTH.....	5	ERYGEL.....	42
disulfiram.....	72	ED BRON GP.....	40	ERYPED 200.....	58
DITROPAN XL.....	76	EDURANT.....	31	ERYPED 400.....	58
divalproex sodium.....	15	efavirenz.....	31	erythromycin (acne aid).....	42
docusate sodium.....	57	efavirenz-emtricitabine-		erythromycin (ophth).....	68
dofetilide.....	10	tenofovir disoproxil		erythromycin base.....	58
DOLOPHINE.....	5	fumarate.....	31	erythromycin ethylsuccinate.....	58
donepezil hydrochloride.....	72	efavirenz-lamivudine-tenofovir		erythromycin stearate.....	58
dorzolamide hcl.....	70	disoproxil fumarate.....	31	escitalopram oxalate.....	16
DORZOLAMIDE HCL.....	70	EFFEXOR XR.....	17	ESGIC.....	4
dorzolamide hcl-timolol		EFFIENT.....	54	ESTRACE.....	52,79
maleate.....	68	EFUDEX.....	44	estradiol.....	52
DOVATO.....	31	eletriptan hydrobromide.....	60	estradiol & norethindrone	
DOVONEX.....	44	ELIDEL.....	46	acetate.....	52
doxazosin mesylate.....	25	ELIMITE.....	48	estradiol vaginal.....	79
doxepin hcl.....	17	ELIQUIS.....	12	ESTROSTEP FE.....	36
doxycycline (monohydrate).....	74	ELIQUIS STARTER PACK.....	12	ethambutol hcl.....	27
doxycycline hyclate.....	74	ELIXOPHYLLIN.....	11	ethosuximide.....	14
doxylamine succinate		ELLA.....	37	ethynodiol diacet & eth	
(sleep).....	55	ELMIRON.....	54	estrad.....	36
DRAMAMINE.....	21	ELOCON.....	45	etidronate disodium.....	51
DRISDOL.....	79	EMBRACE TALK BLOOD		etodolac.....	3
		GLUCOSE TEST STRIPS.....	49		
		EMOLLIENT LOTION-			
		MISC.....	46		

etonogestrel-ethinyl estradiol	37	FLEET ENEMA SIX PACK	57	fosinopril sodium & hydrochlorothiazide	26
EURAX	48	FLEET PEDIATRIC	57	FURADANTIN	9
EVAC	56	FLOMAX	54	furosemide	51
EVENCARE PROVIEW BLOOD GLUCOSE TEST STRIPS	50	FLONASE ALLERGY RELIEF	66	gabapentin	13
EVISTA	52	FLONASE ALLERGY RELIEF CHILDRENS	66	GABITRIL	14
EXELON	72	FLOVENT DISKUS	10	galantamine hydrobromide	72
exemestane	28	FLOVENT HFA	11	GARDASIL 9	77
EXFORGE	26	FLOXIN OTIC	70	GAS-X	53
EXFORGE HCT	26	FLUAD QUADRIVALENT INFLUENZA VACCINE FOR ADULTS	77	GAUZE SPONGES	58
ezetimibe	24	fluconazole	22	gemfibrozil	23
ezetimibe-simvastatin	23	fludrocortisone acetate	38	GENERESS FE	36
famciclovir	33	flunisolide (nasal)	66	gentamicin sulfate (ophth)	68
famotidine	75	fluocinolone acetonide	45	gentamicin sulfate (topical)	43
FARESTON	28	fluocinolone acetonide (otic)	71	GENVOYA	31
felbamate	14	fluocinonide	45	GEODON	29
FELBATOL	14	fluocinonide emulsified base	45	GILENYA	73
FELDENE	3	fluorometholone (ophth)	69	ginger (zingiber officinalis)	2
felodipine	35	fluorouracil (topical)	44	glatiramer acetate	73
FEMARA	28	fluoxetine hcl	16	glimepiride	20
FEMHRT LOW DOSE	52	fluoxetine hcl (pmdd)	73	glipizide	20
FENOFIBRATE	23	fluphenazine decanoate	30	glipizide-metformin hcl	17
fenofibrate	23	fluphenazine hcl	30	GLUCAGEN HYPOKIT	18
fenofibrate micronized	23	flurazepam hcl	56	GLUCAGON EMERGENCY KIT	18
fenoprofen calcium	3	FLURBIPROFEN	3	GLUCOPHAGE	18
fentanyl	5	flurbiprofen	3	GLUCOPHAGE XR	18
FER-IN-SOL	55	flurbiprofen sodium	70	GLUCOSE	18
FERRETTIS	55	flutamide	28	GLUCOSE INSTANT ENERGY	18
ferrous fumarate	55	fluticasone propionate	45	GLUCOTROL	20
ferrous fumarate-fa-b complex-c-zn-mg-mn-cu	55	fluticasone propionate (nasal)	66	GLUCOTROL XL	20
FERROUS GLUCONATE	55	fluticasone-salmeterol	11	glyburide	20
ferrous sulfate	55	fluvoxamine maleate	16	glyburide micronized	20
FERROUS SULFATE	55	FLUZONE HIGH-DOSE PF 2020-2021	77	glyburide-metformin	17
ferrous sulfate	55	FML	69	glycerin (laxative)	57
FEVERALL JUNIOR STRENGTH	4	FML LIQUIFILM	69	GLYCERIN ADULT	57
fexofenadine hcl	23	FOCALIN	2	glycopyrrolate	75
FIBERCON	56	folic acid	54,55	GLYNASE	20
finasteride	54	FORA GTEL BLOOD KETONE TEST STRIPS	50	GNP GLUCOSE	18
FIORINAL	4	formaldehyde	30	GNP QUICK DISSOLVE GLUCOSE	18
FIORINAL/CODEINE #3	6	FOSAMAX	51	GOJJI BLOOD GLUCOSE TESTSTRIPS	50
FIRVANQ	8	fosamprenavir calcium	31	GOJJI BLOOD GLUCOSE TESTSTRIPS/GOJJI STERILE LANCETS 30G	50
FLAGYL	8	fosinopril sodium	24	GOJJI BLOOD KETONE TEST STRIPS	50
flavoxate hcl	76				
flecainide acetate	10				
FLEET ENEMA	57				

GOJJI CONTROL SOLUTION			
NORMAL	58		
GOJJI STERILE LANCETS			
30G	58		
GOLYTELY	56		
GOODSENSE GLUCOSE	18		
GOODSENSE LANCETS			
MICRO-THIN 33G			
UNIVERSAL	58		
GOODSENSE LANCETS			
ULTRA-THIN 26G			
UNIVERSAL	59		
griseofulvin microsize	22		
griseofulvin ultramicrosize	22		
guaifenesin	41,42		
guaifenesin-codeine	40		
guanfacine hcl	25		
guanfacine hcl (adhd)	1		
GVOKE PFS	18		
GYNAZOLE-1	78		
GYNE-LOTRIMIN	78		
GYNE-LOTRIMIN 3	78		
HALCION	56		
HALDOL DECANOATE 100	29		
HALDOL DECANOATE 50	29		
haloperidol	29		
haloperidol decanoate	29		
haloperidol lactate	29		
HARMONY BLOOD GLUCOSE			
TEST STRIPS	50		
HAVRIX	77		
HEMOCYTE	55		
heparin sodium (porcine)	12		
HIBICLENS	30		
HM GLUCOSE	18		
HM STERILE ALCOHOL PREP			
PADS	59		
homatropine hbr	68		
HUMALOG MIX 50/50	19		
HUMALOG MIX 50/50			
KWIKPEN	19		
HUMALOG MIX 75/25	19		
HUMALOG MIX 75/25			
KWIKPEN	19		
HUMIRA	2		
HUMIRA PEDIATRIC CROHNS			
DISEASE STARTER PACK	2		
HUMIRA PEN	2		
HUMIRA PEN-CD/UC/HS			
STARTER	2		
HUMIRA PEN-PS/UV			
STARTER	2		
HUMULIN 70/30	19		
HUMULIN 70/30			
KWIKPEN	19		
HUMULIN N	20		
HUMULIN N KWIKPEN	20		
HUMULIN R	20		
HY-VEE GLUCOSE	18		
hydralazine hcl	27		
HYDRALYTE	62		
HYDRALYTE FREEZER			
POPS	61		
HYDREA	28		
HYDRO-LAN	48		
hydrochlorothiazide	51		
hydrocodone w/			
homatropine	39		
hydrocodone-			
acetaminophen	6		
hydrocortisone	38		
hydrocortisone (intrarectal)	7		
hydrocortisone (rectal)	7		
hydrocortisone (topical)	46		
hydrocortisone butyrate	46		
hydrocortisone w/acetic			
acid	71		
hydrocortisone-aloe vera	46		
HYDROMORPHONE HCL	5		
hydromorphone hcl	5		
hydroxychloroquine sulfate	27		
hydroxyprogesterone			
caproate	72		
hydroxyprogesterone caproate			
(antineoplastic)	28		
hydroxyurea	28		
hydroxyzine hcl	9		
hydroxyzine pamoate	9		
hyoscyamine sulfate	75		
HYOSCYAMINE			
SULFATE	75		
hyoscyamine sulfate	75		
HYPERRHO S/D	71		
HYPOTEARAS	68		
HYZAAR	26		
ibuprofen	3		
ibuprofen lysine	3		
imipramine hcl	17		
imiquimod	46		
IMITREX	60		
IMITREX STATDOSE			
REFILL	60		
IMITREX STATDOSE			
SYSTEM	60		
IMODIUM A-D	21		
IMURAN	63		
INCRUSE ELLIPTA	10		
indapamide	51		
INDERAL LA	34		
INDOCIN	3		
indomethacin	3		
indomethacin sodium	3		
INFANRIX	74		
INFANTS ADVIL	3		
INFINITY BLOOD GLUCOSE			
TEST STRIPS	50		
INFLUENZA VACCINE	77		
INSULIN ASPART			
PROTAMINE/INSULIN			
ASPART	20		
INSULIN ASPART			
PROTAMINE/INSULIN ASPART			
FLEXPEN	20		
INSULIN LISPRO	20		
INSULIN LISPRO KWIKPEN	20		
INSULIN LISPRO			
PROTAMINE/INSULIN LISPRO			
KWIKPEN	20		
INSULIN SYRINGES	60		
INSULIN SYRINGES-MISC	60		
INTELENCE	31		
INTUNIV	1		
INVIRASE	31		
IOPIDINE	68		
ipratropium bromide	10		
ipratropium bromide (nasal)	66		
ipratropium-albuterol	11		
irbesartan	25		
irbesartan-hydrochlorothiazide			
	26		
IRON CHEWS PEDIATRIC	55		
ISENTRESS	31		
ISENTRESS HD	31		
isoniazid	27		
ISONIAZID	27		
isoniazid	27		
ISOPTO ATROPINE	68		
ISOPTO CARPINE	68		
ISORDIL TITRADOSE	9		
isosorbide dinitrate	9		

isosorbide mononitrate	9	LAMICTAL CHEWABLE		LEXIVA	32
isotretinoin	42	DISPERSIBLE	13	LIALDA	53
ITCH RELIEF	44	LAMICTAL XR	13	LICEMD	49
itraconazole	22	LAMISIL AT	43	LICIDE TREATMENT KIT	49
JADENU	21	LAMISIL AT JOCK ITCH	43	lidocaine	47
JULUCA	31	lamivudine	32	lidocaine hcl	47
K-PHOS NEUTRAL	62	lamivudine-zidovudine	32	lidocaine hcl (mouth-throat)	63
K-TAB	62	lamotrigine	13	lidocaine-prilocaine	47
KALBITOR	54	LANCETS	59	liothyronine sodium	74
KALETRA	32	LANCETS 30G TWIST		LIPITOR	24
KALYDECO	74	TOP	59	lisinopril	24
KAPVAY	1	LANCETS SUPER THIN		lisinopril &	
KAZANO	18	28G	59	hydrochlorothiazide	26
KEFLEX	36	LANCETS-MISC	59	LITHIUM	29
KEPPRA	13	LANCING DEVICE-MISC	59	lithium carbonate	29
KEPPRA XR	13	lanolin	72	LITHOBID	29
KERALYT	47	lanolin (topical)	48	LITTLE REMEDIES FOR	
ketoconazole (topical)	43	LANOLOR	48	COLDSMULTI SYMPTOM	40
KETONE	50	LANOXIN	36	LMX 4	47
KETONE TEST STRIPS	50	lansoprazole	76	LOCOID	46
ketorolac tromethamine	3	LANTUS SOLOSTAR	20	LODINE	3
KETOROLAC		LASIX	51	LODOSYN	28
TROMETHAMINE	3	latanoprost	70	LOESTRIN 1.5/30-21	36
ketorolac tromethamine	3	LEADER GLUCOSE	18	LOESTRIN 1/20-21	36
ketorolac tromethamine		LEADER QUICK DISSOLVE		LOESTRIN FE 1.5/30	36
(ophth)	70	GLUCOSE	18	LOESTRIN FE 1/20	37
KETOSTIX	50	leflunomide	4	LOHIST-D	40
ketotifen fumarate (ophth)	70	letrozole	28	LOMOTIL	21
KEY-E	79	leucovorin calcium	28	LONGS GLUCOSE	19
KINDERLYTE	62	LEUKERAN	27	loperamide hcl	21
KINDERLYTE PREMAX	62	LEVAQUIN	53	LOPID	24
KLARON	42	LEVIBID	75	lopinavir-ritonavir	32
KLONOPIN	12	levetiracetam	13	LOPRESSOR	34
KONSYL DAILY FIBER	56	levobunolol hcl	68	LOPRESSOR HCT	26
KONSYL ORIGINAL		levocarnitine (metabolic		loratadine	23
FORMULADAILY FIBER	56	modifiers)	52	loratadine &	
KRINTAFEL	27	levocetirizine		pseudoephedrine	40
KROGER GLUCOSE	18	dihydrochloride	23	lorazepam	10
KROGER HEALTHPRO		levofloxacin	53	losartan potassium	25
GLUCOSETEST STRIPS	50	levonorgestrel & eth		losartan potassium &	
labetalol hcl	34	estradiol	36	hydrochlorothiazide	26
LAC-HYDRIN	46	levonorgestrel (emergency		LOTENSIN	24
LAC-HYDRIN TWELVE	46	oc)	37	LOTENSIN HCT	26
lactic acid (ammonium		levonorgestrel-eth estradiol		LOTREL	26
lactate)	46	(triphasic)	36	LOTRIMIN AF	43
lactulose	57	levonorgestrel-ethinyl estradiol		LOTRIMIN AF JOCK ITCH	44
lactulose (encephalopathy)	53	(91-day)	36	LOTRISONE	44
LAMICTAL	13	levothyroxine sodium	74	lovastatin	24
		LEVSIN	75		
		LEXAPRO	16		

LOVENOX.....	12	mesalamine.....	53	MICROZIDE.....	51
loxapine succinate.....	29	MESTINON.....	27	midazolam hcl.....	56
LYSTEDA.....	55	MESTINON TIMESPAN.....	27	midodrine hcl.....	79
M-M-R II.....	78	METAMUCIL.....	56	MIGRANAL.....	60
MACROBID.....	9	METAMUCIL ORIGINAL		MILLIPRED.....	38
MACRODANTIN.....	9	TEXTURE.....	56	MINIPRESS.....	25
MAGNESIUM.....	62	metaproterenol sulfate.....	11	MINIVELLE.....	52
magnesium citrate.....	57	metformin hcl.....	18	MINOCIN.....	74
magnesium hydroxide.....	57	methadone hcl.....	5	minocycline hcl.....	74
magnesium oxide.....	8	methazolamide.....	50	minoxidil.....	27
MAGNESIUM OXIDE.....	62	methenamine mandelate.....	9	MIRALAX.....	57
magnesium oxide (mg		methenamine-hyosc-methylene		MIRAPEX.....	28
supplement).....	62	blue-sod phos-phenyl sal.....	8	MIRCETTE.....	37
MAGOX 400.....	62	methimazole.....	74	mirtazapine.....	15
MAKENA.....	72	METHITEST.....	7	misoprostol.....	76
malathion.....	49	methocarbamol.....	66	MOBIC.....	3
maprotiline hcl.....	15	METHOTREXATE.....	3	MOI-STIR.....	64
MAVYRET.....	33	METHOTREXATE SODIUM	3	molindone hcl.....	30
MAXALT.....	60	methotrexate sodium.....	28	mometasone furoate.....	46
MAXALT-MLT.....	60	methyl dopa.....	25	MONISTAT 3.....	78
MAXI-TUSS PE.....	40	methylergonovine maleate.....	71	MONISTAT 3 COMBINATION	
MAXI-TUSS PE MAX.....	40	METHYLIN.....	2	PACK.....	78
MAXITROL.....	69	methylphenidate hcl.....	2	MONISTAT 7 SIMPLY	
MAXZIDE.....	51	methylprednisolone.....	38	CURE.....	78
MAXZIDE-25.....	51	metoclopramide hcl.....	53	MONISTAT SOOTHING CARE	
meclizine hcl.....	21	metolazone.....	51	ITCH RELIEF.....	46
MEDROL.....	38	metoprolol &		montelukast sodium.....	10
MEDROL DOSEPAK.....	38	hydrochlorothiazide.....	26	morphine sulfate.....	5
medroxyprogesterone		metoprolol succinate.....	34	MOTRIN CHILDRENS.....	3
acetate.....	72	METOPROLOL SUCCINATE		MOTRIN INFANTS DROPS.....	3
medroxyprogesterone acetate		ER/HYDROCHLOROTHIAZIDE		MOUTH KOTE.....	64
(contraceptive).....	37	26	MOUTH KOTE REMINT.....	64
mefloquine hcl.....	27	metoprolol tartrate.....	34	moxifloxacin hcl (ophth).....	69
megestrol acetate.....	28	METROCREAM.....	48	MS CONTIN.....	5
MEIJER GLUCOSE.....	19	METROGEL-VAGINAL.....	78	MUCINEX.....	42
MELATONIN.....	2	METROLOTION.....	48	MUCINEX D.....	40
melatonin.....	2	metronidazole.....	8	MUCINEX DM.....	40
meloxicam.....	3	metronidazole (topical).....	48	MUCINEX MAXIMUM	
melphalan.....	27	metronidazole vaginal.....	78	STRENGTH.....	42
memantine hcl.....	72	mexiletine hcl.....	10	multiple vitamins w/ minerals	
MENACTRA.....	76	MIACALCIN.....	51	tabs.....	65
MENQUADFI.....	77	MICARDIS.....	25	multiple vitamins w/ minerals-	
MENVEO.....	77	MICARDIS HCT.....	26	various.....	65
meperidine hcl.....	5	MICATIN.....	44	mupirocin.....	43
MEPHYTON.....	79	miconazole nitrate (topical).....	44	mupirocin calcium (topical).....	43
meprobamate.....	9	miconazole nitrate vaginal.....	78	MYAMBUTOL.....	27
mercaptapurine.....	27	MICRODOT XTRA TEST		mycophenolate mofetil.....	63
		STRIPS.....	50	mycophenolate sodium.....	63
				MYDRIACYL.....	68

MYFORTIC.....	63	NEOSPORIN PLUS PAIN RELIEF MAXIMUM STRENGTH.....	43	norethindrone acet & eth estra.....	37
MYLERAN.....	27	NEPHRO-VITE RX.....	65	norethindrone acetate.....	72
MYLICON INFANTS GAS RELIEF.....	53	NESINA.....	19	norethindrone acetate-ethinyl estradiol.....	52
MYLICON INFANTS GAS RELIEF DYE FREE.....	53	NEURONTIN.....	13	norethindrone acetate-ethinyl estradiol-fe.....	37
MYSOLINE.....	13	NEUTROGENA T/GEL.....	49	norethindrone-eth estradiol (triphasic).....	37
nabumetone.....	3	NEUTROGENA T/GEL STUBBORN ITCH CONTROL.....	49	norgestimate-ethinyl estradiol.....	37
nadolol.....	34	nevirapine.....	32	norgestimate-ethinyl estradiol (triphasic).....	37
NALFON.....	3	niacin.....	79	norgestrel & ethinyl estradiol.....	37
naloxone hcl.....	21	niacin (antihyperlipidemic).....	24	NORPACE.....	10
naltrexone hcl.....	21	NIACIN TR.....	79	NORPACE CR.....	10
NAMENDA.....	72	NIASPAN.....	24	NORPRAMIN.....	17
NAMENDA TITRATION PAK73		nicardipine hcl.....	35	NORTEMP INFANTS.....	4
naphazoline w/ pheniramine.....	69	NICODERM CQ.....	73	nortriptyline hcl.....	17
NAPROSYN.....	3	NICORETTE.....	73	NORVASC.....	35
naproxen.....	4	NICORETTE MINI.....	73	NORVIR.....	32
naproxen sodium.....	3,4	NICORETTE STARTER KIT.....	73	NOVA MAX PLUS KETONE TESTSTRIPS.....	50
naratriptan hcl.....	60	nicotine.....	73	NOVOLIN 70/30.....	20
NARCAN.....	21	nicotine polacrilex.....	73	NOVOLIN 70/30 FLEXPEN.....	20
NARDIL.....	15	NICOTINE TRANSDERMAL SYSTEM.....	73	NOVOLIN 70/30 FLEXPEN RELION.....	20
NASACORT ALLERGY 24HR.....	66	NICOTROL INHALER.....	73	NOVOLIN 70/30 RELION.....	20
NASACORT ALLERGY 24HR CHILDRENS.....	66	NICOTROL NS.....	74	NOVOLIN N.....	20
NASAL DECONGESTANT.....	67	nifedipine.....	35	NOVOLIN N FLEXPEN.....	20
NASALCROM.....	66	NINLARO.....	28	NOVOLIN N FLEXPEN RELION.....	20
nateglinide.....	20	NITRO-BID.....	9	NOVOLIN N RELION.....	20
NATROBA.....	49	NITRO-DUR.....	9	NOVOLIN R.....	20
NAYZILAM.....	12	nitrofurantoin.....	9	NOVOLIN R RELION.....	20
nefazodone hcl.....	16	nitrofurantoin macrocrystal.....	9	NOVOLOG MIX 70/30.....	20
neomycin sulfate.....	2	nitrofurantoin monohyd macro.....	9	NOVOLOG MIX 70/30 PREFILLED FLEXPEN.....	20
neomycin-bacitracin zn- polymyxin.....	69	nitroglycerin.....	9	NOZIN NASAL SANITIZER.....	59
neomycin-bacitracin-polymyxin	43	NITROSTAT.....	9	NULYTELY.....	56
neomycin-polymy-dexameth.....	69	NIX CREME RINSE.....	49	NULYTELY/FLAVOR PACKS.....	56
neomycin-polymyxin w/ pramoxine.....	43	NIZORAL.....	44	NUMOISYN.....	64
neomycin-polymyxin-gramicidin	69	NORCO.....	6	NUPLAZID.....	29
neomycin-polymyxin-hc (ophth).....	69	NORDITROPIN FLEXPRO.....	51	NUVARING.....	37
neomycin-polymyxin-hc (otic).....	70	norelgestromin-ethinyl estradiol.....	37	nystatin.....	22
NEOPROFEN.....	4	norethin acet & estrad-fe.....	37	nystatin (mouth-throat).....	63
NEORAL.....	63	norethindrone & eth estradiol.....	37	nystatin (topical).....	44
NEOSPORIN.....	69	norethindrone & ethinyl estradiol-fe.....	37	nystatin-triamcinolone.....	44
NEOSPORIN ORIGINAL.....	43	norethindrone (contraceptive).....	38	NYTOL MAXIMUM STRENGTH.....	55

OCEAN NASAL SPRAY.....	66	OVACE PLUS WASH.....	44	PEPCID AC MAXIMUM	
OCUFLOX.....	69	OVACE WASH.....	44	STRENGTH.....	75
OFF ACTIVE.....	48	OVIDE.....	49	PEPTO-BISMOL.....	21
OFF DEEP WOODS.....	48	OXAYDO.....	6	PEPTO-BISMOL MAX	
OFF DEEP WOODS DRY... 48		oxazepam.....	10	STRENGTH.....	21
OFF DEEP WOODS		oxcarbazepine.....	13	PEPTO-BISMOL TO-GO... 21	
SPORTSMEN.....	48	oxybutynin chloride.....	76	PERCOCET.....	6
OFF FAMILYCARE SMOOTH &		oxycodone hcl.....	6	PERIDEX.....	64
DRY.....	48	oxycodone w/		permethrin.....	49
OFF SMOOTH & DRY.....	48	acetaminophen.....	6	perphenazine.....	30
ofloxacin.....	53	oxycodone-aspirin.....	6	perphenazine-amitriptyline .. 73	
ofloxacin (ophth).....	69	OXYCONTIN.....	6	PHARMACIST CHOICE	
ofloxacin (otic).....	70	oyster shell.....	61	ALCOHOL PRED PADS..... 59	
olanzapine.....	30	PAMELOR.....	17	PHARMACIST CHOICE	
olmesartan medoxomil.....	25	PANCREAZE.....	50	ALCOHOLPREP PADS..... 59	
olmesartan medoxomil-		PANOXYL-4 CREAMY		phenazopyridine hcl..... 54	
amlodipine-hydrochlorothiazide		WASH.....	42	phenelzine sulfate.....	15
.....	26	pantoprazole sodium.....	76	phenobarbital.....	55
olmesartan medoxomil-		PARLODEL.....	28	phenylephrine hcl (mydriatic) 68	
hydrochlorothiazide.....	26	PARNATE.....	15	phenylephrine hcl (oral)..... 67	
omega-3 fatty acids.....	67	paroxetine hcl.....	16	phenylephrine-chlorphen-dm	
OMEPRAZOLE.....	36	PARVA-CAL.....	61	40
omeprazole.....	76	PAXIL.....	16	phenylephrine-dm.....	40
omeprazole 20mg tablet.....	75	PAXIL CR.....	16	phenylephrine-shark liver oil-	
omeprazole magnesium.....	76	ped multivitamins w/fl &		cocoa butter.....	7
OMNIPRED.....	69	iron.....	65	phenylephrine-shark liver oil-	
OMNITROPE.....	51	PEDIALYTE.....	62	mineral oil-petrolatum.....	7
ondansetron.....	21	PEDIALYTE ADVANCED		phenytoin.....	14
ondansetron hcl.....	21	CARE.....	62	phenytoin sodium.....	14
ONETOUCH DELICA PLUS		PEDIALYTE FREEZER		phenytoin sodium extended..... 14	
LANCETS EXTRA FINE		POPS.....	62	phytonadione.....	79
33G.....	59	PEDIALYTE SINGLES.....	62	PIFELTRO.....	32
ONETOUCH DELICA PLUS		PEDIAPRED.....	38	pilocarpine hcl.....	68
LANCETS FINE 30G.....	59	PEDIATRIC		pilocarpine hcl (oral).....	64
OPCON-A.....	69	COUGH/COLD.....	40	pimecrolimus.....	46
oral electrolytes.....	62	pediatric multiple vitamins w/		pindolol.....	34
ORAL RELIEF SPRAY FOR		minerals-various.....	65	pioglitazone hcl.....	19
DRYMOUTH &		pediatric vitamins acid w/		pioglitazone hcl-metformin	
DISCOMFORT.....	64	fluoride.....	65	hcl.....	18
ORKAMBI.....	74	peg 3350-kcl-sod bicarb-sod		PIP LANCETS/28G.....	59
orphenadrine citrate.....	66	chloride-sod sulfate.....	56	PIP LANCETS/30G.....	59
ORTHO MICRONOR.....	38	peg 3350-potassium chloride-		piroxicam.....	4
ORTHO TRI-CYCLEN.....	37	sod bicarbonate-sod		PLAN B ONE-STEP.....	37
ORTHO TRI-CYCLEN LO... 37		chloride.....	56	PLAQUENIL.....	27
ORTHO-CYCLEN.....	37	PEN NEEDLES-MISC.....	60	PLAVIX.....	54
ORTHO-NOVUM 1/35.....	37	penicillamine.....	63	PLEGRIDY.....	73
ORTHO-NOVUM 7/7/7.....	37	penicillin v potassium.....	71	PLEGRIDY STARTER	
oseltamivir phosphate.....	33,34	pentoxifylline.....	54	PACK.....	73
OSENI.....	18	PEPCID.....	75	PNEUMOVAX 23.....	77
OTICIN HC NR.....	71	PEPCID AC.....	75	PNEUMOVAX 23/1 DOSE... 77	

podofilox.....	47	PREVIDENT 5000 ORTHO DEFENSE.....	64	pseudoephedrine w/ dm-gg..	41
POLYCOSE.....	67	PREVIDENT 5000 PLUS..	64	pseudoephedrine-chlorphen-dm	41
polyethylene glycol 3350....	57	PREVIDENT FLUORIDE..	64	41
polymyxin b-trimethoprim....	69	PREVNAR 13.....	77	pseudoephedrine-dm.....	41
polysaccharide iron complex	55	PREZCOBIX.....	32	pseudoephedrine-guaifenesin	41
POLYTRIM.....	69	PREZISTA.....	32	41
polyvinyl alcohol.....	68	PRILOSEC OTC.....	76	pseudoephedrine-ibuprofen..	41
pot phosphate monobasic w/ sod		primaquine phosphate.....	27	psyllium.....	56
phosphate dibasic &		PRIMAQUINE		PTS PANELS KETONE	
monobasic.....	62	PHOSPHATE.....	27	TEST.....	50
potassium bicarbonate.....	62	primidone.....	13	PULMICORT.....	11
potassium chloride.....	62	PRINIVIL.....	24	PULMICORT FLEXHALER..	11
potassium chloride		PRISTIQ.....	17	PURE COMFORT ALCOHOL	
microencapsulated crystals		PROAIR HFA.....	11	PREPPADS.....	60
er.....	62	PROAIR RESPICLICK.....	11	PURIXAN.....	28
potassium citrate		probenecid.....	54	PUSH BUTTON SAFETY	
(alkalinizer).....	54	PROCARDIA.....	35	LANCETS 28G.....	59
pramipexole dihydrochloride	29	PROCARDIA XL.....	35	PX DAYTIME MULTI-	
pramoxine-hc-chloroxylenol..	71	prochlorperazine.....	30	SYMPTOM.....	41
prasugrel hcl.....	54	prochlorperazine maleate..	30	PX GLUCOSE.....	19
PRAVACHOL.....	24	progesterone micronized..	72	PX NITETIME MULTI-	
pravastatin sodium.....	24	PROGRAF.....	63	SYMPTOM.....	41
prazosin hcl.....	25	promethazine &		pyrantel pamoate.....	8
PRECISION XTRA.....	50	phenylephrine.....	40	pyrazinamide.....	27
PRED FORTE.....	69	promethazine hcl.....	23	pyrethrins-piperonyl butoxide	49
PRED MILD.....	69	PROMETHAZINE HCL... ..	36	pyrethrins-piperonyl butoxide-	
PRED-G.....	70	promethazine w/codeine..	40	permethrin-nit remover.....	49
PREDATOR.....	47	promethazine-dm.....	41	PYRIDIDIUM.....	54
prednisolone.....	38	promethazine-phenylephrine-		pyridostigmine bromide.....	27
prednisolone acetate (ophth)	70	codeine.....	41	pyridoxine hcl.....	79
PREDNISOLONE ACETATE P-		PROMETHAZINE/PHENYLEP		QC CALCIUM 500MG/D3... ..	61
F.....	70	HRINE.....	41	QC TRIACTING DAYTIME	
prednisolone sodium		PROMETRIUM.....	72	CHILDRENS.....	41
phosphate.....	38	propafenone hcl.....	10	QUESTRAN.....	23
PREDNISOLONE SODIUM		propranolol &		QUESTRAN LIGHT.....	23
PHOSPHATE.....	70	hydrochlorothiazide.....	26	quetiapine fumarate.....	30
prednisone.....	38	propranolol hcl.....	34	quinapril hcl.....	24
PREDNISONE INTENSOL..	38	propylthiouracil.....	74	quinapril-hydrochlorothiazide	26
PREFERRED PLUS		PROSCAR.....	54	26
GLUCOSE.....	19	PROTONIX.....	76	quinidine gluconate.....	10
PREMARIN.....	52,79	PROTOPIC.....	47	quinidine sulfate.....	10
PREMPHASE.....	52	PROVENTIL HFA.....	11	QVAR REDIHALER.....	11
PREMPRO.....	52	PROVERA.....	72	RA CALCIUM HI-	
prenatal vitamins-misc.....	66	PROZAC.....	16	CAL/VITAMIND.....	61
PREVACID.....	76	pseudoephed-bromphen-		RA DRY MOUTH.....	64
PREVACID 24HR.....	76	dm.....	41	RA GLUCOSE.....	19
PREVIDENT 5000 BOOSTER		pseudoephedrine hcl.....	67	RA LICE SOLUTION KIT....	49
PLUS.....	64	pseudoephedrine w/ codeine-		RA OYSTER SHELL	
PREVIDENT 5000 DRY		gg.....	41	CALCIUM/VITAMIN D.....	61
MOUTH.....	64			raloxifene hcl.....	52
				ramipril.....	24

RAPAMUNE	63	RILUTEK	67	SELSUN BLUE DAILY	44
RAZADYNE	73	riluzole	67	SELSUN BLUE MEDICATED	45
RAZADYNE ER	73	risedronate sodium	51	SELSUN BLUE MOISTURIZING	45
READYLANCE SAFETY LANCETS/21G/2.2MM	59	RISPERDAL	29	SELZENTRY	32
READYLANCE SAFETY LANCETS/23G/1.8MM	59	risperidone	29	SEMGLEE	20
READYLANCE SAFETY LANCETS/26G/1.8MM	59	RITALIN	2	sennosides	57
READYLANCE SAFETY LANCETS/28G/1.8MM	59	ritonavir	32	sennosides-docusate sodium	56
RECOMBIVAX HB	78	rivastigmine	73	SENOKOT	57
REESES PINWORM MEDICINE	8	rivastigmine tartrate	73	SENOKOT S	56
REGLAN	53	rizatriptan benzoate	60	SEREVENT DISKUS	11
RELENZA DISKHALER	34	ROBAXIN	66	SEROQUEL	30
RELION GLUCOSE	19	ROBAXIN-750	66	sertraline hcl	16
RELION KETONE	50	ROBITUSSIN PEAK COLD COUGH+ CHEST CONGESTION DM MAX STRENGTH	41	SFROWASA	53
RELION KETONE TEST STRIPS	50	ROBITUSSIN PEAK COLD DM	41	SIKLOS	54
RELION LANCETS THIN 26G	59	ROCALTROL	52	SILVADENE	45
RELION PREMIER BLOOD GLUCOSE TEST STRIPS	50	ropinirole hydrochloride	29	silver sulfadiazine	45
RELION ULTRA THIN LANCETS/30G	59	rosuvastatin calcium	24	simethicone	53
RELPAK	60	ROXICET	6	SIMPLYTHICK	72
REMERON	15	ROXICODONE	6	SIMPLYTHICK EASY MIX	72
REMERON SOLTAB	15	SAFETY LANCET 30G/PRESSURE ACTIVATED	59	SIMPLYTHICK EASYMIX	72
REPEL FAMILY	48	SALAGEN	64	simvastatin	24
REPEL FAMILY DRY	48	salicylic acid	47	SINEMET	29
REPEL HUNTERS FORMULA	48	saline	66	SINEMET CR	29
REPEL SPORTSMEN	48	salsalate	5	SINGULAIR	10
REPEL SPORTSMEN DRY	48	SANDIMMUNE	63	sirolimus	63
REPEL SPORTSMEN MAX	48	SAPS HEALTH ALCOHOL PREPPADS	60	SIVEXTRO	9
REQUIP	29	SARNA	44	SLO-NIACIN	80
RESCRIPTOR	32	SAVELLA	73	SM GLUCOSE	19
RESTORIL	56	SAVELLA TITRATION PACK	73	SM IPECAC SYRUP	21
RETIN-A	42,43	SAWYER INSECT REPELLENT	48	SMART SENSE GLUCOSE	19
RETROVIR	32	SAWYER INSECT REPELLENT CONTROLLED RELEASE	48	SMART SENSE GLUCOSE TABLETS	19
REYATAZ	32	SCHOOLTIME SHAMPOO	49	sodium bicarbonate (antacid)	8
RHOGAM ULTRA-FILTERED PLUS	71	SCOT-TUSSIN DM	41	sodium chloride (gu irrigant)	54
riboflavin	80	SCOT-TUSSIN SENIOR	41	sodium chloride (inhalant)	42
RID	49	SEASONIQUE	37	sodium citrate & citric acid	54
RID COMPLETE LICE ELIMINATION	49	SEGLUROMET	18	sodium fluoride	62
RID ESSENTIAL LICE ELIMINATION KIT	49	selegiline hcl	29	sodium fluoride (dental)	64
RIFADIN	27	selenium sulfide	44	sodium phosphates	57
rifampin	27	SELSUN BLUE	44	sodium polystyrene sulfonate	63

sotalol hcl (afib/afib)	34	SYNTHROID	74	thiamine mononitrate	80
SPACER/AEROSOL-HOLDING CHAMBER SUPPLIES	60	tacrolimus	63	thioridazine hcl	30
SPACER/AEROSOL-HOLDING CHAMBERS	60	tacrolimus (topical)	47	thiothixene	30
SPACERS AND BREATHING CHAMBERS-MISC	60	TAGAMET HB	75	thyroid	74
spinosad	49	TAMIFLU	34	tiagabine hcl	14
spironolactone	51	tamoxifen citrate	28	TIAZAC	35
spironolactone & hydrochlorothiazide	51	tamsulosin hcl	54	TIKOSYN	10
SPORANOX	22	TAPAZOLE	74	timolol maleate	35
SPORANOX PULSEPAK	22	TARKA	26	timolol maleate (ophth)	68
STARLIX	20	tazarotene	44	TIMOPTIC	68
stavudine	32	TAZORAC	44	TIMOPTIC OCUDOSE	68
STEGLATRO	20	TDVAX	74	TINACTIN	44
STRATTERA	1	TEARS NATURALE PM	68	tioconazole vaginal	78
STRIBILD	32	TECFIDERA	73	TIVICAY	33
SUBOXONE	7	TECFIDERA STARTER PACK	73	tizanidine hcl	66
sucralfate	75	TEGRETOL	13	TOBRADEX	70
SUDAFED CHILDRENS	67	TEGRETOL-XR	13	tobramycin (ophth)	69
SUDAFED CONGESTION	67	telmisartan	25	tobramycin sulfate	2
SUDAFED PE CHILDRENS NASAL DECONGESTANT	67	telmisartan-amlodipine	26	tobramycin-dexamethasone	70
SUDAFED PE SINUS CONGESTION	67	telmisartan-hydrochlorothiazide	26	TOBREX	69
SUDAFED SINUS CONGESTION	67	temazepam	56	TOFRANIL	17
sulfacetamide sod- prednisolone	70	TEMIXYS	32	tolnaftate	44
sulfacetamide sodium	45	TEMOVATE	46	tolterodine tartrate	76
sulfacetamide sodium (acne)	43	TENIVAC	75	TOPAMAX	14
sulfacetamide sodium (ophth)	69	tenofovir disoproxil fumarate	32	TOPAMAX SPRINKLE	14
sulfacetamide sodium w/ sulfur	43	TENORETIC 100	26	TOPICORT	46
sulfamethoxazole- trimethoprim	8	TENORETIC 50	26	topiramate	14
sulfasalazine	53	TENORMIN	34	TOPROL XL	34
sulindac	4	terazosin hcl	25	toremifene citrate	28
sumatriptan	60	terbinafine hcl	22	torsemide	51
sumatriptan succinate	61	terbinafine hcl (topical)	44	tramadol hcl	6
SUSTIVA	32	terbutaline sulfate	11	tramadol-acetaminophen	7
SYMAX DUOTAB	75	terconazole vaginal	78	trandolapril	24
SYMBICORT	11	TESSALON PERLES	39	trandolapril-verapamil hcl	26
SYMDEKO	74	testosterone cypionate	7	tranexamic acid	55
SYMFI	32	TETANUS/DIPHThERIA TOXOIDS-ADSORBED ADULT	75	TRANXENE T	10
SYMFI LO	32	tetracaine hcl (ophth)	69	tranylcypropramine sulfate	15
SYMLINPEN 120	17	tetrahydrozoline hcl (ophth)	69	trazodone hcl	16
SYMLINPEN 60	17	TGT GLUCOSE	19	TRECATOR	27
SYMTUZA	32	THEO-24	11	tretinoin	43
		theophylline	11	TREXALL	28
		thiamine hcl	80	TRI-NORINYL 28	37
				triamcinolone acetonide (mouth)	64
				triamcinolone acetonide (nasal)	66

triamcinolone acetonide (topical).....	46	TYLENOL EXTRA STRENGTH.....	4	venlafaxine hcl.....	17
TRIAMINIC COLD & COUGH DAY TIME CHILDRENS.....	41	TYLENOL INFANTS.....	4	VENTOLIN HFA.....	11
TRIAMINIC LONG ACTING COUGH.....	39	TYLENOL INFANTS PAIN+FEVER.....	4	verapamil hcl.....	35
triamterene & hydrochlorothiazide.....	51	TYLENOL/CODEINE #3.....	7	VERELAN.....	35
triazolam.....	56	TYLENOL/CODEINE #4.....	7	VERELAN PM.....	35
TRIBENZOR.....	26	ULTRACET.....	7	VERIPRED 20.....	38
TRIDESILON.....	46	ULTRAM.....	6	VIBRAMYCIN.....	74
trifluoperazine hcl.....	30	ULTRATHON INSECT REPELLENT.....	48	VICTOZA.....	19
trifluridine.....	69	ULTRATHON INSECT REPELLENT 8.....	48	VIDEX EC.....	33
TRIGLIDE.....	24	UNILET LANCETS MICRO-THIN33G.....	59	VIDEXPEDIATRIC.....	33
trihexyphenidyl hcl.....	28	UNISOM SLEEPGELS.....	55	VIGAMOX.....	69
TRILEPTAL.....	14	UNISOM SLEEPTABS.....	55	VIIBRYD.....	16
trimethoprim.....	8	UNISTIK PRO SAFETY LANCET 21G.....	59	VIRACEPT.....	33
TRINTELLIX.....	16	UNISTIK PRO SAFETY LANCET 25G.....	59	VIRAMUNE.....	33
TRIUMEQ.....	33	UNISTIK PRO SAFETY LANCET 28G.....	59	VIRAMUNE XR.....	33
TRIZIVIR.....	33	UP & UP GLUCOSE.....	19	VIREAD.....	33
tropicamide.....	68	urea.....	46	VIROPTIC.....	69
tropium chloride.....	76	URECHOLINE.....	76	VISINE.....	69
TRUE METRIX BLOOD GLUCOSETEST STRIPS.....	50	UROCIT-K 10.....	54	VISINE RED EYE COMFORT.....	69
TRUE METRIX CONTROL SOLUTION LEVEL 1.....	59	UROCIT-K 5.....	54	VISTARIL.....	9
TRUE METRIX CONTROL SOLUTION LEVEL 2.....	59	URSO 250.....	53	VISTOGARD.....	21
TRUE METRIX CONTROL SOLUTION LEVEL 3.....	59	ursodiol.....	53	vitamin e.....	79
TRUE METRIX SELF MONITORING BLOOD GLUCOSE STRIPS.....	50	VAGIFEM.....	79	VITAMIN E.....	79
TRUECONTROL GLUCOSE CONTROL LEVEL 0.....	59	valacyclovir hcl.....	33	vitamins w/ lipotropics.....	66
TRUECONTROL GLUCOSE CONTROL LEVEL 1.....	59	VALCYTE.....	33	VIVAGUARD INO BLOOD GLUCOSE TEST STRIPS.....	50
TRUETRACK BLOOD GLUCOSE TEST.....	50	valganciclovir hcl.....	33	VIVAGUARD INO CONTROL SOLUTION.....	59
TRUETRACK TEST.....	50	VALIUM.....	10	VIVAGUARD LANCETS.....	59
TRUMENBA.....	77	valproate sodium.....	15	VIVELLE-DOT.....	52
TRUSOPT.....	70	valproic acid.....	15	VIVITROL.....	21
TRUVADA.....	33	valsartan.....	25	VOLTAREN.....	43
TUDORZA PRESSAIR.....	10	valsartan-hydrochlorothiazide.....	26	VYTORIN.....	23
TUMS.....	8	VALTOCO.....	13	VYVANSE.....	1
TUMS LASTING EFFECTS.....	8	VALTREX.....	33	WALGREENS GLUCOSE.....	19
TWYNSTA.....	26	VALUE PLUS GLUCOSE.....	19	warfarin sodium.....	12
TYBOST.....	33	VANCOGIN.....	8	WELLBUTRIN SR.....	15
TYLENOL.....	4	VANCOGIN HCL.....	8	WELLBUTRIN XL.....	15
TYLENOL CHILDRENS.....	4	vancomycin hcl.....	8	white petrolatum-mineral oil.....	68
TYLENOL CHILDRENS CHEWABLES/PAIN + FEVER4.....		VAQTA.....	78	XALATAN.....	70
		VARIVAX.....	78	XANAX.....	10
		VASERETIC.....	27	XARELTO.....	12
		VASOTEC.....	24	XELJANZ.....	3
				XELJANZ XR.....	3
				XEROSTOMIA RELIEF SPRAY.....	64
				XYZAL ALLERGY 24HR.....	23

YASMIN 28.....	37
YAZ.....	37
ZADITOR.....	70
zaleplon.....	56
ZANAFLEX.....	66
ZARONTIN.....	14
ZARXIO.....	55
ZERIT.....	33
ZESTORETIC.....	27
ZESTRIL.....	24
ZETIA.....	24
ZIAC.....	27
ZIAGEN.....	33
zidovudine.....	33
zinc oxide (topical).....	48
zinc sulfate.....	63
ZINC SULFATE.....	63
ziprasidone hcl.....	29
ZITHROMAX.....	57
ZITHROMAX TRI-PAK.....	57
ZITHROMAX Z-PAK.....	57
ZOCOR.....	24
ZOFRAN.....	21
ZOFRAN ODT.....	21
zolmitriptan.....	61
ZOLOFT.....	16
zolpidem tartrate.....	56
ZOMIG.....	61
ZOMIG ZMT.....	61
ZONEGRAN.....	14
zonisamide.....	14
ZOSTAVAX.....	78
ZOVIRAX.....	33,45
ZUBSOLV.....	7
ZYBAN.....	74
ZYLOPRIM.....	54
ZYPREXA.....	30
ZYRTEC ALLERGY.....	23
ZYRTEC CHILDRENS ALLERGY.....	23
ZYRTEC-D ALLERGY/CONGESTION.....	41