

Prenatal Immunization Status (PRS-E)

Line of Business: ●Medicaid ●Marketplace

Measure Description

The percentage of deliveries in the Measurement Year (Jan. 1 – Dec. 31) which members had received influenza and tetanus, diphtheria toxoids and acellular pertussis (Tdap) vaccinations.

Clinical Recommendation:

Advisory Committee on Immunization Practices (**ACIP**) clinical guidelines recommend that all women who are pregnant or who might be pregnant in the upcoming influenza season receive inactivated influenza vaccines. ACIP also recommends that pregnant women receive one dose of Tdap during each pregnancy, preferably during the early part of **gestational weeks 27–36**, regardless of prior history of receiving Tdap.

Description	CPT Codes	CVX	SNOMED
Adult Influenza Vaccine	CPT: 90630, 90653, 90654, 90656, 90658, 90661, 90662, 90673, 90674, 90682, 90686, 90688, 90689, 90694, 90756	CVX: 88,135,140,141,144, 150, 153, 155, 158, 166, 168, 171, 185, 186, 197,205	SNOMED: 86198006
Tdap Vaccine	CPT: 90715	CVX: 115	SNOMED: 390846000, 412755006, 412756007, 412757003, 428251000124104, 571571000119105
Anaphylaxis Due to Diphtheria, Tetanus or Pertussis Vaccine	N/A	N/A	SNOMED: 428291000124105, 428281000124107

Codes subject to change

To Improve HEDIS:

- Educate members regarding the importance of influenza and Tdap immunizations during pregnancy.
- Address member concerns of anxiety and fear regarding immunization during pregnancy.
- Document all immunizations in the state registry, EMR if applicable, and capture via claim submission.
- If OB/GYN office does not offer the Flu or Tdap vaccine, refer member to their Primary Care Provider (PCP) or Public Health department to administer immunization.

Electronic Clinical Data Systems (ECDS) codes are available on the NCQA site: <https://store.ncqa.org/hedis-quality-measurement.html>