

Clinical Policy: Incontinence and Ostomy Supplies

Reference Number: GA.CP.MP.07 Date of Last Revision: 06/2024 Coding Implications Revision Log

See <u>Important Reminder</u> at the end of this policy for important regulatory and legal information.

Description

Incontinence describes any accidental or involuntary loss of urine from the bladder or feces from the bowel. To provide medical necessity guidelines for authorization of incontinence supplies which include the following: diapers/briefs/pull-ups/liners, underpads, disposable wipes and emollients for members under the Early and Periodic Screening, Diagnostic and Treatment (EPSDT) Program under 21 years of age. To provide medical necessity guidelines for coverage of urinary catheters and ostomy supplies for all members.

Policy/Criteria

I. Documentation needed for medical necessity review:

The following are required information for a complete medical necessity review:

- A. A signed medical necessity letter or prescription from member's treating physician/nurse practitioner (NP)/physician assistant (PA) within the last 12 months.
- B. Accurate diagnostic information pertaining to the underlying diagnosis/condition, as well as any other medical diagnoses/conditions, to include the member's overall health status.
- C. Diagnosis/condition causing incontinence or increased urination/stooling.
- D. Number of times per day the physician/NP/PA has ordered that the supply be used, if more than the maximum units per month is requested.
- E. Quantity of disposable supplies requested per month.
- F. Incontinence supplies, urinary catheters, ostomy and related supplies are not covered for convenience.
- G. Maximum authorization up to 6 months at a time with updated clinical notes for continued medical necessity every 6 months.
- H. Prior authorization may be considered with documentation of medical necessity if the Medicaid allowable (number allowed per month) is exceeded.
- II. It is the policy of Peach State Health Plan (PSHP) that **incontinence supplies for members under 21 years** of age who qualified under the EPSDT program are **medically necessary** for the following indications:
 - A. Nocturnal enuresis (bedwetting) in children
 - 1. Intermittent nocturnal incontinence with discrete episodes of urinary incontinence during sleep in children younger than 5 years of age is considered normal and incontinence supplies are considered not medically necessary.
 - 2. For children 5 years old or older with nocturnal enuresis, incontinence supplies may be medically necessary:
 - a. Two diaper/briefs/pull-up/liner/underpad per day or 60 per month may be approved.
 - b. If the requested quantity for diapers/briefs/pull-ups/liners/underpads <u>exceeds</u> two per day or 60 per month, the <u>Prior auth nurse will send the request for</u> <u>secondary Medical Director Review.</u>



- B. Two years of age and under age 21 years old
 - 1. Incontinence and ostomy supplies are covered for children ages 2 and under 21 years old who have an underlying medical condition that prevents control of the bowels or bladder.
 - 2. Children under the age of 2 years will be considered for coverage on a case-by-case basis.
 - 3. There must be documentation of the member's diagnosis which supports the medical necessity of all items requested.
 - 4. The member presents with a medical condition such as spinal cord injury, cerebral palsy, spina bifida, moderate to severe intellectual and developmental disabilities, autism spectrum disorder, celiac disease, short bowel syndrome, Crohn's disease, thymic hypoplasia, congenital adrenal hyperplasia, diabetes insipidus, Hirschsprung's disease, or radiation enteritis, (list may not be all inclusive).

III. Incontinence and Ostomy supplies for adults 21 years of age and older

- 1. Incontinence supplies, such as diapers, briefs, pull-ups, liners, underpads, and disposable wipes are NOT covered benefit for adults 21 years of age and older.
- 2. Urinary catheters or indwelling foley and supplies and ostomy supplies are covered as medically necessary for adults 21 years of age and older with a medical condition causing urine and/or bowel incontinence.
- 3. For medical necessity review, the requesting provider must include documentation as noted on Section I. Documentation needed for medical necessity review.

Coding Implications

This clinical policy references Current Procedural Terminology (CPT[®]). CPT[®] is a registered trademark of the American Medical Association. All CPT codes and descriptions are copyrighted 2023, American Medical Association. All rights reserved. CPT codes and CPT descriptions are from the current manuals and those included herein are not intended to be all-inclusive and are included for informational purposes only. Codes referenced in this clinical policy are for informational purposes only. Inclusion or exclusion of any codes does not guarantee coverage. Providers should reference the most up-to-date sources of professional coding guidance prior to the submission of claims for reimbursement of covered services.

| HCPCS Code | Description | Modifier | Rates (\$) | Limits |
|---------------|---|----------|---------------|----------------|
| A4310 | INSERTION TRAY WITHOUT DRAINAGE BAG WITHOUT CATHETER | | 6.13 | 2 per month |
| A4311 | INSERT TRAY WO DRAIN BAG W/INDWELL CATH LATEX | | 16.46 | 2 per month |
| A4312 | INSERTION TRAY WITHOUT DRAINAGE BAG WITH INDWELLING CATHETER, FOLEY TYPE, TWO-WAY, ALL SILICONE | | 13.56 | 2 per month |
| A4313 | INSERT TRAY WO DRAIN BAG WITH 3 WAY INDWELLING CATHETER | | 17.48 | 2 per month |

CLINICAL POLICY



Incontinence and Ostomy Supplies

| A4314 | INSERT TRAY WITH DRAINAGE BAG & | | 25.90 | 2 per |
|--------|--|---------|-------|----------------|
| | INDWELLING CATHETER LATEX | | | month |
| A4315 | INSERTION TRAY WITH DRAINAGE BAG WITH | U1 >2 | 17.94 | 2 per |
| | INDWELLING CATHETER, | | | month |
| | FOLEY TYPE, TWO-WAY, ALL SILICONE | | | |
| A4316 | INSERT TRAY W/DRAIN BAG & 3/WAY INDWELL | | 31.52 | 2 per |
| | САТН | | | month |
| A4320 | IRRIGATION TRAY WITH BULB OR PISTON | U1 >30 | 3.77 | 30 per |
| | SYRINGE, ANY PURPOSE | | | month |
| A4322 | IRRIGATION SYRINGE BULB/PISTON EACH | | 3.29 | 4 per |
| | | | | month |
| A4326 | MALE EXTERNAL CATHETER WITH INTEGRAL | | 11.98 | 31 per |
| | COLLECTION CHAMBER, ANY T | | | month |
| A4327 | FEMALE EXT URINARY COLLECT DEVICE; | | 49.51 | 4 per |
| | METAL CUP EACH | | | month |
| A4328 | FEMALE EXT URINARY COLLECT DEVICE | | 11.36 | 4 per |
| | POUCH EACH | | | month |
| A4330 | PERIANAL FECAL COLLECTION POUCH | | 7.94 | As |
| | W/ADHESIVE EACH | | | needed |
| A4331 | EXT DRAIN TUBING W/CNCTR/ADPTR EACH | | 3.53 | 2 per |
| | | | | month |
| A4332 | LUBE IND STR PKT-URIN CATH INS EACH | | 0.13 | 50 per |
| | | | | month |
| A4333 | URIN CATH ANC DEV ADHES SKIN ATT EACH | | 2.45 | 2 per |
| | | | - 46 | month |
| A4334 | URIN CATH ANCHRG DEV LEG STRAP EACH | | 5.46 | 2 per |
| A 4225 | | | 2.00 | month |
| A4335 | INCONTINENCE SUPPLY MISC | | 3.09 | 2 per |
| A4338 | NIDW CATH FOLEY 2 WAY ATEX W/COATING | | 11.57 | month |
| A4338 | INDW CATH FOLEY 2 WAY ATEX W/COATING | | 11.57 | 2 per month |
| A 4240 | EACH | | 22.07 | |
| A4340 | INDWELLING CATHETER, SPECIALTY TYPE, (E.G. COUDE, MUSHROOM, | | 23.97 | 2 per month |
| | WING, ETC.) EACH | | | monui |
| A4344 | INDW CATH FOLEY 2 WAY SILICONE EACH | | 15.10 | 2 per |
| A+J++ | IND W CATHTOLET 2 WAT SILICONE LACH | | 15.10 | month |
| A4346 | INDW CATH FOLEY 3 WAY CONT IRRIGATION | | 18.48 | 2 per |
| 111510 | EACH | | 10.10 | month |
| A4349 | MALE EXTERNAL CATHETER, WITH OR | | 1.62 | 35 per |
| | WITHOUT ADHESIVE, DISPOSABLE, | | | month |
| | EACH | | | |
| A4351 | INTERMITTENT URINARY CATHETER; | U1 >200 | 1.44 | 200 per |
| | STRAIGHT TIP, WITH OR WITHOUT | | | month |
| | COATING (TEFLON, SILICONE, SILICONE | | | - |
| | ELASTOMER, OR HYDROPHILIC, ETC.), EACH | | | |



| A4352 | INTERMITTENT URINARY CATHETER; COUDE | U1 >200 | 5.05 | 200 per |
|-------|---|---------|-------|---------|
| | (CURVED) TIP, WITH OR WITHOUT COATING | | | month |
| | (TEFLON, SILICONE, SILICONE ELASTOMERIC, | | | |
| | OR | | | |
| | HYDROPHILIC, ETC.), EACH | | | |
| A4353 | INTERMITTENT URINARY CATHETER, WITH | U1 >200 | 5.60 | 200 per |
| | INSERTION SUPPLIES | | | month |
| A4354 | INSERTION TRYA WITH DRAINAGE BAG | | 8.87 | 2 per |
| | WITHOUT CATHETER | | | month |
| A4355 | IRRIG TUB SET CONT IRRIG VIA FOLEY EACH | | 9.02 | 2 per |
| | | | | month |
| A4356 | EXT URETHRAL CLAMP/COMPRESS DEVICE | | 50.64 | 2 per |
| | EACH | | | month |
| A4357 | BEDSIDE DRAINAGE BAG, DAY OR NIGHT, WITH | | 6.60 | 2 per |
| | OR WITHOUT ANTI-REFLUX | | | month |
| | DEVICE, WITH OR WITHOUT TUBE, EACH | | | |
| A4358 | URINARY DRAINAGE BAG, LEG OR ABDOMEN, | | 5.19 | 2 per |
| | VINYL, WITH OR WITHOUT | | | month |
| | TUBE, WITH STRAPS, EACH | | | |
| A4360 | DISPOSABLE EXTERNAL URETHRAL CLAMP OR | | 0.41 | 30 per |
| | COMPRESSION DEVICE, | | | month |
| | WITH PAD AND/OR POUCH, EACH | | | |
| A4361 | OSTOMY FACEPLATE, EACH | | 17.90 | As |
| | | | | needed |
| A4362 | SKIN BARRIER; SOLID, 4 X 4 OR EQUIVALENT; | U1 >30 | 2.35 | 30 per |
| | EACH | | | month |
| A4363 | OSTOMY CLAMP, ANY TYPE, REPLACEMENT | | 2.24 | As |
| | ONLY, EACH | | | needed |
| A4364 | ADHESIVE, LIQUID OR EQUAL, ANY TYPE, PER | | 1.99 | 2 per |
| | OZ | | | month |
| A4366 | OSTOMY VENT, ANY TYPE, EACH | | 1.44 | As |
| | | | | needed |
| A4367 | OSTOMY BELT, EACH | | 5.39 | 2 per |
| | | | | month |
| A4368 | OSTOMY FILTER ANY TYPE-EA | | 0.28 | As |
| | | | | needed |
| A4369 | OSTOMY SKIN BARRIER, LIQUID (SPRAY, | | 1.94 | 2 per |
| | BRUSH, ETC), PER OZ | | | month |
| A4371 | OSTOMY SKIN BARRIER, POWDER, PER OZ | | 2.92 | 10 per |
| | | | | month |
| A4372 | OST SKN BARR SOL 4X4 BUILT-IN CONVX | | 4.66 | As |
| | | | | needed |
| A4373 | OSTOMY SKIN BARRIER, WITH FLANGE (SOLID, | U1>30 | 5.78 | 30 |
| | FLEXIBLE OR ACCORDION), WITH BUILT-IN | | | |
| | CONVEXITY, ANY SIZE, EACH | | | |



| A4375 | OSTOMY POUCH, DRAINABLE, WITH | | 19.07 | As |
|-------|---|--------|-------|--------|
| | FACEPLATE ATTACHED, PLASTIC, EACH | | | needed |
| A4376 | OSTOMY POUCH, DRAINABLE, WITH | | 52.82 | As |
| | FACEPLATE ATTACHED, RUBBER, EACH | | | needed |
| A4377 | OSTOMY POUCH, DRAINABLE, FOR USE ON | | 4.77 | As |
| | FACEPLATE, PLASTIC, EACH | | | needed |
| A4378 | OSTOMY POUCH, DRAINABLE, FOR USE ON | | 34.12 | As |
| | FACEPLATE, RUBBER, EACH | | | needed |
| A4379 | OSTOMY POUCH, URINARY, WITH FACEPLATE | | 16.67 | As |
| | ATTACHED, PLASTIC, EACH | | | needed |
| A4380 | OSTOMY POUCH, URINARY, WITH FACEPLATE | | 41.43 | As |
| | ATTACHED, RUBBER, EACH | | | needed |
| A4381 | OSTOMY POUCH, URINARY, FOR USE ON | | 5.13 | As |
| | FACEPLATE, PLASTIC, EACH | | | needed |
| A4382 | OSTOMY POUCH, URINARY, FOR USE ON | | 27.32 | As |
| | FACEPLATE, RUBBER, EACH | | | needed |
| A4383 | OSTOMY POUCH, URINARY, FOR USE ON | | 31.29 | As |
| | FACEPLATE, RUBBER EACH | | | needed |
| A4384 | OSTOMY FACEPLATE EQUIVALENT, SILICONE | | 10.67 | As |
| | RING, EACH | | | needed |
| A4385 | OSTOMY SKIN BARRIER, SOLID 4X4 OR | U1 >30 | 4.08 | 30 per |
| | EQUIVALENT, EXTENDED WEAR, | | | month |
| | WITHOUT BUILT-IN CONVEXITY, EACH | | | |
| A4387 | OST POUCH CLO W/BARR BUILT-IN CONVX | | 2.49 | As |
| | | | | needed |
| A4388 | OSTOMY POUCH, DRAINABLE, WITH EXTENDED | U1 >30 | 3.49 | 30 per |
| | WEAR BARRIER ATTACHED, | | | month |
| | (1 PIECE), EACH | | | |
| A4389 | OSTOMY POUCH, DRAINABLE, WITH BARRIER | U1 >30 | 4.98 | 30 per |
| | ATTACHED, WITH BUILT-IN | | | month |
| | CONVEXITY (1 PIECE), EACH | | | |
| A4390 | OSTOMY POUCH, DRAINABLE, WITH EXTENDED | U1 >30 | 7.69 | 30 per |
| | WEAR BARRIER ATTACHED, | | | month |
| | WITH BUILT-IN CONVEXITY (1 PIECE), EACH | | | |
| A4391 | OSTOMY POUCH URINARY WITH EXTERNAL | U1 >30 | 5.66 | 30 per |
| | WEAR BARRIER, EACH | | | month |
| A4392 | OSTOMY POUCH, URINARY, WITH STANDARD | U1 >30 | 6.54 | 30 per |
| | WEAR BARRIER ATTACHED WITH BUILT-IN | | | month |
| | CONVEXITY, EACH | | | |
| A4393 | OSTOMY POUCH, URINARY, WITH EXT.WEAR | U1 >30 | 7.93 | 30 per |
| | BARR.ATT. WITH BUILT-IN CONVEXITY, EACH | | | month |
| A4394 | OSTOMY DEODERANT, W OR W/OUT | | 2.87 | As |
| | LUBRICANT FOR USE IN OSTOMY POUCH, | | | needed |
| A4395 | OSTOMY DEODORANT FOR USE IN OSTOMY | | 0.05 | As |
| | POUCH, SOLID, PER TABLET | | | needed |



| A4396 | OSTOMY BELT W/PERISTOMAL HERNIA SUPPORT | | 44.93 | 1 per month |
|-------|--|--------|-------|-----------------|
| A4397 | IRRIGATION SUPPLY; SLEEVE, EACH | | 3.53 | 5 per |
| A4398 | OSTOMY IRRIGATION SUPPLY BAG-EACH | | 14.06 | month As |
| A4399 | OSTOMY IRRIGATION SUPPLY; | | 11.82 | needed 1 per |
| A4400 | CONE/CATHETER, WITH OR WITHOUT BRUSH OSTOMY IRRIGATION SET | | 33.23 | month 2 per |
| A4402 | LUBRICANT, PER OUNCE | | 1.09 | year 4 per |
| A4404 | | | 1.35 | month |
| | OSTOMY RING, EACH | | | 15 per month |
| A4405 | OSTOMY SKIN BARRIER, NON-PECTIN BASED, PASTE, PER OUNCE | | 2.72 | 10 per month |
| A4406 | OSTOMY SKIN BARRIER, PECTIN-BASED, PASTE, PER OUNCE | | 4.59 | 4 per month |
| A4407 | OSTOMY SKIN BARRIER, WITH FLANGE (SOLID, FLEXIBLE, OR ACCORDION), EXTENDED WEAR, WITH BUILT-IN CONVEXITY, 4X4 INCHES OR SMALLER, EACH | U1 >30 | 7.01 | 30 per month |
| A4408 | OSTOMY SKN BARRIER WITH CONVEXITY > 4X4 INCHES OR SMALLER, EACH | U1 >30 | 7.90 | 30 per month |
| A4409 | OSTOMY SKIN BARRIER, WITH FLANGE (SOLID, FLEXIBLE OR ACCORDION), EXTENDED WEAR, WITHOUT BUILT-IN CONVEXITY, 4X4 INCHES OR SMALLER, EACH | U1 >30 | 4.98 | 30 per month |
| A4410 | OSTOMY SKN BARRIER EXT W/O CONVEXITY, LARGER THAN4X4 INCHES, EACH | U1 >30 | 7.23 | As needed |
| A4411 | OSTOMY SKIN BARRIER SOLID 4X4 OR EQUIV EXTEND WEAR W BUILT-IN CONVEX | | 5.66 | As needed |
| A4412 | OSTOMY POUCH DRAINABLE HIGH OUTPUT FOR USE ON A BARRIER WITH FLANGE | U1 >30 | 2.16 | 30 per month |
| A4413 | OSTOMY POUCH DRANABLE BARRIER FLANGE/FILTER | U1 >30 | 4.40 | 30 per month |
| A4414 | OSTOMY SKIN BARRIER, WITH FLANGE (SOLID, FLEXIBLE OR ACCORDION), WITHOUT BUILT-IN CONVEXITY, 4X4 INCHES OR SMALLER, EACH | U1 >30 | 3.94 | 30 per month |
| A4415 | OSTOMY SKN BARRIER W/O CONVX >4X4 IN | U1 >30 | 4.80 | 30 per month |
| A4416 | OSTOMY POUCH, CLOSED, WITH BARRIER ATTACHED, WITH FILTER (1 PIECE), EACH | U1 >30 | 2.20 | 30 per month |
| A4417 | OSTOMY POUCH, CLOSED, WITH BARRIER, WITH BUILT-IN CONVEXITY, WITH FILTER (1 P), EACH | U1 >30 | 2.98 | 30 per month |



| A4418 | OSTOMY POUCH, CLOSED W/OUT BARRIER ATT, | | 2.02 | As |
|-----------|--|--------|-------|-----------------|
| A4410 | WITH FILTER (ONE PIECE), EACH | | 2.02 | needed |
| A4419 | OSTOMY POUCH, CLOSED/USE ON BARRIER | | 1.39 | 30 per |
| A4417 | WITH NON-LOCKING FLANGE, WITH FILTER | | 1.39 | month |
| | (2 PIECE), EACH | | | monui |
| A4420 | OSTOMY POUCH, CLOSED/USE ON BARRIER | | 2.41 | As |
| 117720 | WITH LOCKING FLANGE (2 PIECE), EACH | | 2.71 | needed |
| A4421 | OSTOMY SUPPLY MISC | | 23.00 | As |
| 111121 | | | 25.00 | needed |
| A4422 | OSTOMY ABSORBENT MATERIAL THICKN | | 0.13 | As |
| | LIQUID STOMAL OUTPUT | | | needed |
| A4423 | OSTOMY POUCH, CLOSED/USE ON BARRIER | U1 >30 | 1.49 | 30 per |
| | WITH LOCKING FLANGE, WITH FILTER | | | month |
| | (2 PIECE), EACH | | | |
| A4424 | OSTOMY POUCH, DRAINABLE, WITH BARRIER | | 3.80 | 20 per |
| | ATTACHED, WITH FILTER (1 PIECE), EACH | | | month |
| A4425 | OSTOMY POUCH, DRAINABLE; FOR USE ON | | 2.86 | 20 per |
| | BARRIER WITH NON-LOCKING FLANGE, WITH | | | month |
| | FILTER (2 PIECE SYSTEM), EACH | | | |
| A4426 | OSTOMY POUCH, DRNB/USE ON BARR WITH | U1>30 | 2.18 | 30 per |
| | LOCKING FLANGE (2 PIECE SYS), EACH | | | month |
| A4427 | OSTOMY POUCH, DRAINABLE; FOR USE ON | U1>30 | 2.56 | 30 per |
| | BARRIER WITH LOCKING FLANGE, WITH FILTER | | | month |
| | (2 PIECE SYSTEM), EACH | | | |
| A4428 | OSTOMY PCH, URNY/W EXTND WEAR BARR | | 7.23 | As |
| | ATT/W FAUCET-TYPE TAP WITH VALVE (1PC) | | | needed |
| A4429 | OSTOMY PCH/URNY/W BAR ATTD/W BUILT-IN | | 9.16 | As |
| | CONV/W FCET-TYPE TAP WITH VALVE (1PC) | | | needed |
| A4430 | OSTOMY PCH URNY/EXT WEAR BAR | | 9.45 | As |
| | ATT/BUILT-IN CONV/W FCT-TYP TAP WITH | | | needed |
| A 4 4 2 1 | VALVE (1PC) | | () | |
| A4431 | OSTOMY PCH/URNY/BARR ATT/FCT-TYPE | | 6.9 | As |
| A4432 | TAP/VALVE (1PC) | U1 >30 | 2.07 | needed |
| A4432 | OSTOMY POUCH, URINARY; FOR USE ON BARRIER WITH NON-LOCKING FLANGE, WITH | 01 >30 | 2.87 | 30 per month |
| | FAUCET-TYPE TAP WITH VALVE (2 PIECE), | | | monui |
| | EACH | | | |
| A4433 | OSTOMY POUCH/URINARY/USE ON | | 2.67 | 30 per |
| Λ++JJ | BARRIER/LOCKING FLANGE (2 PIECE), EACH | | 2.07 | month |
| A4434 | OSTOMY POUCH/URINARY/USE ON | | 4.17 | As |
| | BARRIER/LOCKING FLANGE/FAUCET - TYPE | | 1.1/ | needed |
| | TAP/VALVE (2 PIECE), EACH | | | incutu |
| A4435 | 1 PIECE OSTOMY POUCH DRAIN HIGH OUTPUT | | 6.41 | As |
| | | | | needed |
| A4450 | TAPE, NON-WATERPROOF, PER 18 SQUARE | | 0.09 | 300 per |
| | INCHES | | 0.07 | month |



| A4452 | TAPE, WATERPROOF, PER 18 SQUARE INCHES | | 0.28 | 200 per |
|--------|---|----------------|------|---------|
| | | | | month |
| A4554 | DISPOSABLE UNDERPADS ALL SIZES (CHUX) | | 0.43 | 120 per |
| | | | | month |
| A4455 | ADHESIVE REMOVER OR SOLVENT (FOR TAPE, | | 1.14 | 2 per |
| | CEMENT OR OTHER ADHESIVE), PER OUNCE | | | month |
| A4456 | ADHESIVE REMOVER, WIPES, ANY TYPE, EACH | | 0.21 | 30 per |
| | | | | month |
| A4927 | GLOVES NON-STERILE PER 100 | | 7.97 | 1 per |
| | | | | month |
| A5051 | OSTOMY POUCH, CLOSED; WITH BARRIER | U1 >30 | 1.66 | 60 per |
| | ATTACHED (1 PIECE), EACH | | | month |
| A5052 | OSTOMY POUCH, CLOSED; WITHOUT BARRIER | U1 >30 | 1.19 | 60 per |
| | ATTACHED (1 PIECE), EACH | | | month |
| A5053 | OSTOMY POUCH CLOS; USE FACEPLATE EACH | | 1.65 | As |
| | | | | needed |
| A5054 | OSTOMY POUCH, CLOSED; FOR USE ON | U1 >30 | 1.43 | 30 per |
| | BARRIER WITH FLANGE (2 PIECE), EACH | | | month |
| A5055 | STOMA CAP | | 1.15 | 30 per |
| | | | | month |
| A5056 | 1 PIECE OSTOMY POUCH WITH FILTER | | 4.01 | 40 |
| A5057 | 1 PIECE OSTOMY POUCH WITH BUILT-IN | | 8.26 | 40 |
| | CONVEXITY, WITH FILTER | | | |
| A5061 | OSTOMY POUCH, DRAINABLE; WITH BARRIER | | 2.82 | 20 per |
| | ATTACHED, (1 PIECE), EACH | | | month |
| A5062 | OSTOMY POUCH, DRAINABLE; WITHOUT | U1 >30 | 1.78 | 30 per |
| | BARRIER ATTACHED (1 PIECE), EACH | | | month |
| A5063 | OSTOMY POUCH, DRAINABLE; FOR USE ON | U1 >30 | 2.16 | 30 per |
| | BARRIER WITH FLANGE (2 PIECE SYSTEM), | | | month |
| | EACH | XX4 2 0 | 1.01 | |
| A5071 | OSTOMY POUCH, URINARY; WITH BARRIER | U1 >30 | 4.81 | 30 per |
| | ATTACHED (1 PIECE), EACH | | 2.02 | month |
| A5072 | OSTOMY POUCH URIN; W/O BARR ATTCH EACH | | 3.92 | As |
| | | 111.20 | 0.54 | needed |
| A5073 | OSTOMY POUCH, URINARY; FOR USE ON | U1 >30 | 2.54 | 30 per |
| 1 5001 | BARRIER WITH FLANGE (2 PIECE), EACH | | 2.10 | month |
| A5081 | CONTINENT DEVICE PLUG CONTINENT STOMA | | 3.12 | As |
| 1 5000 | | | 12.0 | needed |
| A5082 | CONTINENT DEVICE CATH CONTINENT STOMA | | 13.2 | As |
| 1 5000 | | | 0.71 | needed |
| A5083 | STOMA ABSORPTIVE COVER | | 0.71 | As |
| 1 5002 | OSTOMY ACCESSORY CONVEY DISERT | | 2.17 | needed |
| A5093 | OSTOMY ACCESSORY CONVEX INSERT | | 2.17 | As |
| | | | | needed |



| 1.5100 | | | 25.06 | 2 |
|---------------|---|-----|--------|---------|
| A5102 | BEDSIDE DRAINAGE BOTTLE W/WO TUBING, | | 25.06 | 2 per |
| 15105 | RIGID OR EXPANDABLE, EACH | | 45.05 | month |
| A5105 | URINARY SUSPENSORY | | 45.25 | 4 per |
| 4 5 1 1 0 | | | 20.42 | year |
| A5112 | URINARY LEG BAG | | 38.42 | 2 per |
| | | | 5.00 | month |
| A5113 | LEG STRAP LATEX REPLCE ONLY PER SET | | 5.23 | 2 per |
| | | | 0.45 | month |
| A5114 | LEG STRAP FOAM/FABRIC REPLAC ONLY PER | | 8.45 | 2 per |
| 1 5 1 2 0 | SET | | 0.10 | month |
| A5120 | SKIN BARRIER, WIPES OR SWABS, EACH | | 0.18 | 100 per |
| 4 5 1 0 1 | | | 7.02 | month |
| A5121 | SKIN BARRIER SOLID 6X6/EQUIVALENT EACH | | 7.03 | As |
| | | | 10.00 | needed |
| A5122 | SKIN BARRIER; SOLID, 8 X 8 OR EQUIVALENT, | | 10.28 | 20 per |
| 1.510.6 | EACH | | 1.46 | month |
| A5126 | ADHESIVE DISC/FOAM PAD | | 1.46 | As |
| | | | 1 | needed |
| A5131 | APPLIANCE CLEAN (INCONTINENCE/OSTOMY) | | 17.6 | 1 per |
| | PER 16 OZ | | 10.55 | month |
| A5200 | PERCUT CATH/TUBE ANCHOR DEV ADHES SKIN | | 12.55 | 2 per |
| | ATT | | 1 - 00 | month |
| E0275 | BED PAN STANDARD METAL/PLASTIC | NU | 17.00 | 2 per |
| 10075 | | DD | 1.50 | year |
| E0275 | BED PAN STANDARD METAL/PLASTIC | RR | 1.78 | 2 per |
| 10075 | | TIE | 10.54 | year |
| E0275 | BED PAN STANDARD METAL/PLASTIC | UE | 12.74 | 2 per |
| D007 (| | | 10.64 | year |
| E0276 | BED PAN, FRACTURE, METAL OR PLASTIC | | 10.64 | 1 per 6 |
| E0225 | | | 0.55 | months |
| E0325 | URINAL MALE JUG TYPE ANY MATERIAL | NU | 9.55 | 2 per |
| E0225 | URINAL MALE JUG TYPE ANY MATERIAL | DD | 1.42 | year |
| E0325 | | RR | 1.43 | |
| E0325 | URINAL MALE JUG TYPE ANY MATERIAL | UE | 6.31 | |
| E0326 | URINAL FEMALE JUG TYPE ANY MATERIAL | NU | 10.23 | 2 per |
| | | | | year |
| E0326 | URINAL FEMALE JUG TYPE ANY MATERIAL | RR | 1.12 | |
| E0326 | URINAL FEMALE JUG TYPE ANY MATERIAL | UE | 7.67 | |
| T4521 | ADULT SIZED DISPOSABLE INCONTINENCE | | 0.60 | 250 per |
| | PRODUCT, BRIEF/DIAPER, SMALL, EACH | | | month |
| T4522 | ADULT SIZED DISPOSABLE INCONTINENCE | | 0.60 | 250 per |
| | PRODUCT, BRIEF/DIAPER, MEDIUM, EACH | | | month |
| T4523 | ADULT SIZED DISPOSABLE INCONTINENCE | | 0.80 | 250 per |
| | PRODUCT, BRIEF/DIAPER, LARGE, EACH | | | month |
| | TRODUCT, BRIEF/DIATER, LAROE, EACH | | | monun |



| T4524 | ADULT SIZED DISPOSABLE INCONTINENCE | 0.90 | 250 per |
|-------|--|------|---------|
| | PRODUCT, BRIEF/DIAPER, EXTRA LARGE, EACH | | month |
| T4525 | ADULT SIZED DISPOSABLE INCONTINENCE | 0.60 | 250 per |
| | PRODUCT, PROTECTIVE UNDERWEAR/PULL-ON, | | month |
| | SMALL SIZE, EACH | | |
| T4526 | ADULT SIZED DISPOSABLE INCONTINENCE | 0.60 | 250 per |
| | PRODUCT, PROTECTIVE UNDERWEAR/PULL-ON, | | month |
| | MEDIUM SIZE, EACH | | |
| T4527 | ADULT SIZED DISPOSABLE INCONTINENCE | 0.80 | 250 per |
| | PRODUCT, PROTECTIVE UNDERWEAR/PULL-ON, | | month |
| | LARGE SIZE, EACH | | |
| T4528 | ADULT SIZED DISPOSABLE INCONTINENCE | 0.90 | 250 per |
| | PRODUCT, PROTECTIVE UNDERWEAR/PULL-ON, | | month |
| | EXTRA LARGE SIZE, EACH | | |
| T4529 | PEDIATRIC SIZED DISPOSABLE INCONTINENCE | 0.60 | 250 per |
| | PRODUCT, BRIEF/DIAPER, | | month |
| | SMALL/MEDIUM SIZE, EACH | | |
| T4530 | PEDIATRIC SIZED DISPOSABLE INCONTINENCE | 0.60 | 250 per |
| | PRODUCT, BRIEF/DIAPER, | | month |
| | LARGE SIZE, EACH | | |
| T4531 | PEDIATRIC SIZED DISPOSABLE INCONTINENCE | 0.80 | 250 per |
| | PRODUCT, PROTECTIVE | | month |
| | UNDERWEAR/PULL-ON, SMALL/MEDIUM SIZE, | | |
| | EACH | | |
| T4532 | PEDIATRIC SIZED DISPOSABLE INCONTINENCE | 0.90 | 250 per |
| | PRODUCT, PROTECTIVE | | month |
| | UNDERWEAR/PULL-ON, LARGE SIZE, EACH | | |
| T4533 | YOUTH SIZED DISPOSABLE INCONTINENCE | 0.34 | 250 per |
| | PRODUCT, BRIEF/DIAPER, EACH | | month |
| T4534 | YOUTH SIZED DISPOSABLE INCONTINENCE | 0.60 | 250 per |
| | PRODUCT, PROTECTIVE UNDERWEAR/PULL-ON, | | month |
| | EACH | | |
| T4535 | DISPOSABLE | 0.50 | 31 per |
| | LINER/SHIELD/GUARD/PAD/UNDERGARMENT, | | month |
| | FOR INCONTINENCE, EACH | | |
| T4541 | INCONTINENCE PRODUCT, DISPOSABLE | 0.50 | 50 per |
| | UNDERPAD, LARGE, EACH | | month |
| T4543 | DISPOSABLE INCONTINENCE PRODUCT, | 0.94 | 240 per |
| | BRIEF/DIAPER, BARIATRIC, EACH | | month |
| T4544 | ADULT SIZED DISPOSABLE INCONTINENCE | 0.94 | 250 per |
| | PRODUCT, PROTECTIVE UNDERWEAR/PULL-ON, | | month |
| | ABOVE EXTRA LARGE, EACH | | |



| Reviews, Revisions, and Approvals | Date | Approval Date |
|--|---------|------------------|
| Original approval date | 11/2015 | 11/2015 |
| Changed DESCRIPTION to: Incontinence describes any accidental or involuntary loss of urine from the bladder or feces from the bowel. Under Criteria for Medical Necessity added; Incontinence supplies are not covered for convenience. Changed aged to BIRTH THROUGH 3 YEARS OF AGE. Changed age to Under FOUR YEARS OLD AND OLDER and added sentences per the EPSDT DCH Manual: Incontinence supplies are covered for children ages 4 through 21 years who have an underlying medical condition that prevents control of the bowels or bladder. There must be documentation of the patient's diagnosis which supports the medical necessity of all items requested. Added HCPCS T4541 \$0.79 240 per month to the fee schedule since is on the Medicaid PSHP configuration fee schedule. Updated References. | 5/2016 | 5/2016 |
| Updated References. Updated <u>Appendix A. PSHP Incontinence Supplies</u> <u>Fee Schedule Covered and Codes and Limits.</u> | 5/2017 | 5/2017 |
| Updated References. Minor reformatting throughout for ease of reading. Added One diaper/briefs/pull-up/liner/underpad added before underpad under 1) Nocturnal Enuresis in Children section. Removed word severe from autism under 3) <u>FOUR YEARS OLD AND OLDER section.</u> Updated <u>Appendix A. PSHP Incontinence Supplies Fee Schedule Covered</u> and Codes and Limits. | 5/2018 | 5/2018 |
| Converted to new Centene Corporation clinical policy template with minor reformatting throughout. References reviewed and updated. Added Descriptions to the HCPCS codes. Updated the HCPCS codes per the Georgia Medicaid fee schedule. Under 4) Incontinence in Adults 21 years of age and older, removed "Urinary Incontinence is any involuntary leakage of urine, almost always caused by an underlying, treatable medical condition. Removed the table of Type of Incontinence and Treatment Management. Under 1. Documentation needed for medical necessity review: Change Maximum authorization up to 6 months at a time with updated clinical notes for continued medical necessity every 6 months. Added III. Incontinence supplies for adults 21 years of age and older, 1. Incontinence supplies, such as diapers, briefs, pull-ups, liners, underpads, and disposable wipes are NOT covered benefit for adults 21 years of age and older. 2. Urinary catheters or indwelling foley and supplies and ostomy supplies are covered as medically necessary for adults 21 years of age and older with a medical condition causing urine and/or bowel incontinence. 3. For medical necessity review, the requesting provider must include documentation as noted on Section I. Documentation needed for medical for medical necessity review. | 4/2019 | 5/2019 |
| Changed policy title from "Medical Necessity for Authorizing Incontinence Supplies" to "Incontinence and Ostomy Supplies". | 05/2020 | 05/2020 |



| Reviews, Revisions, and Approvals | Date | Approval Date |
|--|---------|------------------|
| Reference number changed from GA.MP.07 to GA.CP.MP.07 per the Centene State-Specific Clinical Policy Process: CP.CPC.04. Description: added "To provide medical necessity guidelines for authorization of urinary catheters and ostomy supplies for all members." I. F. Added "urinary catheters, ostomy and related supplies". Deleted Section II. B. Birth through 3 years of age 1. Incontinence supplies, such as diapers, briefs, pull-ups, liners, underpads, and disposable wipes, may be considered medically necessary if the member presented with a medical condition(s) that results in an increased urine or stool output beyond the typical output for this age group, such as neurogenic bladder or bowel from spina bifida, celiac disease, short bowel syndrome, Crohn's disease, thymic hypoplasia, congenital adrenal hyperplasia, diabetes insipidus, Hirschsprung's disease, or radiation enteritis, among others. New Section II. B. Changed Four years of age and under age 21 to "Two years of age and under age 21 years old". On section II. B. 1. Changed age from 4 to 2 and under 21 years old. Added 2. Children under the age of 2 years will be considered for coverage on a case-by-case basis. Changes made per the EPSDT Services Manual, GA DCH, Division of Medicaid. | | |
| Updated References. Policy/Criteria II. A. 2. Nocturnal enuresis (bedwetting) in children change from one to two per day or 60 per month. a."Two diaper/briefs/pull-up/liner/underpad per day or 60 per month may be approved." b. "If the requested quantity for diapers/briefs/pull- ups/liners/underpads <u>exceeds</u> two per day or 60 per month, the <u>Prior auth</u> <i>nurse will send the request for secondary Medical Director Review.</i> " | 08/2020 | 08/2020 |
| Updated ostomy skin barrier, with flange, HCPCS: A4373 and ostomy pouch drainable HCPCS: A4427 limits to 30/month for each, added State modifier for overutilization: U1>30, and adjusted rates for purchase price per the GA Medicaid DME Services Fee Schedule. | 10/2020 | 10/2020 |
| Description: replaced "authorization" with "coverage" on: To provide medical necessity guidelines for coverage of urinary catheters and ostomy supplies for all members. Policy/Criteria III . Renamed to "Incontinence and Ostomy supplies for adults 21 years of age and older". Updated Bedside Drainage Bag, day or night, with or without anti-reflux device, HCPCS: A4357 from 4 to 2 /month per GA Medicaid DME fee schedule. Updated References. | 05/2021 | 05/2021 |
| Section II.B. Two years of age and under age 21 years old 1. Changed "Incontinence supplies" to "Incontinence and ostomy supplies". 4. Changed "autism" to "autism spectrum disorder". Updated References. | 05/2022 | 05/2022 |
| Section I.D. Clarified sentence "Number of times per day the physician/NP/PA has ordered that the supply be used, if more than the maximum units per month is requested." Section II.B.4. at the end of | 05/2023 | 06/2023 |



| Reviews, Revisions, and Approvals | Date | Approval Date |
|--|---------|------------------|
| sentence, change "among others" to "(list may not be all inclusive)." Updated HCPCS code Table quantity and rate per GA DCH, Medicaid Fee Schedule, revised 4/1/2023 for A4391, A4392, A4393, A4408, A4410, A4412, A4413, A4415, A4416, A4417, A4419, A4423, A4426, A4433, A5056, A5057. Updated References. | | |
| Updated HCPCS code Table quantity and rate per GA DCH, Medicaid Fee Schedule, revised 10/1/2023 for A4424, A4425, A4349, A4351, A4352, A4353, A5061. Updated References. | 11/2023 | 12/2023 |
| Updated References. | 05/2024 | 06/2024 |

References

- 1. Part II Policies and Procedures for Durable Medical Equipment Services. Georgia Department of Community Health. Division of Medical Assistance Plans. Revised: 10/15; 04/16; 04/17; 04/18; 01/19; 04/19; 04/2020; 04/2021; 04/2022; 04/2023; 10/2023, 04/2024.
- Part II Policies and Procedures for Early and Periodic Screening, Diagnostic and Treatment (EPSDT) Services. Georgia Department of Community Health, Division of Medicaid. Revised: 04/16; 04/17; 04/18; 01/19; 04/19; 04/2020; 04/2021; 04/2022; 04/2023; 10/2023, 04/2024.
- 3. Georgia Medicaid DME Services Fee Schedule. Revised 01/19; 04/19; 04/2020. 01/2021; 04/2021; 04/2022; 04/2023; 10/2023, 04/2024.
- 4. McInerny TK, Adam HM, Campbell DE, Dewitt TG, Foy JM, Kamat DM, eds. American Academy of Pediatrics Textbook of Pediatric Care. Elk Grove Village, IL: American Academy of Pediatrics; 2017.
- 5. McInerny TK, Adam HM, Campbell DE, Kamat DM, Kelleher KJ, eds. American Academy of Pediatrics Textbook of Pediatric Care. Elk Grove Village, IL: American Academy of Pediatrics; 2009.

Important Reminder

This clinical policy has been developed by appropriately experienced and licensed health care professionals based on a review and consideration of currently available generally accepted standards of medical practice; peer-reviewed medical literature; government agency/program approval status; evidence-based guidelines and positions of leading national health professional organizations; views of physicians practicing in relevant clinical areas affected by this clinical policy; and other available clinical information. The Health Plan makes no representations and accepts no liability with respect to the content of any external information used or relied upon in developing this clinical policy. This clinical policy is consistent with standards of medical practice current at the time that this clinical policy was approved. "Health Plan" means a health plan that has adopted this clinical policy and that is operated or administered, in whole or in part, by Centene Management Company, LLC, or any of such health plan's affiliates, as applicable.

The purpose of this clinical policy is to provide a guide to medical necessity, which is a component of the guidelines used to assist in making coverage decisions and administering



benefits. It does not constitute a contract or guarantee regarding payment or results. Coverage decisions and the administration of benefits are subject to all terms, conditions, exclusions and limitations of the coverage documents (e.g., evidence of coverage, certificate of coverage, policy, contract of insurance, etc.), as well as to state and federal requirements and applicable Health Plan-level administrative policies and procedures.

This clinical policy is effective as of the date determined by the Health Plan. The date of posting may not be the effective date of this clinical policy. This clinical policy may be subject to applicable legal and regulatory requirements relating to provider notification. If there is a discrepancy between the effective date of this clinical policy and any applicable legal or regulatory requirement, the requirements of law and regulation shall govern. The Health Plan retains the right to change, amend or withdraw this clinical policy, and additional clinical policies may be developed and adopted as needed, at any time.

This clinical policy does not constitute medical advice, medical treatment or medical care. It is not intended to dictate to providers how to practice medicine. Providers are expected to exercise professional medical judgment in providing the most appropriate care, and are solely responsible for the medical advice and treatment of members. This clinical policy is not intended to recommend treatment for members. Members should consult with their treating physician in connection with diagnosis and treatment decisions.

Providers referred to in this clinical policy are independent contractors who exercise independent judgment and over whom the Health Plan has no control or right of control. Providers are not agents or employees of the Health Plan.

This clinical policy is the property of the Health Plan. Unauthorized copying, use, and distribution of this clinical policy or any information contained herein are strictly prohibited. Providers, members and their representatives are bound to the terms and conditions expressed herein through the terms of their contracts. Where no such contract exists, providers, members and their representatives agree to be bound by such terms and conditions by providing services to members and/or submitting claims for payment for such services.

Note: For Medicaid members, when state Medicaid coverage provisions conflict with the coverage provisions in this clinical policy, state Medicaid coverage provisions take precedence. Please refer to the state Medicaid manual for any coverage provisions pertaining to this clinical policy.

Note: For Medicare members, to ensure consistency with the Medicare National Coverage Determinations (NCD) and Local Coverage Determinations (LCD), all applicable NCDs, LCDs, and Medicare Coverage Articles should be reviewed <u>prior to</u> applying the criteria set forth in this clinical policy. Refer to the CMS website at <u>http://www.cms.gov</u> for additional information.

©2018 Centene Corporation. All rights reserved. All materials are exclusively owned by Centene Corporation and are protected by United States copyright law and international copyright law. No part of this publication may be reproduced, copied, modified, distributed, displayed, stored in a retrieval system, transmitted in any form or by any means, or otherwise



published without the prior written permission of Centene Corporation. You may not alter or remove any trademark, copyright or other notice contained herein. Centene[®] and Centene Corporation[®] are registered trademarks exclusively owned by Centene Corporation.