

835 Companion Guide

Payment/Advice

Version 4.0

Table of Contents

i
ŀ
ï
5
i
5
7
7
j
3
,
<i>;</i>
5
í
)
1
5
í
7 7 8

REVISION HISTORY

Document Version Number	Revision Date	Revision Page Number(s)	Reason for Revisions	Revisions Completed By
835004010X091A1- v1.0	07-03-03	Original	Original	ddw
835004010X091A1-v2.0	10/31/05	multiple	Questionnaire, Agreement	mw
835004010X091A1-v3.0	11/28/05	multiple	Corrections & Additions	llw
835004010X091A1-v4.0	9/2007	multiple	NPI, Corrections & Additions	gmb

Overview

The Health Insurance Portability and Accountability Act of 1996 (HIPAA) legislation mandates that many of the major health care electronic data exchanges, such as electronic claims and eligibility, be standardized into the same national format for all payers, providers and clearinghouses. All providers who submit governed data electronically to Centene Management Corporation (CENTENE), d.b.a. Managed Health Services, Superior HealthPlan, University Health Plans, First Guard, Buckeye Community Health Plan, Group Practice Affiliates and Peach State Health Plan must do so in the specified HIPAA format by October 16, 2003.

HIPAA specifies the electronic standards that must be followed when certain health care information is exchanged. These standards are published in <u>National Electronic Data Interchange Transaction Set Implementation Guides</u>. They are commonly called Implementation Guides (IG) and are referred to as IG throughout this document. The following table illustrates the adopted standards and the related CENTENE business categories.

Business Category	Transaction Name – Implementation Guide (IG)	Description
Enrollment Roster	ASC X12N 835 (004010X095A)	Enrollment/Disenrollment in a
		Health Plan
Capitation Payment Reporting	ASC X12N 820 (004010X061A)	Health Plan Premium Payments
Claims Processing	ASC X12N 837 (004010X098A)	Healthcare Claim or Encounter:
		Professional
	ASC X12N 837 (004010X097A)	Healthcare Claim or Encounter:
		Dental
	ASC X12N 837 (004010X096A)	Healthcare Claim or Encounter:
		Institutional
Explanation of Payment/Remittance	ASC X12N 835 (004010X091A)	Claim payment and Remittance
Advice		Advice
Eligibility Verification	ASC X12N 270/271 (004010X092A)	Health Plan Eligibility
Claim Status	ASC X12N 276/277 (004010X093A)	Health Claim Status
Prior Authorization	ASC X12N 278 (004010X094A)	Referral Certification and
		Authorization

Table 1.1 – Standards and Business Categories

The IG's are available for download through the Washington Publishing Company Web site at http://hipaa.wpc-edi.com. Developers should have copies of the respective IG's prior to beginning the development process.

CENTENE has developed technical companion guides to assist application developers during the implementation process. The information contained in the CENTENE Companion Guide is only intended to supplement the adopted IG's and provide guidance and clarification as it applies to CENTENE. The CENTENE Companion Guide is never intended to modify, contradict, or interpret the rules established in HIPAA or the IG's.

Centene Health Plans

Centene Corporation is a fully integrated multi-state government services managed care company. The Company's government services market includes Medicaid, SCHIP and SSI. The Company operates health plans in Arizona, Indiana, New Jersey, Texas, Wisconsin, Kansas, Missouri, Ohio, Georgia and South Carolina. For the purposes of this Implementation Guide (IG), when "CENTENE" is used going forward, it applies to all Health Plans. If there are any specific requirements for a specific health plan, the following initials will be used:

- o MHS-IN: Managed Health Services operating in Indiana
- o UHP-NJ: University Health Plans operating in New Jersey
- o SHP-TX: Superior HealthPlan operating in Texas
- o MHS-WI: Managed Health Services operating in Wisconsin
- o BCHP-OH: Buckeye Community Health Plan
- o FG MO: First Guard Missouri
- o FG KS: First Guard Kansas
- o Cenpatico Behavioral Health
- o PSHP GA: Peach State Health Plan in Georgia
- o TCC SC: Total Carolina Care in South Carolina

Data Flow

CENTENE has secure options available for exchanging data electronically. All transactions will be submitted in a batch mode. *Section 02: Method of Transmission* provides information on data transmissions.

For each outbound 835 batch transaction sent to a Trading Partner, CENTENE expects to receive a 997 – Functional Acknowledgement. This file acknowledges the receipt of the file and reports any data compliance issues.

Processing Assumptions

Some transactions are created and generated by, or on behalf of, a provider. Others are created by CENTENE either in response to a request received from a provider or as a means to provide pertinent information to providers or contracted vendors. The following list identifies each transaction by CENTENE's definition as inbound and/or outbound:

Inbound	Outbound
NCPDP (Provider)	NCPDP (State Agency)
270	271
276	277
278 (request)	278 (response)
820 (State Agency)	
835 (State Agency)	835 (Provider)
835 (State Agency)	835 (Provider)
837I (Provider)	837I (State Agency)
837P (Provider)	837P (State Agency)

Table 1.2 – CENTENE Transaction Definition

837D (Provider)	837D (State Agency)

Basic Technical Information

The following list includes basic technical information for each transaction:

- o Lower case characters on inbound transactions are converted to uppercase on outbound transactions
- The following delimiters are used for all outbound transactions:

*	(Asterisk)	=	Data element separator
+	(Plus sign)	=	Sub-element separator
\sim	(Tilde)	=	Segment separator

- o Interactive transaction must contain only one request
- All monetary amounts and quantity fields have explicit decimals. The decimal point always appears in the character stream if the decimal point is at any place other than the right end. If the value is an integer, with the decimal point at the right end, the decimal point should be omitted. See the *IG* for additional clarification. CENTENE is referred to as *CENTENE* in applicable Submitter and Receiver segments.
- The *TA1 Interchange Acknowledgement*, is not used.
- o The 997 Functional Acknowledgement, is generated in response to all inbound batch transactions.
- The 997 Functional Acknowledgement, is in response to all outbound batch transactions created by CENTENE.
- Required data elements considered non-critical to CENTENE processing that must be returned on outbound transactions, such as member's birth date, are returned as they appear on the CENTENE files.
- o If one item within a functional group is non-compliant, the entire file is rejected.
- Data elements required by the *IG*, but not used by CENTENE can be gap-filled with any valid value to avoid compliance errors.

Overview

There are three methods of sending and receiving electronic transactions with CENTENE. Those three methods are:

- CENTENE Bulletin Board System (BBS)
- CENTENE'S FTP site
- Trading Partner's BBS or FTP site

If you would prefer to utilize the CENTENE BBS or FTP site, please contact your EDI Health Plan Coordinator. Instructions will be forwarded to you. You will also be assigned a username and password in order to access your mailbox account.

If you would prefer CENTENE to utilize your BBS or FTP site, please submit instructions along with the username and password to your CENTENE EDI Health Plan Coordinator.

Overview

Data files are transmitted in an *electronic envelope*. The communication envelope consists of an interchange envelope and functional groups. The interchange control structure is used for inbound and outbound files. An inbound interchange control structure is the envelope that wraps all transaction data (ST-SE) sent to CENTENE for processing. Examples include 837, 270 and 276 transactions. An outbound interchange control structure wraps transactions that are created by CENTENE and returned to the requesting provider or contracted vendor. Examples of outbound transactions include 835, 271 and 277 transactions. The following tables define the use of this control structure as it relates to communication with CENTENE.

Inbound Transactions

Segment Name	Interchange Control Header			
Segment ID	ISA			
Loop ID	N/A			
Usage	Required			
Segment Notes	interchange h The character character in t	All positions within each data element in the ISA segment must be filled. Delimiters are specified in the interchange header segment. The character immediately following the segment ID, <i>ISA</i> , defines the data elements separator. The last character in the segment defines the component element separator, and the segment terminator is the byte that immediately follows the component element separator. Examples of the separators are as follows:		
	Character	Name	Delimiter	
	*	Asterisk	Data Element Separator	
	:	: Colon Sub-element Separator		
	~ Tilde Segment Terminator			
While it is not re- transactions.	quired that subr	nitters use tl	hese specific delimiters, they are the ones that CENTENE uses for all outbound	

Element ID	Usage	Guide Description/Valid Values	Comments
ISA01	R	Authorization Information Qualifier 00 – No Authorization Information Present	
ISA02	R	Authorization Information Insert 10 blanks	Always blank. Insert 10 blank spaces.
ISA03	R	Security Information Qualifier 00 – No Security Information Present	
ISA04	R	Security Information Insert 10 blanks	Always blank. Insert 10 blank spaces.
ISA05	R	Interchange ID Qualifier ZZ – Mutually Defined	
ISA06	R	Interchange Sender ID	For batch transactions, this is the sender ID assigned by the Trading Partner. This field has a required length of 15 bytes; therefore, the field must be blank filled to the right.
ISA07	R	Interchange ID Qualifier ZZ	
ISA08	R	Interchange Receiver ID	This field has a required length of 15 bytes; therefore, the field must be blank filled to the right.
ISA09	R	Interchange Date	The date format is YYMMDD.
ISA10	R	Interchange Time	The time format is HHMM.
ISA11	R	Interchange Control Standards Identifier U – U.S. EDI Community of ASC X12, TDCC, and UCS	
ISA12	R	Interchange Control Version Number 00401 – Draft Standards for Trial Use Approved for Publication by ASC X12 Procedures Review Board through October 1997	
ISA13	R	Interchange Control Number	The interchange control number is created by the submitter and must be identical to the associated Interchange Trailer (IEA02). This is a numeric field and must be zero filled. This number should be unique and CENTENE recommends that it be incremented by one with each ISA segment.
ISA14	R	Acknowledgment Requested 0 – No acknowledgment requested 1 – Interchange Acknowledgment Requested	CENTENE always creates an acknowledgment file for each file received.
ISA15	R	Usage Indicator P – Production Data T – Test Data	During testing the usage indicator entered must be T . After testing approval, P must be entered for production transactions.

Element ID	Usage	Guide Description/Valid Values	Comments
ISA16	R	Component Element Separator	The component element separator is a delimiter and not a data element. This field provides the delimiter used to separate component data elements within a composite data structure; this value must be different than the data element separator and the segment terminator.

Segment Name	Functional Group Header
Segment ID	GS
Loop ID	N/A
Usage	Required
Segment Notes	

Element ID	Usage	Guide Description/Valid Values	Comments
GS01	R	Functional Identifier Code RA – Payment Order/Remittance Advice (820) BE – Benefit Enrollment and Maintenance (834) HP – Health Care Claim Payment/Advice (835) HC – Health Care Claim (837) HS – Eligibility, Coverage or Benefit Inquiry (270) HR – Health Care Claim Status Request (276) HI – Health Care Services Review Information (278)	Use the appropriate identifier to designate the type of transaction data to follow the GS segment.
GS02	R	Application Sender's Code	Same as ISA06
GS03	R	Application Receiver's Code	Same as ISA08
GS04	R	Date	The date format is CCYYMMDD.
GS05	R	Time	The time format is HHMMSS
GS06	R	Group Control Number	Assigned number originated and maintained by the sender. This must match the number in the corresponding GE02 data element on the GE group trailer segment.
GS07	R	Responsible Agency Code X – Accredited Standards Committee X12	
GS08	R	Version/Release/Industry Identifier Code 004010X061A1 - 820 004010X095A1 - 834 004010X091A1 - 835	Use the appropriate identifier to designate the identifier code for the type of transaction data to follow the GS segment. Refer to specific transaction <i>IG</i> for proper value.

Element ID	Usage	Guide Description/Valid Values	Comments
		004010X098A1 - 837P 004010X097A1 - 837 D	
		004010X09/A1 – 837 D 004010X096A1 – 837 I	
		004010X092A1 - 270	
		004010X093A1 - 276 004010X094A1 - 278	

Segment Name	Functional Group Trailer	
Segment ID	GE	
Loop ID	N/A	
Usage	Required	
Segment Notes		

Element ID	Usage	Guide Description/Valid Values	Comments
GE01	R	Number of Transaction Sets Included	Use the number of transaction sets included in this functional group.
GE01	R	Group Control Number	Group control number GE02 in this trailer must be identical to the same data element in the associated functional group header, GS06.

Segment Name	Interchange Control Trailer	
Segment ID	IEA	
Loop ID	N/A	
Usage	Required	
Segment Notes		

Element ID	Usage	Guide Description/Valid Values	Comments
IEA01	R	Number of Included Functional Groups	Use the number of functional groups included in this interchange envelope.
IEA02	R	Interchange Control Number	Interchange control number IEA02 in this trailer must be identical to the same data element in the associated interchange control header, ISA13, including padded zeros.

Outbound Transactions

Segment Name	Interchange Control Header			
Segment ID	ISA			
Loop ID	N/A	N/A		
Usage	Required	Required		
Segment Notes	All positions within each data element in the ISA segment must be filled. Delimiters are specified in the interchange header segment. The character immediately following the segment ID, <i>ISA</i> , defines the data elements separator. The last character in the segment defines the component element separator, and the segment terminator is the byte that immediately follows the component element separator. Examples of the separators are as follows:			
	Character	Name	Delimiter	
	* Asterisk Data Element Separator + Plus Sign Sub-element Separator			
	~	~ Tilde Segment Terminator		

While it is not required that submitters use these specific delimiters, they are the ones that the CENTENE uses for all outbound transactions.

Element ID	Usage	Guide Description/Valid Values	Comments
ISA01	R	Authorization Information Qualifier 00 – No Authorization Information Present	
ISA02	R	Authorization Information Insert 10 blanks	Always blank. Insert 10 blank spaces.
ISA03	R	Security Information Qualifier 00 – No Security Information Present	
ISA04	R	Security Information Insert 10 blanks	Always blank. Insert 10 blank spaces.
ISA05	R	Interchange ID Qualifier ZZ	
ISA06	R	Interchange Sender ID	For batch transactions, this is the sender ID assigned by CENTENE This field has a required length of 15 bytes; therefore, the field must be blank filled to the right.
ISA07	R	Interchange ID Qualifier ZZ – Mutually Defined	
ISA08	R	Interchange Receiver ID	For batch transactions, this is the sender ID assigned by the Trading Partner. This field has a required length of 15 bytes; therefore, the field must be blank filled to the right.
ISA09	R	Interchange Date	The date format is YYMMDD.
ISA10	R	Interchange Time	The time format is HHMM.
ISA11	R	Interchange Control Standards Identifier	

Element ID	Usage	Guide Description/Valid Values	Comments
		U – U.S. EDI Community of ASC X12, TDCC, and UCS	
ISA12	R	Interchange Control Version Number 00401 – Draft Standards for Trial Use Approved for Publication by ASC X12 Procedures Review Board through October 1997	
ISA13	R	Interchange Control Number	This number is unique and increments by 1 with each ISA segment. It also matches the interchange control number of the IEA02 of the interchange control trailer.
ISA14	R	Acknowledgment Requested 1 – Interchange Acknowledgment Requested	CENTENE always requires an acknowledgment file for each file submitted to a trading partner.
ISA15	R	Usage Indicator P – Production Data T – Test Data	During testing the usage indicator is a T . After the trading partner has approved, the usage indicator will be a P .
ISA16	R	Component Element Separator	The component element separator is a delimiter and not a data element. This is always a colon (:).

Segment Name	Functional Group Header	
Segment ID	GS	
Loop ID	N/A	
Usage	Required	
Segment Notes		

Element ID	Usage	Guide Description/Valid Values	Comments
GS01	R	Functional Identifier Code RA – Payment Order/Remittance Advice (820) BE – Benefit Enrollment and Maintenance (834) HP – Health Care Claim Payment/Advice (835) HC – Health Care Claim (837) HB – Eligibility, Coverage or Benefit Information (271) HN – Health Care Claim Status Notification (277) HI – Health Care Services Review Information (278)	Use the appropriate identifier to designate the type of transaction data to follow the GS segment.
GS02	R	Application Sender's Code	Same as ISA06
GS03	R	Application Receiver's Code	Same as ISA08
GS04	R	Date	The date format is CCYYMMDD.

Element ID	Usage	Guide Description/Valid Values	Comments
GS05	R	Time	The time format is HHMMSS
GS06	R	Group Control Number	This data element contains a uniquely assigned number and matches the number in the corresponding GS02 data element on the GE group trailer segment
GS07	R	Responsible Agency Code	
		X – Accredited Standards Committee X12	
GS08	R	Version/Release/Industry Identifier Code 004010X061A1 - 820 004010X095A1 - 834 004010X091A1 - 835 004010X098A1 - 837P 004010X097A1 - 837 D 004010X096A1 - 837 I 004010X092A1 - 270 004010X093A1 - 276 004010X094A1 - 278	This data element contains the appropriate identifier to designate the identifier code for the type of transaction data to follow the GS segment.

Segment Name	Functional Group Trailer	
Segment ID	GE	
Loop ID	N/A	
Usage	Required	
Segment Notes		

Element ID	Usage	Guide Description/Valid Values	Comments
GE01	R	Number of Transaction Sets Included	This data element contains the number of transaction sets included in this functional group.
GE01	R	Group Control Number	Group control number GE02 in this trailer is identical to the same data element in the associated functional group header, GS06.

Segment Name	Interchange Control Trailer	
Segment ID	IEA	
Loop ID	N/A	
Usage	Required	
Segment Notes		

Element ID	Usage	Guide Description/Valid Values	Comments
IEA01	R	Number of Included Functional	This data element contains the number of functional groups

Element ID	Usage	Guide Description/Valid Values	Comments
		Groups	included in this interchange envelope.
IEA02	R	Interchange Control Number	Interchange control number IEA02 in this trailer is identical to the same data element in the associated interchange control header, ISA13, including padded zeros.

Introduction

The ASC X12N 835 (004010X091A1) transaction is the HIPAA-mandated transaction for submitting CENTENE payment and advice to Providers who have requested an electronic Explanation of Payment (EOP).

The 835 will be made available based on the CENTENE Check Run schedule, which varies, by Health Plan. Please consult with your EDI Representative for the appropriate timeframe. This transaction has the capability of replacing the paper EOP if desired. However, the check that is issued based on the EOP will be provided via mail as it has in the past.

This is intended only as a companion guide and is not intended to contradict or replace any information in the Implementation Guide or Health Plan Provider Manual's.

It is highly recommended that implementers have the following resources available during the development process:

- This document (835 Implementation Companion Document)
- ASC X12N 835 (004010X091A1) Implementation Guide

Segment Usage

The following matrix lists all segments available on the 4010 version of the 835 Implementation Guide. Additionally, it includes a Usage column that identifies those segments, which are required, situational, or not used by CENTENE. A required segment/element will be reported on all transactions. A situational segment may not be reported on every transaction record; however, a situational segment may be reported under certain circumstances. For example, any data in a segment that is identified in the Usage column with an X will be ignored by CENTENE. Any segment identified in the Usage column as required is explained in detail in the Data and Element Description Section of the Companion Document.

Reminders

- 1. The maximum number of records within a single 835 Transaction is 10,000. Therefore, multiple 835 transactions may exist within one file.
- Some element values may include NULL values. (i.e. NM1*82*2*WARM SPRINGS MEDICAL CENTER****MC*000001284A~)

Segment	Loop	Segment Name	CENTENE
ID	ID		Usage
			R –Required
			S- Situational
			X – Not Used
ST	N/A	Transaction Set Header	R
BPR	N/A	Beginning Segment	R
TRN	N/A	Trace	R
CUR	N/A	Currency	Х
REF	N/A	Receiver Identification	S
REF	N/A	Version Identification	Х
DTM	N/A	Date/Time Reference	R
N1	1000A	Payer Identification	R
N3	1000A	Payer Address	R
N4	1000A	Payer City, State, ZIP Code	R
REF	1000A	Additional Payer Identification	X
PER	1000A	Payer Contact Information	X
N1	1000B	Payee Identification	R
N3	1000B	Payee Address	R
N4	1000B	Payee City, State, ZIP Code	R
REF	1000B	Payee Additional Identification	R
LX	2000	Header Number	R
TS3	2000	Provider Summary Information	X
TS2	2000	Provider Supplemental Summary Info	Х
CLP	2100	Claim Payment Information	R
CAS	2100	Claims Adjustment	S
NM1	2100	Patient Name	R
NM1	2100	Insured Name	X
NM1	2100	Corrected Patient/Insured Name	X
NM1	2100	Service Provider Name	R
NM1	2100	Crossover Carrier Name	X
NM1	2100	Corrected Priority Payer Name	X
MIA	2100	Inpatient Adjudication Information	X
MOA	2100	Outpatient Adjudication Information	X
REF	2100	Other Claim Related Identification	X
REF	2100	Rendering Provider Identification	X
DTM	2100	Claim Date	X
PER	2100	Claim Date 2 Claim Contact Information 2	
AMT	2100	Claim Supplemental Information	S
QTY	2100	Claim Supplemental Information Qty	S

Table 3.2 – Segment Usage – 835 Payment/Advice

SVC	2110	Service Payment Information	S
DTM	2110	Service Date	S
CAS	2110	Service Adjustment	S
REF	2110	Service Identification	Х
REF	2110	Rendering Provider Information	Х
AMT	2110	Service Supplemental Amount	S
QTY	2110	Service Supplemental Quantity	Х
LQ	2110	Health Care Remark Codes	S
PLB	N/A	Provider Level Adjustments	S
SE	N/A	Transaction Set Trailer	R

Segment and Data Element Description

This section contains a tabular representation of any segment that is required or situational for the CENTENE HIPAA implementation of the 835. Each segment table contains rows and columns describing different elements of the segment.

Segment Name	The industry assigned segment name as identified in the Implementation Guide (IG)
Segment ID	The industry assigned segment ID as identified in the IG
Loop ID	The loop within which the segment should appear
Usage	Identifies the segment as required or situational
Segment Notes	A brief description of the purpose or use of the segment
Element ID	
Usage	Identifies the data element as R-required, S-situational, or X-not used
Guide	Industry name associated with the data element. If no industry name exists, this is the
Description/Valid	IG data element name. This column also lists in BOLD type values and/or code sets
Values	to be used.
Comments	Description of the contents of the data elements (including field lengths)

Segment Name Transaction Set Header		Transaction Set Header		
Segment II)	ST		
Loop ID		N/A		
Usage		Required		
Segment Notes		This segment begins the t	This segment begins the transaction	
Element	Usage	Guide Description/Valid Values	Comments	
ID	-			
ST01	R	Transaction Set Identifier Code	835	
ST02	R	Transaction Set Control Number	This number is assigned locally by the sender and will	
			match the value in the corresponding SE segment.	

Segment N	ame	Beginning Segn	Beginning Segment		
Segment II)	BPR	BPR		
Loop ID		N/A	N/A		
Usage		Required	Required		
Segment N	otes	This segment will	describe the type of transaction being sent		
Example: BPF	R*I*7933.22	*C*ACH*CCP*01*071000505*DA	A*5800977968*1203174593**01*061112966*DA*9893911*20071016~		
Element	Usage	Guide Description/Valid	Comments		
ID		Values			
BPR01	R	Transaction Handling Code	I – Remittance Information Only		
			Checks will be provided via U.S. Mail		
BPR02	R	Monetary Amount	Total Payment amount for this 835		
			Payment amount cannot exceed eleven characters including decimals.		
BPR03	R	Credit/Debit Flag Code	C – Credit		
BPR04	R	Payment Method Code	CHK – Check		
			ACH – Automated Clearinghouse		
			NON – Non-Payment Data		
BPR05	S	Payment Format Code	Required for EFT		
			CCP - Cash Concentration/Disbursement plus Addenda		

			(CCD+) (ACH)
BPR06	S	Number Qualifier	Required for EFT
			01 - ABA Transit Routing Number Including Check Digits
			(9 digits)
BPR07	S	(DFI) Identification Number	Required for EFT
			Centene Health Plan's Depository Financial Institution (DFI) identification number
BPR08	S	Account Number Qualifier	Required for EFT
			DA - Demand Deposit
BPR09	S	Account Number	Required for EFT
			Centene Health Plan's Bank Account Number
BPR10	S	Originating Company	Required for EFT
		Identifier	Payer Tax ID
BPR11	Х	Originating Company	Not used by CENTENE
		Supplemental Code	
BPR12	S	(DFI) ID Number Qualifier	Required for EFT
			01 -
BPR13	S	(DFI) Identification Number	Required for EFT
			Payee's Depository Financial Institution (DFI) identification
			number
BPR14	S	Account Number Qualifier	Required for EFT
			DA - Demand Deposit
BPR15	S	Account Number	Required for EFT
			Payee's Bank Account Number
BPR16	R	Date	Check Date - format ccyymmdd
BPR17	Х	Business Function Code	Not used by CENTENE
BPR18	Х	(DFI) ID Number Qualifier	Not used by CENTENE
BPR19	Х	(DFI) Identification Number	Not used by CENTENE
BPR20	Х	Account Number Qualifier	Not used by CENTENE
BPR21	Х	Account Number	Not used by CENTENE

Segment N	ment Name Reassociation Trace Number				
Segment II)	TRN	TRN		
Loop ID		N/A			
Usage		Required			
Segment N	otes	This segment will identi	fy the check number that this information represents		
Element	Usage	Guide Description/Valid	Comments		
ID		Values			
TRN01	R	Trace Type Code	1 – Current Transaction Trace Numbers		
TRN02	R	Reference Identification	Check Number issued which is received via U.S. Mail		
TRN03	R	Originating Company	Payer identifier		
		Identifier			
TRN04	Х	Reference Identification	Not used by CENTENE		

Segment Name	Receiver Identification
Segment ID	REF
Loop ID	N/A
Usage	Situational
Segment Notes	If a Provider is utilizing a third party to accept this transaction, it will be identified in this
	segment

Element	Usage	Guide Description/Valid	Comments
ID		Values	
REF01	R	Reference Identification	EV – Receiver Identification Number
		Qualifier	
REF02	R	Reference Identification	Third Party Payer ID
REF03	Х	Description	Not Used
REF04	Х	Reference Identifier	Not Used

Segment Name Production Date				
Segment ID DTM				
Loop ID		N/A		
Usage		Situational		
Segment N	otes	Provides the date when t	he last adjudication process was completed before the 835 was	
		created		
Element	Usage	Guide Description/Valid	Comments	
ID		Values		
DTM01	R	Date/Time Qualifier	405 – Production	
DTM02	R	Date	CCYYMMDD	
DTM03	Х	Time	Not Used	
DTM04	Х	Time Code	Not Used	
DTM05	Х	Date Time Period Format	Not Used	
DTM06	Х	Date Time Period	Not Used	

Segment N	ame	Payer Identification	
Segment II)	N1	
Loop ID		1000A	
Usage		Required	
Segment N	otes	Name and address of the	Payer
Element ID	Usage	Guide Description/Valid Values	Comments
N101	R	Entity Identifier Code	PR – Payer
N102	S	Name	MHS-IN – Managed Health Services UHP-NJ – University Health Plans SHP-TX – Superior HealthPlan MHS-WI – Managed Health Services FG-MO/KS FirstGuard BC-OH – Buckeye GPA-AZ – Group Practice Affiliate GPA-WI – Group Practice Affiliate PSHP – Peach State Health Plan TCC – Total Care Carolina
N103	Х	Identification Code Qual.	Not Used
N104	Х	Identification Code	Not Used
N105	Х	Entity Relationship Code	Not Used
N106	Х	Entity Identifier Code	Not Used

Segment N	ame	Payer Address	
Segment II)	N3	
Loop ID		1000A	
Usage		Required	
Segment N	otes		
Element	Usage	Guide Description/Valid	Comments
ID		Values	

N301	R	Address Information	
N302	S	Address Information	

Segment Name Payer City, State, Zip Co			Code
Segment II	D	N4	
Loop ID		1000A	
Usage		Required	
Segment N	lotes		
Element	Usage	Guide Description/Valid	Comments
ID		Values	
N401	R	City Name	
N402	R	State or Province Code	
N403	R	Postal or Zip Code	
N404	Х	Country Code	Not Used
N405	Х	Location Qualifier	Not Used
N406	Х	Location Identifier	Not Used

Segment N	ame	Payee Identification	
Segment II)	N1	
Loop ID		1000B	
Usage		Required	
Segment N	otes	Name and Address of the	e Payee
Element	Usage	Guide Description/Valid	Comments
ID		Values	
N101	R	Entity Identifier Code	PE – Payee
N102	R	Name	Payee Name
N103	R	Identification Code Qualifier	FI – Federal Taxpayer's Identification Number
			XX – NPI number
N104	R	Identification Code	Tax ID or NPI number
N105	Х	Entity Relationship Code	Not Used
N106	Х	Entity Identifier Code	Not Used

Segment N	Segment Name Payee Address			
Segment II)		N3	
Loop ID			1000B	
Usage			Situational	
Segment Notes				
Element	Usage	Gu	ide Description/Valid	Comments
ID			Values	
N301	R	Add	lress Information	Payee Address Line 1
N302	S	Add	lress Information	Payee Address Line 2 if needed

Segment Name Payee City, State, Zip Co			Code
Segment II)	N4	
Loop ID		1000B	
Usage		Situational	
Segment N	otes		
Element	Usage	Guide Description/Valid	Comments
ID	-	Values	
N401	R	City Name	
N402	R	State or Province Name	
N403	R	Postal Code	
N404	S	Country Code	Not Used by CENTENE

N405	Х	Location Qualifier	Not Used
N406	Х	Location Identifier	Not Used

Segment N	ame	Payee Additional Ident	ification
Segment II)	REF	
Loop ID		1000B	
Usage		Required	
Segment N	otes		
Element	Usage	Guide Description/Valid	Comments
ID		Values	
REF01	R	Reference Identification	TJ – Federal Taxpayer's Identification Number
		Qualifier	
REF02	R	Provider Identifier	Tax ID
REF03	Х	Description	Not Used
REF04	Х	Reference Identifier	Not Used

Segment N	Segment Name Header Number				
Segment ID			LX		
Loop ID					
Usage	Usage Required		Required		
Segment N	Segment Notes				
Element	Usage	age Guide Description/Valid		Comments	
ID	_	Values			
LX01	R	Ass	igned Number	Incremental number starting with 1	

Segment N	ame	Claim Payment Inform	nation
Segment II)	CLP	
Loop ID		2100	
Usage		Required	
Segment N	otes		
Element	Usage	Guide Description/Valid	Comments
ID	_	Values	
CLP01	R	Claim Submitter's Identifier	Patient Control Number submitted on the claim
CLP02	R	Claim Status Code	CENTENE will be utilizing one of the following codes:
			1 – Processed as Primary
			2 – Processed as Secondary
			4 – Denied
			5 - Pended
			22 – Reversal of Previous Payment
CLP03	R	Total Claim Charge Amount	
CLP04	R	Claim Payment Amount	
CLP05	S	Patient Responsibility	
		Amount	

CLP06	R	Claim Filing Indicator Code	HM – Health Maintenance Organization
CLP07	S	Payer Claim Control	CENTENE assigned claim number
		Number	
CLP08	S	Facility Type Code	
CLP09	S	Claim Frequency Code	
CLP10	Х	Patient Status Code	Not Used
CLP11	S	Diagnostic Related Group	
		(DRG) code	
CLP12	S	Diagnosis Related Group	
		(DRG) Weight	
CLP13	S	Discharge Fraction	

Segment N	lame	Claim Adjustment			
Segment II)	CAS			
Loop ID		2100	2100		
Usage		Situational			
Segment N	lotes				
Element	Usage	Guide Description/Valid	Comments		
ID		Values			
CAS01	R	Claim Adjustment Group Code	CR – Correction and Reversals OA – Other Adjustment		
CAS02	R	Claim Adjustment Reason Code			
CAS03	R	Adjustment Amount			
CAS04	S	Adjustment Quantity			
CAS05	S	Adjustment Reason Code			
CAS06	S	Adjustment Amount			
CAS07	S	Adjustment Quantity			
CAS08	S	Adjustment Reason Code			
CAS09	S	Adjustment Amount			
CAS10	S	Adjustment Quantity			
CAS11	S	Adjustment Reason Code			
CAS12	S	Adjustment Amount			
CAS13	S	Adjustment Quantity			
CAS14	S	Adjustment Reason Code			
CAS15	S	Adjustment Amount			
CAS16	S	Adjustment Quantity			
CAS17	S	Adjustment Reason Code			
CAS18	S	Adjustment Amount			
CAS19	S	Adjustment Quantity			

Segment N	ame	Patient Name				
Segment II)	NM1	NM1			
Loop ID		2100				
Usage		Required	Required			
Segment N	otes					
Element	Usage	Guide Description/Valid	Comments			
ID		Values				
NM101	R	Entity Identifier Code	QC – Patient			
NM102	R	Entity Type Qualifier	1 – Person			
NM103	R	Patient Last Name				
NM104	R	Patient First Name				

NM105	S	Patient Middle Name	
NM106	Х	Name Prefix	Not Used
NM107	Х	Patient Name Suffix	Not Used
NM108	S	Identification Code Qualifier	MR – Medicaid Recipient Identification Number
NM109	S	Patient Identifier	
NM110	Х	Entity Relationship Code	Not Used
NM111	Х	Entity Identifier Code	Not Used

Segment N	ame	Service Provider Name	
Segment ID		NM1	
Loop ID		2100	
Usage		Situational	
Segment N	otes		
Element	Usage	Guide Description/Valid	Comments
ID		Values	
NM101	R	Entity Identifier Code	82 – Rendering Provider
NM102	R	Entity Type Qualifier	1 – Person
NM103	S	Rendering Provider Last or	
		Organization Name	
NM104	S	Rendering Provider First	
		Name	
NM105	S	Rendering Provider Middle	
		Name	
NM106	Х	Name Prefix	Not Used
NM107	Х	Rendering Provider Name	Not Used
		Suffix	
NM108	R	Identification Code Qualifier	MC – Medicaid Provider Number
			If this is not available, CENTENE will use:
			FI – Federal Taxpayer's Identification Number

Segment Name Claim S			Claim Supplemental	Information	
Segment ID			AMT		
Loop ID			2100		
Usage			Situational		
Segment N	otes				
Element	Usage	Gu	ide Description/Valid	Comments	
ID			Values		
AMT01	R	Reference Identification		I – Interest	
		Qualifier			
AMT02	R	Mot	netary Amount		
AMT03	Х	Cree	dit/debit Flag Code	Not Used	

Segment Name		Claim Supplemental	Claim Supplemental Information Quantity		
Segment II)	QTY	QTY		
Loop ID		2100	2100		
Usage		Situational	Situational		
Segment N	otes	This will supply the Inp	This will supply the Inpatient Days covered under the individual claim.		
Element	Usage	Guide Description/Valid	Comments		
ID		Values			
QTY01	R	Quantity Qualifier Code	CA – Covered - Actual		
QTY02	R	Quantity			

QTY03	Х	Composite Unit of Measure	Not Used
QTY04	Х	Free-Form Message	Not Used

Segment N		Service Payment Inform	nation		
Segment II)	SVC			
Loop ID		2110	2110		
Usage		Situational			
Segment N	otes				
Element	Usage	Guide Description/Valid	Comments		
ID	U	Values			
SVC01	R	Composite Medical			
		Procedure Identifier			
SVC01-1	R	Product/Service ID	AD – American Dental Association Codes or		
		Qualifier	HC – HCPCS or		
			ID – ICD-9 or		
			ND – NDC		
			NU – National Uniform Billing Committee (NUBC)		
			UB92 codes		
SVC01-2	R	Procedure Code			
SVC01-3	S	Procedure Modifier			
SVC01-4	S	Procedure Modifier			
SVC01-5	S	Procedure Modifier			
SVC01-6	S	Procedure Modifier			
SVC01-7	S	Procedure Code Description	Not Used by CENTENE		
SVC02	R	Line Item Charge Amount			
SVC03	R	Line Item Provider Payment			
		Amount			
SVC04	S	Revenue Code			
SVC05	S	Quantity			
SVC06	S	Composite Medical			
		Procedure Identifier			
SVC06-1	R	Product/Service ID	AD – American Dental Association Codes or		
		Qualifier	HC – HCPCS or		
			ID – ICD-9 or		
			ND – NDC		
			NU – National Uniform Billing Committee (NUBC)		
			UB92 codes		
SVC06-2	R	Procedure Code			
SVC06-3	S	Procedure Modifier			
SVC06-4	S	Procedure Modifier			
SVC06-5	S	Procedure Modifier			
SVC06-6	S	Procedure Modifier			
SVC06-7	Х	Procedure Code Description	Not Used by CENTENE		
SVC07	S	Original Units of Service			
		Count			

Segment Na	ıme	Service Date			
Segment ID		DTM	DTM		
Loop ID		2110	2110		
Usage		Situational	Situational		
Segment Notes		There will be either 1 itera containing " 150 " and " 15	ation of the DTM which will contain "472" or 2 iterations 1".		
Element	Usage	Guide Description/Valid	Comments		

ID		Values	
DTM01	R	Date/Time Qualifier	150 – Service Period Start
			151 – Service Period End
			472 – Service
DTM02	R	Date	CCYYMMDD
DTM03	Х	Time	Not Used
DTM04	Х	Time Code	Not Used
DTM05	Х	Date Time Period Format	Not Used
		Qualifier	
DTM06	Х	Date Time Period	Not Used

Segment N	lame	Service Adjustment	
Segment II)	CAS	
Loop ID		2110	
Usage		Situational	
Segment N	otes		
Element	Usage	Guide Description/Valid	Comments
ID		Values	
CAS01	R	Claim Adjustment Group	CR – Correction and Reversals
		Code	OA – Other Adjustment
CAS02	R	Adjustment Reason Code	
CAS03	R	Adjustment Amount	
CAS04	S	Adjustment Quantity	
CAS05	S	Adjustment Reason Code	
CAS06	S	Adjustment Amount	
CAS07	S	Adjustment Quantity	
CAS08	S	Adjustment Reason Code	
CAS09	S	Adjustment Amount	
CAS10	S	Adjustment Quantity	
CAS11	S	Adjustment Reason Code	
CAS12	S	Adjustment Amount	
CAS13	S	Adjustment Quantity	
CAS14	S	Adjustment Reason Code	
CAS15	S	Adjustment Amount	
CAS16	S	Adjustment Quantity	
CAS17	S	Adjustment Reason Code	
CAS18	S	Adjustment Amount	
CAS19	S	Adjustment Quantity	

Segment Name Service Payment Inform			Payment Inform	nation
Segment ID REF				
Loop ID		2110		
Usage		Situation	al	
Segment N	otes			
Element	Usage	Guide Description/Valid		Comments
ID		Values		
REF01	R	Amount Qualifier Code		6R – Provider Control Number
REF02	R	Provider Identifier		
REF03	Х	Description		Not Used
REF04	Х	Reference Ide	ntifier	Not Used

Segment Name Service Supplemental			al Amount
Segment II)	AMT	
Loop ID		2110	
Usage		Situational	
Segment N	otes		
Element	Usage	Guide Description/Vali	d Comments
ID		Values	
AMT01	R	Reference Identification	B6 – Allowed Actual
	Qualifier		
AMT02	R	Monetary Amount	
AMT03	Х	Credit/debit Flag Code	Not Used

Segment Name		Health Care Remark C	Codes		
Segment ID		LQ	LQ		
Loop ID		2110	2110		
Usage		Situational			
Segment Notes					
Element	Usage	Guide Description/Valid	Comments		
ID	_	Values			
LQ01	R	Code List Qualifier Code	HE – Claim Payment Remark Codes		
LQ02	R	Industry Code			

Segment N	ame	Provider Adjustment			
Segment II)	PLB	PLB		
Loop ID		N/A	N/A		
Usage		Situational	Situational		
Segment N	otes				
Element	Usage	Guide Description/Valid	Comments		
ID		Values			
PLB01	R	Provider Identifier			
PLB02	R	Date			
PLB03	R	Composite Adjustment			
		Identifier			
PLB03-1	R	Adjustment Reason Code	FB – Forwarding Balance		
			IS – Interim Settlement		
			WO – Overpayment recovery		
			L6 – Interest Owed		
PLB03-2	S	Provider Adjustment	Not Used by CENTENE		
		Identifier			
PLB04	R	Provider Adjustment			
		Amount			
PLB05	S	Composite Adjustment			
		Identifier			
PLB05-1	R	Adjustment Reason Code	FB – Forwarding Balance		
			IS – Interim Settlement		
			WO – Overpayment recovery		
			L6 – Interest Owed		
PLB05-2	S	Provider Adjustment	Not Used by CENTENE		
		Identifier			

PLB06	S	Provider Adjustment	
		Amount	
PLB07	S	Composite Adjustment Identifier	
PLB07-1	R	Adjustment Reason Code	FB – Forwarding Balance IS – Interim Settlement WO – Overpayment recovery L6 – Interest Owed
PLB07-2	S	Provider Adjustment Identifier	Not Used by CENTENE
PLB08	S	Provider Adjustment Amount	
PLB09	S	Composite Adjustment Identifier	
PLB09-1	R	Adjustment Reason Code	FB – Forwarding Balance IS – Interim Settlement WO – Overpayment recovery L6 – Interest Owed
PLB09-2	S	Provider Adjustment Identifier	Not Used by CENTENE
PLB10	S	Provider Adjustment Amount	
PLB11	S	Composite Adjustment Identifier	
PLB11-1	R	Adjustment Reason Code	FB – Forwarding Balance IS – Interim Settlement WO – Overpayment recovery L6 – Interest Owed
PLB11-2	S	Provider Adjustment Identifier	Not Used by CENTENE
PLB12	S	Provider Adjustment Amount	
PLB13	S	Composite Adjustment Identifier	
PLB13-1	R	Adjustment Reason Code	FB – Forwarding Balance IS – Interim Settlement WO – Overpayment recovery L6 – Interest Owed
PLB13-2	S	Provider Adjustment Identifier	Not Used by CENTENE
PLB14	S	Provider Adjustment Amount	

Segment Name Transaction Set Trailer			saction Set Trailer	
Segment ID SE				
Loop ID		N/A		
Usage		Requ	ired	
Segment N	otes	This s	This segment ends the transaction	
Element	Usage	Guide D	escription/Valid	Comments
ID		Values		
SE01	R	Number of Included		
	Segments			
SE02	R	Transaction Set Control		This number is assigned locally by the sender and will match
		Number		the value in the corresponding ST segment

997 Functional Acknowledgement

A functional acknowledgement is to report the acceptance or rejection of functional group, transaction set or segment. CENTENE will generate an outbound 997 to acknowledge all inbound transactions received. The software used by CENTENE is Sybase's *EC MAP* with a HIPAA toolkit extension. Sybase's method for creating a 997 acknowledgement is to run data through a compliance map. The compliance map is defined to validate the EDI against the complete standard transaction set definition or to validate EDI data against a specific subset of the standard transaction.

CENTENE implemented the standard HIPAA compliance maps created by Sybase without modifications. If transactions contain errors, the entire file is rejected.

Segment Name	Transaction Set Header
Segment ID	ST
Loop	N/A
Usage	Required
Segment Notes	

Element ID	Usage	Guide Description/Valid Values	Comments
ST01	R	Transaction Set Identifier Code	997 – Functional Acknowledgement
ST02	R	Transaction Set Control Number	This number is assigned locally matches the value in the corresponding SE segment.

Segment Name	Functional Group Response Header
Segment ID	AK1
Loop	N/A
Usage	Required
Segment Notes	This segment is used to respond to the functional group information in the interchange envelope.

Eleme nt ID	Usage	Guide Description/Valid Values	Comments
AK101	R	Functional Identifier Code	This is only a list of identifier codes used for 997s generated by CENTENE in response to inbound transactions. RA – Payment Order/Remittance Advice (820) BE – Benefit Enrollment and Maintenance (834) HP – Health Care Claim Payment/Advice (835) HC – Health Care Claim (837) HS – Eligibility, Coverage or Benefit Inquiry (270) HR – Health Care Claim Status Request (276) HI – Health Care Services Review Information (278)
AK102	R	Transaction Set Control Number	This data element contains the value from the GS06 data element from the GS segment of the original file being acknowledged.

Segment Name	Transaction Set Response Header
Segment ID	AK2
Loop	AK2
Usage	Situational
Segment Notes	This segment is used to start the acknowledgment of a transaction set. If there are no errors at the transaction set level, this segment is not returned.

Element ID	Usage	Guide Description/Valid Values	Comments
AK201	R	Functional Identifier Code	 This is only a list of identifier codes used for 997's generated by CENTENE in response to inbound transactions. 834 – Benefit Enrollment and Maintenance 835 – Health Care Claim Payment/Advice 837 – Health Care Claim 270- Eligibility, Coverage or Benefit Inquiry 276– Health Care Claim Status Request 278– Health Care Services Review Information
AK202	R	Transaction Set Control Number	This data element contains the value from the ST02 data element from the ST segment of the original file being acknowledged.

Segment Name	Data Segment Note	
Segment ID	AK3	
Loop	AK2/AK3	

Usage	Situational	
Segment Notes	This segment is used to report segment/looping errors in the submitted transaction.	

Element ID	Usage	Guide Description/Valid Values	Comments
AK301	R	Segment ID Code	This data element lists the two or three byte segment ID that contains the error, such as ST, SBR.
AK302	R	Segment Position in Transaction Set	This data element contains the sequential position of the Segment ID identified in AK301. This count begins with 1 for the ST segment and increments by 1 from that point.
AK303	S	Loop Identifier Code	This data element identifies the loop where the erroneous segment resides.
AK304	S	Segment Syntax Error Code	This data element describes the type of error encountered. See code list in the <i>IG</i>

Segment Name	Data Segment Note
Segment ID	AK4
Loop	AK2/AK3
Usage	Situational
Segment Notes	This segment is used to report data element/composite errors in the submitted transaction.

Element ID	Usage	Guide Description/Valid Values	Comments
AK401	R	Position in Segment	This is a composite data element.
AK401-1	R	Segment Position in Transaction Set	This data element contains the sequential position of the simple data element or composite data structure. This count begins with 1 for the initial element and increments by 1 from that point.
AK401-2	S	Component Data Element Position in Composite	This data element identifies within the composite structure where the error occurs.
AK403	S	Data Element Reference Number	This is the Data Element Dictionary reference number associated with the erroneous data element/composite.
AK404	R	Data Element Syntax Error Code	This data element describes the type of error encountered. See code list in <i>IG</i>
AK405	S	Copy of Bad Data Element	

Segment Name	Transaction Set Response Trailer	
Segment ID	AK5	

Loop	AK2/AK3
Usage	Required
Segment Notes	This segment is used to acknowledge the acceptance or rejection of a transaction and any report errors.

Element ID	Usage	Guide Description/Valid Values	Comments
AK501	R	Transaction Set Acknowledgment Code	A – Accepted R - Rejected
AK502	S	Transaction Set Syntax Error Code	This data element describes the type of error encountered. See code list in <i>IG</i>
AK503	S	Transaction Set Syntax Error Code	This data element describes the type of error encountered. See code list in <i>IG</i>
AK504	S	Transaction Set Syntax Error Code	This data element describes the type of error encountered. See code list in <i>IG</i>
AK505	S	Transaction Set Syntax Error Code	This data element describes the type of error encountered. See code list in <i>IG</i>
AK506	S	Transaction Set Syntax Error Code	This data element describes the type of error encountered. See code list in <i>IG</i>

Segment Name	Functional Group Response Trailer	
Segment ID	AK9	
Loop	N/A	
Usage	Required	
Segment Notes	This segment is used to acknowledge the acceptance or rejection of a functional group and report the number of transaction sets originally included, received, and accepted.	

Element ID	Usage	Guide Description/Valid Values	Comments
AK901	R	Functional Group Acknowledgment Code	A – Accepted R - Rejected
AK902	S	Number of Transaction Sets Included	This data element contains the value from the GE01 data element from the GE segment of the original file being acknowledged.
AK903	S	Number of Received Transaction Sets	

Element ID	Usage	Guide Description/Valid Values	Comments
AK904	S	Number of Accepted Transaction Sets	
AK905	S	Functional Group Syntax Error Code	This data element describes the type of error encountered. See code list in <i>IG</i>
AK906	S	Functional Group Syntax Error Code	This data element describes the type of error encountered. See code list in <i>IG</i>
AK907	S	Functional Group Syntax Error Code	This data element describes the type of error encountered. See code list in <i>IG</i>
AK908	S	Functional Group Syntax Error Code	This data element describes the type of error encountered. See code list in <i>IG</i>
AK909	S	Functional Group Syntax Error Code	This data element describes the type of error encountered. See code list in <i>IG</i>

Segment Name	Transaction Set Trailer
Segment ID	SE
Loop	N/A
Usage	Required
Segment Notes	

Element ID	Usage	Guide Description/Valid Values	Comments
ST01	R	Number of Included Segments	This is the total number of segments included in this acknowledgment. This value includes the ST and SE segments.
ST02	R	Transaction Set Control Number	This number is assigned locally and matches the value in the preceding ST segment.

Summary

There are three levels of 835 transaction testing required before an application is considered approved by CENTENE. These testing levels include the following:

- o Compliance Testing
- o CENTENE Specification Validation Testing
- o End-to-End Testing

Prior to testing, anyone wanting to exchange information electronically with CENTENE must complete and submit an Electronic Fund Transfer Agreement Form and a signed Trading Partner Agreement Form. Both forms are available on the plan website.

CENTENE requires a minimum of sending two test files containing "live" information to its' business partners in the same manner as production files would be sent. This will allow us to test the file transmission process and the data content.