

Clinical Policy: Ziv-Aflibercept (Zaltrap)

Reference Number: CP.PHAR.325

Effective Date: 03.01.17 Last Review Date: 11.24

Line of Business: Commercial, HIM, Medicaid

Coding Implications
Revision Log

See <u>Important Reminder</u> at the end of this policy for important regulatory and legal information.

## **Description**

Ziv-aflibercept (Zaltrap®) is a vascular endothelial growth factor (VEGF) inhibitor.

## FDA Approved Indication(s)

Zaltrap, in combination with 5-fluorouracil, leucovorin, irinotecan (FOLFIRI), is indicated for patients with metastatic colorectal cancer (CRC) that is resistant to or has progressed following an oxaliplatin-containing regimen.

### Policy/Criteria

Provider must submit documentation (such as office chart notes, lab results or other clinical information) supporting that member has met all approval criteria.

It is the policy of health plans affiliated with Centene Corporation<sup>®</sup> that Zaltrap is **medically necessary** when the following criteria are met:

### I. Initial Approval Criteria

- A. Colorectal Cancer (must meet all):
  - 1. Diagnosis of advanced, unresectable, or metastatic CRC;
  - 2. Prescribed by or in consultation with an oncologist;
  - 3. Age  $\geq$  18 years;
  - 4. Previous treatment with one of the following (a, b, or c):
    - a. An oxaliplatin-containing regimen (e.g., FOLFOX, CapeOX);
    - b. A 5-fluorouracil and leucovorin-containing regimen (off-label);
    - c. A capecitabine-containing regimen (off-label);
  - 5. Prescribed in combination with irinotecan or FOLFIRI;
  - 6. Request meets one of the following (a or b):\*
    - a. Dose does not exceed 4 mg/kg every 2 weeks;
    - b. Dose is supported by practice guidelines or peer-reviewed literature for the relevant off-label use (*prescriber must submit supporting evidence*).
    - \*Prescribed regimen must be FDA-approved or recommended by NCCN

## **Approval duration:**

**Medicaid/HIM** – 6 months

Commercial – 6 months or to the member's renewal date, whichever is longer

# CLINICAL POLICY Ziv-Aflibercept



### **B.** Other diagnoses/indications (must meet 1 or 2):

- 1. If this drug has recently (within the last 6 months) undergone a label change (e.g., newly approved indication, age expansion, new dosing regimen) that is not yet reflected in this policy, refer to one of the following policies (a or b):
  - a. For drugs on the formulary (commercial, health insurance marketplace) or PDL (Medicaid), the no coverage criteria policy for the relevant line of business:
     CP.CPA.190 for commercial, HIM.PA.33 for health insurance marketplace, and CP.PMN.255 for Medicaid; or
  - b. For drugs NOT on the formulary (commercial, health insurance marketplace) or PDL (Medicaid), the non-formulary policy for the relevant line of business: CP.CPA.190 for commercial, HIM.PA.103 for health insurance marketplace, and CP.PMN.16 for Medicaid; or
- 2. If the requested use (e.g., diagnosis, age, dosing regimen) is NOT specifically listed under section III (Diagnoses/Indications for which coverage is NOT authorized) AND criterion 1 above does not apply, refer to the off-label use policy for the relevant line of business: CP.CPA.09 for commercial, HIM.PA.154 for health insurance marketplace, and CP.PMN.53 for Medicaid.

### **II. Continued Therapy**

### A. Colorectal Cancer (must meet all):

- 1. Currently receiving medication via Centene benefit, or documentation supports that member is currently receiving Zaltrap for a covered indication and has received this medication for at least 30 days;
- 2. Member is responding positively to therapy;
- 3. If request is for a dose increase, request meets one of the following (a or b):\*
  - a. New dose does not exceed 4 mg/kg every 2 weeks;
  - b. New dose is supported by practice guidelines or peer-reviewed literature for the relevant off-label use *(prescriber must submit supporting evidence)*.

\*Prescribed regimen must be FDA-approved or recommended by NCCN

#### **Approval duration:**

**Medicaid/HIM** – 12 months

Commercial – 6 months or to the member's renewal date, whichever is longer

### **B.** Other diagnoses/indications (must meet 1 or 2):

- 1. If this drug has recently (within the last 6 months) undergone a label change (e.g., newly approved indication, age expansion, new dosing regimen) that is not yet reflected in this policy, refer to one of the following policies (a or b):
  - a. For drugs on the formulary (commercial, health insurance marketplace) or PDL (Medicaid), the no coverage criteria policy for the relevant line of business:
     CP.CPA.190 for commercial, HIM.PA.33 for health insurance marketplace, and CP.PMN.255 for Medicaid; or
  - b. For drugs NOT on the formulary (commercial, health insurance marketplace) or PDL (Medicaid), the non-formulary policy for the relevant line of business: CP.CPA.190 for commercial, HIM.PA.103 for health insurance marketplace, and CP.PMN.16 for Medicaid; or

# CLINICAL POLICY Ziv-Aflibercept



2. If the requested use (e.g., diagnosis, age, dosing regimen) is NOT specifically listed under section III (Diagnoses/Indications for which coverage is NOT authorized) AND criterion 1 above does not apply, refer to the off-label use policy for the relevant line of business: CP.CPA.09 for commercial, HIM.PA.154 for health insurance marketplace, and CP.PMN.53 for Medicaid.

## III. Diagnoses/Indications for which coverage is NOT authorized:

**A.** Non-FDA approved indications, which are not addressed in this policy, unless there is sufficient documentation of efficacy and safety according to the off label use policies – CP.CPA.09 for commercial, HIM.PA.154 for health insurance marketplace, and CP.PMN.53 for Medicaid, or evidence of coverage documents.

## IV. Appendices/General Information

Appendix A: Abbreviation/Acronym Key

CapeOX: capecitabine and oxaliplatin FOLFOX: fluorouracil, leucovorin,

CRC: colorectal cancer oxaliplatin

FDA: Food and Drug Administration VEGF: vascular endothelial growth factor

FOLFIRI: fluorouracil, leucovorin,

irinotecan

*Appendix B: Therapeutic Alternatives* 

This table provides a listing of preferred alternative therapy recommended in the approval criteria. The drugs listed here may not be a formulary agent and may require prior authorization.

dumorization.					
Drug Name	Dosing Regimen	Dose Limit/			
		<b>Maximum Dose</b>			
Modified	Day 1: oxaliplatin 85 mg/m <sup>2</sup> IV	See dosing			
FOLFOX 6	Day 1: Folinic acid 400 mg/m <sup>2</sup> IV	regimen			
	Days 1–3: 5-FU 400 mg/m <sup>2</sup> IV bolus on day 1,				
	then $1,200 \text{ mg/m}^2/\text{day} \times 2 \text{ days (total } 2,400$				
	mg/m <sup>2</sup> over 46–48 hours) IV continuous infusion.				
	Repeat cycle every 2 weeks.				
CapeOX	Day 1: Oxaliplatin 130 mg/m <sup>2</sup> IV	See dosing			
	Days 1–14: Capecitabine 1,000 mg/m <sup>2</sup> PO BID.	regimen			
	Repeat cycle every 3 weeks.				
FOLFIRI	Day 1: Irinotecan 180 mg/m <sup>2</sup> IV	See dosing			
	Day 1: Leucovorin 400 mg/m <sup>2</sup> IV	regimen			
	Day 1: Fluorouracil 400 mg/m <sup>2</sup> IV followed by				
	2400 mg/m <sup>2</sup> continuous IV over 46 hours				
	Repeat cycle every 14 days.				
5-fluorouracil and	Roswell Park regimen:	See dosing			
leucovorin	Leucovorin 500 mg/m <sup>2</sup> IV followed by 5-FU 500	regimen			
	mg/m <sup>2</sup> IV bolus one hour after start of leucovorin				
	on days 1, 8, 15, 22, 29, 36. Repeat every 8 weeks.				



Drug Name	Dosing Regimen	Dose Limit/ Maximum Dose
	Biweekly regimen: Leucovorin 400 mg/m² IV on day one followed by 5-FU 400 mg/m² IV bolus then 1,200 mg/m² continuous IV. Repeat every 2 weeks.	
	Weekly regimen: Leucovorin 20 mg/m² IV on day one followed 5- FU 500 mg/m² IV bolus one hour after start of leucovorin. Alternatively, 5-FU 2,600 mg/m² continuous IV with leucovorin 500 mg/m² IV. Repeat weekly.	
capecitabine	850 – 1,250 mg/m <sup>2</sup> PO BID on days 1-14. Repeat every 3 weeks.	2,500 mg/m <sup>2</sup> /day

Therapeutic alternatives are listed as Brand name® (generic) when the drug is available by brand name only and generic (Brand name®) when the drug is available by both brand and generic.

Appendix C: Contraindications/Boxed Warnings
None reported

### V. Dosage and Administration

Indication	Dosing Regimen	<b>Maximum Dose</b>
CRC	4 mg/kg IV over 1 hour every two weeks	4 mg/kg

### VI. Product Availability

Single-use vials for injection: 100 mg/4 mL, 200 mg/8 mL

#### VII. References

- 1. Zaltrap Prescribing Information. Bridgewater, NJ: Sanofi-Aventis U.S., LLC; December 2023. Available at http://www.zaltrap.com. Accessed July 17, 2024.
- 2. National Comprehensive Cancer Network Drugs and Biologics Compendium. Available at: http://www.nccn.org/professionals/drug compendium. Accessed August 5, 2024.
- 3. National Comprehensive Cancer Network. Colon Cancer Version 4.2024. Available at: https://www.nccn.org/professionals/physician\_gls/pdf/colon.pdf. Accessed August 5, 2024.
- 4. National Comprehensive Cancer Network. Rectal Cancer Version 3.2024. Available at: https://www.nccn.org/professionals/physician\_gls/pdf/rectal.pdf. Accessed August 5, 2024.

### **Coding Implications**

Codes referenced in this clinical policy are for informational purposes only. Inclusion or exclusion of any codes does not guarantee coverage. Providers should reference the most up-to-date sources of professional coding guidance prior to the submission of claims for reimbursement of covered services.

HCPCS Codes	Description
J9400	Injection, ziv-aflibercept, 1 mg



Reviews, Revisions, and Approvals	Date	P&T Approval Date
4Q 2020 annual review: removed HIM-Medical Benefit line of business and associated references to non-formulary requests; references reviewed and updated.	07.23.20	11.20
4Q 2021 annual review: no significant changes; references for HIM line of business off-label use revised from HIM.PHAR.21 to HIM.PA.154; references reviewed and updated.	08.09.21	11.21
4Q 2022 annual review: added diagnosis qualifier that CRC is advanced, unresectable, or metastatic per NCCN; references reviewed and updated. Template changes applied to other diagnoses/indications.	08.05.22	11.22
4Q 2023 annual review: no significant changes; references reviewed and updated.	08.15.23	11.23
4Q 2024 annual review: no significant changes; references reviewed and updated.	08.05.24	11.24

## **Important Reminder**

This clinical policy has been developed by appropriately experienced and licensed health care professionals based on a review and consideration of currently available generally accepted standards of medical practice; peer-reviewed medical literature; government agency/program approval status; evidence-based guidelines and positions of leading national health professional organizations; views of physicians practicing in relevant clinical areas affected by this clinical policy; and other available clinical information. The Health Plan makes no representations and accepts no liability with respect to the content of any external information used or relied upon in developing this clinical policy. This clinical policy is consistent with standards of medical practice current at the time that this clinical policy was approved. "Health Plan" means a health plan that has adopted this clinical policy and that is operated or administered, in whole or in part, by Centene Management Company, LLC, or any of such health plan's affiliates, as applicable.

The purpose of this clinical policy is to provide a guide to medical necessity, which is a component of the guidelines used to assist in making coverage decisions and administering benefits. It does not constitute a contract or guarantee regarding payment or results. Coverage decisions and the administration of benefits are subject to all terms, conditions, exclusions, and limitations of the coverage documents (e.g., evidence of coverage, certificate of coverage, policy, contract of insurance, etc.), as well as to state and federal requirements and applicable Health Plan-level administrative policies and procedures.

This clinical policy is effective as of the date determined by the Health Plan. The date of posting may not be the effective date of this clinical policy. This clinical policy may be subject to applicable legal and regulatory requirements relating to provider notification. If there is a discrepancy between the effective date of this clinical policy and any applicable legal or regulatory requirement, the requirements of law and regulation shall govern. The Health Plan

# CLINICAL POLICY Ziv-Aflibercept



retains the right to change, amend or withdraw this clinical policy, and additional clinical policies may be developed and adopted as needed, at any time.

This clinical policy does not constitute medical advice, medical treatment, or medical care. It is not intended to dictate to providers how to practice medicine. Providers are expected to exercise professional medical judgment in providing the most appropriate care, and are solely responsible for the medical advice and treatment of members. This clinical policy is not intended to recommend treatment for members. Members should consult with their treating physician in connection with diagnosis and treatment decisions.

Providers referred to in this clinical policy are independent contractors who exercise independent judgment and over whom the Health Plan has no control or right of control. Providers are not agents or employees of the Health Plan.

This clinical policy is the property of the Health Plan. Unauthorized copying, use, and distribution of this clinical policy or any information contained herein are strictly prohibited. Providers, members, and their representatives are bound to the terms and conditions expressed herein through the terms of their contracts. Where no such contract exists, providers, members and their representatives agree to be bound by such terms and conditions by providing services to members and/or submitting claims for payment for such services.

#### Note:

**For Medicaid members**, when state Medicaid coverage provisions conflict with the coverage provisions in this clinical policy, state Medicaid coverage provisions take precedence. Please refer to the state Medicaid manual for any coverage provisions pertaining to this clinical policy.

©2016 Centene Corporation. All rights reserved. All materials are exclusively owned by Centene Corporation and are protected by United States copyright law and international copyright law. No part of this publication may be reproduced, copied, modified, distributed, displayed, stored in a retrieval system, transmitted in any form or by any means, or otherwise published without the prior written permission of Centene Corporation. You may not alter or remove any trademark, copyright or other notice contained herein. Centene® and Centene Corporation® are registered trademarks exclusively owned by Centene Corporation.